



# Product Catalog

Version 1.2 | [armorgardusa.com](http://armorgardusa.com)



 **armorgard**  
siteboss

Produced in  
USA



# Welcome

This catalog includes our extensive range of market-leading solutions for on-site security, safety and productivity. All of our products are exclusive to Armorgard and come from the work of our talented in-house R&D team. Our latest innovations are used as essential solutions for H&S best practice. You won't find the same products anywhere else and you certainly won't find better.

For help, advice and to place orders, contact our team at **1-877-794-2848**, email **info@armorgardusa.com** or visit **armorgardusa.com**

The images used throughout are for the purpose of illustration and reference only. Content may not be included as standard. Please note that dimensions are approximate.



# Designed and engineered in Great Britain

Founded in Great Britain, Armorgard has been committed to producing high-quality products that you won't find anywhere else for over 30 years.

From concept and design through to manufacture, our R&D team develop all our products in our UK head office to ensure they are built to the highest standards. Add to this unbeatable value for money and our global reputation for outstanding customer service, and you can see why we're one of the world's fastest-growing and most trusted secure storage brands.



**Built British**



**7-year warranty**



**Est. 1989**







# We look at things from a different angle

Every product is developed in response to a need. We listen to all customers and create the perfect solutions to their problems.

Our team continue to develop excellent new products that are tough, dependable and purpose-built for your needs. Plus, we won't keep you waiting. We pride ourselves on our high stock levels on all stock items.

We'd love to hear from you if you have an idea for a new product or feedback on an existing one. Please send us an email to discuss your ideas.



**“Our product team is continually developing new ideas – tough, dependable products.”**

---

# Contents

## SECTION 01

### Jobsite storage

siteboss chest™	8
siteboss piano box™	10
siteboss cabinet™	12
ultralock	13
fittingstor™	14
forma-stor™	16

## SECTION 02

### Work stations

cuttingstation™	18
sitestation™	20

## SECTION 03

### Material handling

rubble truck™	22
---------------	----



You haven't met security, until you've met SiteBoss™

- Secures tools and equipment 24/7 with its patented UltraLock security system
- Suitable for the jobsite and your truck
- 14-ga steel body, a multi-spur locking mechanism and tamper-proof joins means it's built to protect
- Safety features include: dual gas struts and SlamStop lid stay, which protects workers when operating the heavy-duty lid

Patent pending 2211899.6

**armorgard**

# siteboss™ chest

» OPTIONAL EXTRAS

CABLE PASS THROUGH POINT  
LID OPENING ASSIST GAS STRUTS  
SLAMSTOP SAFETY LID STAY

ANTI-TAMPER JOINS



HEAVY-DUTY CASTERS



CRANE LIFTING EYES

SB16

SB24

POWDER-COATED FOR MAXIMUM DURABILITY

6-GA FOUR-WAY FORKLIFT POCKETS

2" PADLOCK HOUSING



**Stored. Secured. SiteBoss™.**





SB9



SB21



SB25



JOBSITE STORAGE



FEATURING EXTREME  
ULTRA LOCK SECURITY

Product Code	Description	Weight lbs (kg)	External Dimensions W x D x H inches (mm)	Internal Dimensions W x D x H inches (mm)
SB9	Jobsite Chest	119 (59)	41.7 x 18.9 x 23.2 (1060 x 480 x 590)	37.4 x 18.1 x 19.3 (950 x 460 x 489)
SB16	Jobsite Chest	185 (84)	45.3 x 24.2 x 28.3 (1150 x 615 x 720)	40.2 x 23.3 x 24.4 (1130 x 590 x 620)
SB21	Jobsite Chest	approx 246 (112)	59.4 x 24.2 x 28.3 (1510 x 615 x 720)	54.9 x 23.3 x 24.4 (1394 x 595 x 619)
SB24	Jobsite Chest	240 (109)	45.3 x 29.9 x 33.5 (1150 x 760 x 851)	40.2 x 29.0 x 29.9 (1130 x 735 x 750)
SB25	Jobsite Chest	276 (125)	71.7 x 24.2 x 28.3 (1820 x 615 x 720)	67.1 x 23.3 x 24.4 (1704 x 595 x 619)

Note: Weights and dimensions are approximate. External dimensions include handles.

**Stored. Secured. SiteBoss™.**

**Jobsite tool security,  
built like a boss**

- 14-ga steel body, a multi-spur locking mechanism and tamper-proof joints means it's built to protect
- With 38-49 cu ft of storage, strengthened hooks and a fitted shelf, organized storage of tools and equipment is made easy
- Safety features include: dual gas struts and SlamStop lid stay, which protects workers when operating the heavy-duty lid
- Secures tools and equipment 24/7 with its patented UltraLock security system

**armorgard**

# siteboss™ piano box

**Patent pending 2211899.6**



**Stored. Secured. SiteBoss™.**



**SB38**



» **OPTIONAL EXTRAS**



**HEAVY-DUTY  
CASTERS**



**CRANE LIFTING  
EYES**

 **FEATURING EXTREME  
ULTRALOCK SECURITY**

Product Code	Description	Weight lbs (kg)	External Dimensions W x D x H inches (mm)	Internal Dimensions W x D x H inches (mm)
SB38	Jobsite Piano Box	367 (167)	45.3 x 29.9 x 50 (1150 x 760 x 1270)	40.2 x 28.6 x 46.1 (1130 x 725 x 1170)
SB49	Jobsite Piano Box	420 (191)	59.8 x 29.9 x 50.0 (1525 x 760 x 1270)	58.9 x 28.6 x 46.1 (1495 x 725 x 1170)

Note: Weights and dimensions are approximate. External dimensions include handles.

**Pioneering jobsite security for over 30 years**

- 14-ga steel body, a multi-spur locking mechanism and tamper-proof joints means it's built to protect
- With 38-49 cu ft of storage, strengthened hooks and a fitted shelf, organized storage of tools and equipment is made easy
- Safety features include: dual gas struts and SlamStop lid stay, which protects workers when operating the heavy-duty lid
- Secures tools and equipment 24/7 with its patented UltraLock security system



# siteboss<sup>TM</sup> cabinet

Patent pending 2211899.6

**ADJUSTABLE SHELVES**  
WITH 440 LBS CAPACITY  
PER SHELF

**CABLE PASS  
THROUGH POINT**

**POWDER-COATED**  
FOR MAXIMUM  
DURABILITY

**EASY OPEN  
DOOR  
LATCH**

»  
**OPTIONAL EXTRAS**



**HEAVY-DUTY  
CASTERS**



**CRANE LIFTING  
EYES**



SB48



FEATURING EXTREME  
ULTRALOCK SECURITY

**FOUR-WAY  
FORKLIFT POCKETS**

Product Code	Description	Weight lbs (kg)	External Dimensions W x D x H inches (mm)	Internal Dimensions W x D x H inches (mm)
SB48	Jobsite Cabinet	517 (235)	60.2 x 24.6 x 60.6 (1528 x 624 x 1540)	59.1 x 24.0 x 57.1 (1520 x 530 x 1445)

Note: Weights and dimensions are approximate. External dimensions include handles.

**Stored. Secured. SiteBoss<sup>TM</sup>.**



# Extreme UltraLock protection

A secure locking system that dominates the market.

UltraLock's universal design makes it compatible with most standard padlocks available on the market.

UltraLock is compatible with most 2" padlocks. We recommend using the MasterLock #5, the American Lock A50 or a similar size in other brands.

Patent pending 2211899.6

## Complex innovation made simple:

- » Install your padlock in seconds with a hardened steel security bolt.
- » Shackles across 3 points of the SiteBoss™ engage with the multi-spur mechanism, interlocking smoothly yet fiercely.
- » With just a single push of the padlock: installed, engaged, protected.



UltraLock: Its strength is undeniable, its innovation is unrivalled.

Your FittingStor™: tough,  
tidy and transportable

- Designed to secure your costly fittings and fasteners with a heavy-duty security of 16-ga steel
- Move it where you need it with heavy duty casters or 4-way forklift pockets
- Organization made simple with 3 sturdy shelves that store up to 300 lbs

**armorgard**

**fittingstor™**

POWDER-COATED FOR MAXIMUM DURABILITY

THREE HEAVY-DUTY SHELVES AS STANDARD



FC4-T

16-GA ROBUST STEEL PLATE CONSTRUCTION FOR MAXIMUM PROTECTION

STORAGE COMPARTMENT IN THE BASE FOR TOOLS & EQUIPMENT

HEAVY-DUTY INDUSTRIAL CASTERS SUPPLIED AS STANDARD

FOUR-WAY FORKLIFT POCKETS FOR EASY TRANSPORTATION



For jobsite solutions, call our customer experience team at **1-877-794-2848** or email **info@armorgardusa.com**



FC4-T



EASY TO USE  
T-LATCH LOCK -  
JUST TWIST  
AND UNLOCK

JOBSITE STORAGE



FC6-T



Product Code	Description	Weight lbs (kg)	External Dimensions W x D x H inches (mm)	Internal Dimensions W x D x H inches (mm)
FC4-T	Jobsite fittings cabinet	306 (139)	43.7 x 22.4 x 62 (1110 x 570 x 1575)	40.6 x 20.1 x 50.8 (1030 x 510 x 1290)
FC6-T	Jobsite fittings cabinet	339 (154)	42.1 x 29.8 x 74.2 (1070 x 756 x 1885)	39 x 27.6 x 62.8 (990 x 700 x 1595)

Note: Weights and dimensions are approximate. External dimensions include handles.

**Strength AND simplicity.  
Forma-Stor™ delivers  
the best of both.**

- Build in 10 minutes
- Anti-tamper joins and galvanized panels for maximum durability and security
- Available in 2 sizes
- Forklift pockets and crane lifting eyes for ease of transportation while empty

**armorgard**

**forma-stor™**

**CRANE  
LIFTING EYES**

**AVAILABLE IN 2  
SIZES**

**HEAVY-DUTY  
SECURE JOBSITE  
STORAGE**

**FR200-TT**

**FULLY GALVANIZED  
AND POWDER-COATED FOR  
MAXIMUM DURABILITY**

**FLAT-PACKED, MODULAR,  
QUICK-ASSEMBLY UNIT**

**FORKLIFT POCKETS  
FOR EASY  
TRANSPORTATION TO  
RESTRICTED AREAS**

**STRONG FITTED  
OSB FLOOR**

**BUILD SIMPLY AND  
EASILY WITH NO FUSS!  
INSTRUCTIONS INCLUDED**





**FR400-T**



**EASY TO USE**  
T-LATCH LOCK  
- JUST TWIST AND UNLOCK

» **OPTIONAL EXTRAS**



**440 LBS**  
CERTIFIED  
SHELVES



**BLOKKABAR**  
FOR ADDITIONAL  
SECURITY



**HEAVY-DUTY**  
RAMP

**JOB SITE STORAGE**



**FR200-TT**

Product Code	Description	Weight lbs (kg)	External Dimensions W x D x H inches (mm)	Internal Dimensions W x D x H inches (mm)
FR200-TT	Walk-in storage unit	845 (384)	81.7 x 79.1 x 81.3 (2075 x 2010 x 2065)	75.4 x 72.4 x 73.4 (1915 x 1840 x 1865)
FR400-TT	Walk-in storage unit	1313 (597)	81.7 x 155.9 x 81.3 (2075 x 3960 x 2065)	75.4 x 149.2 x 73.4 (1915 x 3790 x 1865)

Note: Weights and dimensions are approximate. External dimensions include handles.

## Revolutionizing safe cutting on site

- CuttingStation is a purpose-built work station. Cut lengths of material efficiently and safely at the correct working height
- PVC curtains contain sparks, sound deadening foam reduces noise pollution
- Complete with lighting, power and a secure lockable cabinet
- Set up where you need to, by crane, caster or forklift
- Reduce noise, contain dust, and cut safely on site

**armorgard**

# cuttingstation™

DUST & FILINGS COLLECTOR WITH DUST EXTRACTOR CONNECTION

ADAPTABLE PVC CURTAINS TO CONTAIN SPARKS AND DEBRIS

POWDER-COATED FOR MAXIMUM DURABILITY



EASY TO USE T-LATCH LOCK - JUST TWIST AND UNLOCK

FIRE RATED, SOUND-DEADENING FOAM


EXTENDABLE SUPPORT ARMS WITH 4 CONFIGURATIONS

RUBBER MAT TO REDUCE VIBRATION



SS7-T

» OPTIONAL EXTRAS



CRANE LIFTING EYES

RUBBERIZED WHEELS FOR REDUCED VIBRATION

SECURE CABINET TO KEEP YOUR TOOLS SAFE



EASY ACCESS WITH CUT-OUT FRONT



PROVISION FOR ATTACHING A VACUUM HOSE OR BIN

EXTENDABLE BACK PANEL FOR EXTRA WORKSPACE TO CATER FOR MITER SAWS

NARROW ENOUGH TO FIT THROUGH STANDARD DOORWAYS

» THE 4 CONFIGURATIONS OF THE EXTENDABLE SUPPORT ARMS



FLAT SURFACE  
IDEAL FOR LONG LENGTHS



ROLLER SURFACE  
IDEAL FOR LONG LENGTHS



V-SHAPE  
IDEAL FOR ROUND PIPES



FLAT EDGE  
IDEAL FOR LONG LENGTHS

Product Code	Description	Weight lbs (kg)	External Dimensions W x D x H inches (mm)	Internal Dimensions W x D x H inches (mm)
SS7-T	Cutting unit	396 (180)	Standard: 54.7 x 30.7 x 74.8 (1390 x 780 x 1905) Extended: 127 x 42.9 x 74.8 (3000 x 1090 x 1900)	Top With Extended Back: 44.3 x 37.6 x 39.4 (1125 x 955 x 1000) Bottom: 44.3 x 28.3 x 22 (1125 x 720 x 560)
CLEK	Crane lifting eye kit	2.75 (1.25)	90 x 28 x 210 (3.5 x 1.1 x 8.3)	N/A

Note: Weights and dimensions are approximate. External dimensions include handles.

Tied to your desk?  
**SiteStation™** keeps  
you in the action.

- The ultimate robust, lockable and mobile mini site office
- Access your drawings and documents with the help of lighting and a power supply
- Move the unit to where you need it by crane, caster or forklift skids
- Its robust construction provides secure storage for devices and supplies

**armorgard**

# sitestation™



For jobsite solutions, call our customer experience team at **1-877-794-2848** or email **info@armorgardusa.com**

»  
A COMPACT MOBILE  
WORKSTATION



**EASY TO USE**  
T-LATCH LOCK -  
JUST TWIST  
AND UNLOCK



WORK STATIONS

Product Code	Description	Weight lbs (kg)	External Dimensions W x D x H inches (mm)	Internal Dimensions W x D x H inches (mm)
SS2-T	Mobile site office™	497 (226)	55.7 x 32.7 x 78.1 (1414 x 830 x 1985)	Top: 51.2 x 28.3 x 41.9 (1300 x 720 x 1065) Bottom: 51.2 x 28.3 x 24 (1300 x 720 x 610)

Note: Weights and dimensions are approximate. External dimensions include handles.

**Moving trash and rubble around a job site? That's easy.**

- Ideal for handling waste and rubble
- 13.5 cu ft. scoop, 1650 lbs capacity, and a built-in tipping feature
- Puncture proof, hard wearing wheels and side protection buffers
- Crane lifting eyes for easy transportation

**armorgard**

# rubble truck™



UNIQUE STACKABLE DESIGN



»  
OPTIONAL EXTRAS



RT-L LID



MATERIAL HANDLING

»  
For jobsite solutions, call our customer experience team at **1-877-794-2848** or email **info@armorgardusa.com**

Product Code	Description	Weight lbs (kg)	External Dimensions W x D x H inches (mm)	Internal Dimensions W x D x H inches (mm)	Load Capacity lbs (kg)
RT400	Trash and rubble unit	196 (89)	29.9 x 57.5 x 37.6 (760 x 1460 x 955)	17.5 x 51.2 x 26 (445 x 13600 x 660)	1650 (750)
RT-L	Rubble Truck Lid	19 (9)	30.3 x 55.3 x 10.2 (770 x 1405 x 260)	22.8 x 55.1 x 8.2 (580 x 1400 x 210)	N/A

Note: Weights and dimensions are approximate. External dimensions include handles.



Find us on social media



**Call us for your nearest distributor:**



**USA Office**

185 Alewife Brook Pkwy #210, Cambridge, MA 02138, United States

Call **1-877-794-2848** Email [info@armorgardusa.com](mailto:info@armorgardusa.com) [www.armorgardusa.com](http://www.armorgardusa.com)



**Canada Office**

251 Saulteaux Crescent #207, Winnipeg, MB R3J 3C7 Canada

Call **1-877-794-2848** Email [info@armorgardusa.com](mailto:info@armorgardusa.com) [www.armorgardusa.com](http://www.armorgardusa.com)