



*PROTECTIVE INDUSTRIAL PRODUCTS*

# Leaders in Hand Protection and PPE

---

SAFETY PRODUCTS CATALOG / CANADA

PIP CANADA LTD.  
[www.pipcanada.ca](http://www.pipcanada.ca)



**PROTECTIVE INDUSTRIAL PRODUCTS**

## WELCOME TO THE NEW PIP® SAFETY PRODUCTS CATALOG

We are beyond excited to share the entirety of our products and the value they deliver in one convenient reference piece.

Recent global events are requiring many of us to adapt – making a digital, touchless experience the preferred method for literature for the foreseeable future. We also know that tablets and smartphones are now the go-to means for accessing up-to-date information. Still, we recognize that there is value in having - at the very least - an offline copy of the catalog on a job site or factory floor where internet access or device access may be limited.

Our new complete catalog has been developed with this in mind, by optimizing the layout for both a digital and physical presentation, while still being able to provide an engaging experience with a “flip-through” effect when viewed on a screen.

There are two simple ways to view our new catalog:

1. **Digital Flipbook Link:** Click on this link to view as a digital flipbook then select “add to your home screen” to create a shortcut on your tablet or smartphone for easy future reference. The flipbook version is a live link and will be updated automatically.
2. **Download PDF:** Visit the literature section of [www.pipcanada.ca](http://www.pipcanada.ca) to download a PDF. Please note that we will be making regular updates as our product offering continues to evolve.

Our catalog features products from the newest members of the PIP Global family including **G-Tek®**, **Boss®**, **Dynamic®**, **Caiman®**, **QRP®** and more. Other noteworthy features include:

- > **Portrait Format** for ease of handling physical copies and enhanced online viewing for tablets and mobile devices
- > **Safety Product Solutions** conveniently identified by category
- > **Product Images** within each section are sorted by Type, Application and/or Performance Specification
- > **Product Tables** list by style number, allowing for the easy comparison of product attributes, quick selection or cross-referencing
- > Searching is now all digitized on the flipbook version:
  - **Table of Contents** have live links that take you right to the section you’re looking for
  - The **Search Icon** allows you to instantly access any product by item number or keyword
- > **High-Impact Intro Pages** divide sections and provide key facts about products, compliance and industry performance standards

### PIP CANADA ADMINISTRATION LOCATIONS

- > **PIP Canada Headquarters**  
2477 rue Michelin  
Laval, QC H7L 6B1  
Customer Service Direct: 877-446-3278  
Main Phone: 514-409-2859  
[orders@pipcanada.ca](mailto:orders@pipcanada.ca)
- > **Fall Protection Center**  
175B Admiral Blvd.  
Mississauga, ON L5T 2T3  
905-565-9990

### DISTRIBUTION CENTERS

- > **PIP Canada Distribution Centers**  
2167 Blvd. Dagenais  
Laval, QC H7L 5W9  
130,000 sq. ft

### NORTH AMERICAN MANUFACTURING FACILITIES

- > Laval, QC
- > Mississauga, ON
- > Guilderland Center, NY
- > Chaska, MN
- > Hamburg, NY
- > Wilkesboro, NC
- > North Attleboro, MA
- > Tijuana, MX



# Use the QR code

IN EACH SECTION HEADER  
TO VIEW ONLINE AND  
DOWNLOAD YOUR **SPEC SHEETS**



## Contents

### SAFETY PRODUCTS

#### HAND & ARM PROTECTION

- [6](#) Cut Resistant Gloves Coated Seamless Knit
- [23](#) Cut Resistant Gloves Uncoated Knit
- [27](#) General Purpose Gloves Coated Seamless Knit
- [37](#) Uncoated String Knits
- [38](#) Cut-and-Sewn Nitrile or Latex Dipped
- [39](#) Canvas Gloves and Fabric Work Gloves
- [40](#) Heat Protection
- [41](#) Cold Protection
- [43](#) Leather
- [48](#) Uniform Glove
- [49](#) High Performance Gloves
- [53](#) Arm Protection

#### ABOVE-THE-NECK PROTECTION

- [60](#) Head Protection
- [71](#) Hearing Protection
- [83](#) Respiratory Protection
- [91](#) Eye & Face Protection

#### BODY PROTECTION

- [126](#) Hi-Vis Apparel
- [132](#) Heated Apparel
- [133](#) Heat Stress
- [136](#) Safety Boots

#### FIRST AID & SAFETY

- [138](#) First Aid Kits
- [162](#) Wound Care Items
- [177](#) Medical Instruments
- [180](#) Eye Wash & Stations
- [186](#) Barricade Tapes & Traffic Flags

#### FALL PROTECTION

- [190](#) Body Wear / Harnesses
- [208](#) Connecting Devices
- [221](#) Anchorage Connectors
- [223](#) Descent / Rescue
- [229](#) Tool Tethering

#### CHEMICAL & LIQUID PROTECTION

- [234](#) Latex Gloves
- [235](#) Nitrile Gloves
- [236](#) Neoprene Flock Lined Cannerns
- [236](#) Insulated Supported PVC & Specialty PVC Blends
- [237](#) Extended Use Gloves
- [238](#) Single Use Gloves

#### FOOD SAFETY SOLUTIONS

- [240](#) Metal Mesh Hand & Arm Protection
- [241](#) Metal Mesh Garments
- [242](#) Hand & Arm Protection
- [244](#) Above-the-Neck Protection
- [248](#) Head-to-Toe Protection and First Aid Kits

#### WELDING SAFETY SOLUTIONS

- [250](#) Hand Protection
- [258](#) Apparel
- [262](#) Above-the-Neck Protection
- [265](#) Fall Protection
- [266](#) First Aid Kits

#### CONTROLLED ENVIRONMENT SAFETY SOLUTIONS

- [268](#) Clean Handling & ESD Safe Gloves
- [269](#) Inspection-Assembly Gloves
- [270](#) Single & Limited Use Gloves
- [271](#) Finger Cots



# Global Provider of Innovative Safe





**PROTECTIVE INDUSTRIAL PRODUCTS**

Each day, we seek to develop, train and provide our customers with innovative safety products that help keep workers safer, more comfortable and more productive.

We work with our distributor partners to deliver best-in-class customer experiences by providing a comprehensive product offering, world-class sales tools and efficient processes.

Our close-to-home manufacturing facilities enable us to provide safety solutions that are tailored to customer needs. These factories work with our team of product managers, specialists and field quality control technicians to ensure the highest level of product performance and secure proprietary technologies that support us being first-to-market.

# ty Products

## EXTENSIVE PRODUCT PORTFOLIO



HAND PROTECTION



ARM PROTECTION



HEAD PROTECTION



CHEMICAL & LIQUID PROTECTION



RESPIRATORY PROTECTION



HEARING PROTECTION



EYE & FACE PROTECTION



PROTECTIVE CLOTHING



RUBBER FOOTWEAR



FALL PROTECTION



FIRST AID PRODUCTS



COLD PROTECTION



**FOUNDED IN 1984**  
LATHAM, NY, USA



HEADQUARTERS FOR  
**CANADA**  
IN LAVAL, QC



**WORKFORCE OF 1,500+**  
GLOBAL EMPLOYEES



**10,000+ PRODUCTS**  
WORLDWIDE



**10 MANUFACTURING**  
LOCATIONS IN NORTH AMERICA



**1.5 MILLION SQ. FT**  
GLOBALLY SITUATED DISTRIBUTION CENTERS



**4,000+ CUSTOMERS**  
WORLDWIDE



**OVER \$650 MILLION**  
IN WORLDWIDE SALES



**PROTECTIVE INDUSTRIAL PRODUCTS**

# Easy ordering solutions

FOR PIP CANADA DISTRIBUTORS

Our Order Management team is made up of knowledgeable, detail-oriented associates who are dedicated to efficient order processing:

EMAIL ORDERS TO:

**[orders@pipcanada.ca](mailto:orders@pipcanada.ca)**

CUSTOM LOGO ORDER PROCESSING:

**[printsca@pipcanada.ca](mailto:printsca@pipcanada.ca)**

BY PHONE:

**(877) 446-3278**

BY FAX:

**450-687-2243**

## INDUSTRY-LEADING CUSTOMER SERVICE

Our highly experienced Customer Relationship Specialists are dedicated to supporting you on all matters related to order resolution, open orders, inventory, samples and pricing. They are backed by a Technical Support Team that assists with technical questions including specifications, product applications and cross-references.

CALL:

**450-687-7374**

EMAIL:

**[orders@pipcanada.ca](mailto:orders@pipcanada.ca)**



# Hand and Arm PROTECTION

PIP® is committed to developing and providing hand and arm protection products that deliver maximum performance in the harshest conditions and in the widest array of applications.



CUT HAZARDS



IMPACT HAZARDS



MECHANICAL HAZARDS



INSULATED/COLD HAZARDS

14

**COATED SEAMLESS KNIT CUT RESISTANT GLOVES** are specifically designed to improve grip performance and protection against risks while handling sharp objects such as blades, glass or metals. ANSI/ISEA 105:2016 and EN 388:2016 standards provide guidance to compare the performance characteristics of each style of glove.

23

**UNCOATED SEAMLESS KNIT CUT RESISTANT GLOVES** do not have any coating material. Gloves made from aramid blended yarns provide cut resistance and heat defense. HPPE blended yarns provide cut resistance, cool comfort and sanitized launderability for critical food handling applications.

27

**COATED SEAMLESS KNIT GENERAL PURPOSE GLOVES** are designed to provide hand coverage and grip. Liner materials are typically acrylic, cotton, polyester or nylon blends that are comfortable but offer no measurable cut resistant properties.

39

**GENERAL PURPOSE FABRIC WORK GLOVES** are offered in a wide variety of materials, grades and styles. Cotton and canvas gloves are constructed of woven fabric cloth and come in a variety of weights and styles, to provide soft, flexible comfort and good overall wear. Chore and jersey gloves are lightweight gloves used to keep hands clean and protect against scrapes and abrasions in low-risk work applications.

43

**LEATHER DRIVERS AND LEATHER PALM GLOVES** are versatile, economical and durable providing comfort and protection against abrasion. Leather comes in a variety of styles, designs and grades, each offering unique characteristics for different jobs. Leather gloves provide no measurable cut resistance properties unless lined with a cut resistant liner.

49

**HIGH PERFORMANCE TASK-SPECIFIC GLOVES** use advanced, composite materials and are purpose built to deliver a higher level of performance in specialized conditions. They include impact-resistant, AR/FR, mechanics and task-specific styles.

53

**PROTECTIVE SLEEVES** help keep arms and wrists safe from cuts and abrasion in a variety of applications. Depending on the specific needs required, sleeves can be designed at various lengths and with different materials that can offer high cut resistance as well as light heat resistance.



## CUT PROTECTION MATERIAL BASICS

# Technology platforms

## ADVANCED CUT RESISTANT FIBER AND YARN TECHNOLOGIES


Protection workers want to wear.

# THAT'S OUR GOAL.



It's about more than just cut protection. It is about cut protection that meets every need. G-Tek® represents the safety industry's most comprehensive line of coated seamless knit gloves.


For over 30 years PIP® has invested in G-Tek® products, evolving them from simple cotton knits to the most advanced gloves that combine engineered yarns, advanced ergonomic design and coating elastomers.



### PolyKor®

**PROTECTION. PERFORMANCE. VALUE.**


PolyKor® engineered yarns optimize performance, function and protection using proprietary blends of select fibers to exceed industry standards. The ultimate objective is an affordable array of cut resistant gloves for practically every application.



### PolyKor® X7™ TECHNOLOGY

**HIGH DEXTERITY. MAXIMUM CUT RESISTANCE.**

X7™ technology is the latest in engineered yarn development. This super lightweight reinforced yarn provides very high cut resistance and durability by way of proprietary fibers.




### PolyKor® XCRYSTAL™

**STRONGEST. TOUGHEST. HARDEST.**

Xrystal™ technology represents the latest in PolyKor® engineered yarns that are combined with naturally hardened crystallized minerals. The result is a super tough, durable, cut resistant fiber that is at the peak of performance.



## Suprene™

**TOUGH. RESISTANT. DURABLE.**

The latest breakthroughs in nanofabrication has resulted in fibers containing graphene material which we call Suprene™. Suprene™ is a high performance yarn that offers unparalleled strength and physical properties that are unique to graphene.



## KEV™

**CUT AND HEAT RESISTANCE.**


Combines the power of DuPont® Kevlar® with proprietary core technology for exceptional cut strength and protection in light heat applications.



## 3GX®

**UNMATCHED COMFORT. IMPROVED CUT PROTECTION.**

Dyneema® Diamond advanced technology of embedded micro-particles strengthen fibers by up to two times, delivering higher cut scores. 3GX® Technology offers cool touch comfort and lightweight durability for improved productivity.



## ACP™ TECHNOLOGY

**MAXIMUM CUT RESISTANCE. NO SKIN IRRITATION.**

ACP™ are proprietary yarn formulations that use encapsulated glass fibers to maximize cut resistance and eliminate skin irritation.



## COATING BASICS


# A complete line of coatings

### UNMATCHED IN SELECTION AND PERFORMANCE

## NEOFOAM®

### SECURE HANDLING OF LIGHT TO HEAVY PARTS OR ITEMS


Proprietary coating only available on G-Tek® brand gloves. NeoFoam® is a highly flexible coating that provides wearers with a high degree of grip, hand dexterity and comfort. NeoFoam® is versatile, hardworking, resistant to light oils and touchscreen compatible with most devices, making G-Tek® NeoFoam® coated gloves the optimal choice for numerous handling applications.



#### MICROSURFACE

Coating surface infused with thousands of tiny suction cup pockets. When pressed into contact with a wet or oily surface, they create a vacuum effect that disperses fluids away – significantly improving grip.

- > Good grip in dry, wet, or oily conditions



#### FOAM


Foam coating cell structure is designed to channel fluids away from the surface of the object generating grip in oily conditions. Oily grip effectiveness varies with density of cells.

- > Secure grip in dry conditions
- > Fair grip in slightly oily or wet conditions

## NITRILE

### TOUGH COATING FOR HEAVY-DUTY JOBS


Nitrile is a synthetic rubber compound that offers excellent puncture, tear and abrasion resistance. Nitrile is also known for its resistance to hydrocarbon-based oils or solvents. Nitrile coated gloves are the first choice for industrial jobs which require handling of oily parts. Nitrile is durable and helps to maximize protection.



#### MICROSURFACE

Coating surface infused with thousands of tiny suction cup pockets. When pressed into contact with a wet or oily surface, they create a vacuum effect that disperses fluids away – significantly improving grip.


- > Good grip in dry, wet, or oily conditions



#### FOAM

Foam coating cell structure is designed to channel fluids away from the surface of the object helping improve grip in oily conditions. Oily grip effectiveness varies with density of cells.

- > Secure grip in dry conditions
- > Fair grip in slightly oily or wet conditions



#### FLAT / SMOOTH

Flat/Smooth coatings provide the wearer with a secure dry grip. Liquids will not absorb into the coating, keeping hands dry and clean.


- > Secure, tacky grip for dry surfaces



## ATG® NITRILE

### PREMIUM COATING FOR PREMIUM PERFORMANCE

Proprietary ATG® Nitrile Butadiene Rubber formulation is applied precisely and thinly over the glove liner to all MaxiFlex® and MaxiCut® gloves, delivering maximum dexterity and flexibility. The coating is exceptionally durable and long-lasting.




#### MICROFOAM

MicroFoam is a patented formulation of ATG's nitrile coating that allows gloves to be thinly coated for added grip, dexterity, comfort and breathability.

- > Controlled grip in dry and in slightly oily conditions
- > Premium comfort & flexibility





## LATEX

### TOUGH JOBS — DRY OR OILY-WET


Latex is a natural rubber that is flexible, tough and durable, delivering a high degree of resistance to snagging, puncture and abrasion. Latex is water-resistant as well as resistant to protein-based oils. Latex is not recommended for jobs that involve contact with hydrocarbon-based oils or solvents.



#### CRINKLE

Crinkle coatings have creases or wrinkles on the surface of the coating that are designed to channel fluids away and allow better contact on dry or wet surfaces.

> Secure grip in dry or wet conditions



#### MICROSURFACE


Coating surface infused with thousands of tiny suction cup pockets. When pressed into contact with a wet or slippery surface, they create a vacuum effect that disperses fluids away – significantly improving grip.

> Good grip in dry and wet or oily-wet surfaces

## POLYURETHANE

### IDEAL FOR PRECISION HANDLING AND LIGHT TO MEDIUM DUTY JOBS

Polyurethane (PU) is a tough, proven material that offers good tactile sensitivity by way of its thin material deposit. It conforms closely over multiple glove liners to provide flexibility, dexterity and tactile sensitivity. PU coated gloves are amongst the most commonly used because they are versatile and provide excellent value. Newer, water-based PU coatings offer improved flexibility and less environmental lifecycle impact.



#### FLAT / TEXTURED

Flat/Textured PU takes on the surface properties of the glove liner which results in the thin, conformable deposit of coating material. The flat, textured nature of this coating is unique to Polyurethane (PU) coated gloves.

> Tactile grip in dry and in slightly oily conditions

COATING	GRIP	1	2	Fair	Good	Secure	Fair	Good	Secure	Fair	Good	Secure	None	Limited	Good	None/ Slight	Fair	Good	Low	Medium	High	None	Minimal	High	
		LAYERS	DRY GRIP			SLIGHTLY WET GRIP			OILY SURFACES GRIP			TOUCHSCREEN*			BREATHABILITY			DURABILITY			LIQUID RESISTANCE				
NeoFoam <sup>+</sup>	Foam	●				●	●			●					●		●			●			●		
	Microsurface	●				●		●			●				●	●					●			●	
Nitrile	Microsurface		●		●		●				●			●		●					●			●	
	Microsurface	●			●		●				●			●		●				●				●	
	Foam	●			●					●				●			●				●		●		●
	Flat/Smooth	●				●								●		●				●				●	
ATG <sup>+</sup> Nitrile	MicroFoam	●			●			●			●				●			●			●		●		●
Latex	Microsurface		●			●		●			●		●			●					●			●	
	Microsurface	●				●		●			●		●			●					●			●	
	Crinkle	●				●		●		●			●			●					●			●	
Polyurethane	Flat / Textured	●			●			●			●			●	●				●					●	

RESISTIVE TOUCHSCREENS, found on most industrial controls, rely on pressure and are unaffected by the use of gloves. CAPACITIVE TOUCHSCREENS, typically used with tablets, smartphones and laptops rely on the electrical field effect from our finger. PIP<sup>+</sup> trials have found that many of our coated seamless knit gloves with thinner black coatings will work with today's latest mobile devices. However, we recommend trials prior to equipping teams with gloves.

## HAND PROTECTION


# Understanding cut and impact protection

PIP® GLOVES ARE TESTED TO ANSI AND EN STANDARDS

Both standards test gloves for abrasion, cut, tear and puncture. U.S. safety managers know to choose products that are tested and labeled in order to ensure the best possible protection for the job being performed.

### ANSI-105 AMERICAN NATIONAL STANDARD


This standard has established ASTM F2992-15 as the test method for measuring cut resistance on a 9-level scale with the widely recognized TDM 100 machine that uses a linear sliding blade.




ANSI <b>A1</b> 200 - 499	ANSI <b>A2</b> 500 - 999	ANSI <b>A3</b> 1000 - 1499 GRAMS	ANSI <b>A4</b> 1500 - 2199	ANSI <b>A5</b> 2200 - 2999
ANSI <b>A6</b> 3000 - 3900	ANSI <b>A7</b> 4000 - 4900	ANSI <b>A8</b> 5000 - 5900 GRAMS	ANSI <b>A9</b> > 6000	

### EN 388 EUROPEAN CUT STANDARD (CE)

This standard allows for two different testing standards and methods: The Coup Test using a rotating circular blade and the TDM Test using a linear sliding blade using the ISO 13977 method.



EN <b>1</b> 1.2 - 2.4	EN <b>2</b> 2.5 - 4.9	EN <b>3</b> 5.0 - 9.9	EN <b>4</b> 10.0 - 19.9	EN <b>5</b> > 20
AVERAGE CUT INDEX (10 MEASUREMENTS)				



EN <b>A</b> 2 - 4.9	EN <b>B</b> 5 - 9.9	EN <b>C</b> 10 - 14.9	EN <b>D</b> 15 - 21.9	EN <b>E</b> 22 - 29.9	EN <b>F</b> 30+
RANGE (NEWTONS)					





**ANSI-105-2016**  
STANDARD




**EN388**  
2016 STANDARD



**ANSI-138-2019**  
STANDARD


### EN 388 PERFORMANCE MARKINGS



The EN 388 performance score appears in markings as such. Each number is representative of a specific performance characteristic. The 2016 revision included two more positions. The fifth position indicates the TDM test score and the sixth position indicates the impact resistance test score.

### COMPARING TDM TEST ANSI 105 TO EN 388

Below is a graph that illustrates how the new EN TDM-100 test aligns closely with the ANSI cut test. The table below the graph outlines the full details of the scores and when converting Newtons to grams.



### CONVERTING NEWTONS TO GRAMS

EN 388 RATING	RANGE (NEWTONS)	CONVERTED RANGE (GRAMS)	ANSI/ISEA RES. LEVEL	RANGE (GRAMS)
A	2 - 4.9	204 - 508	A1	200 - 499
B	5 - 9.9	509 - 1019	A2	500 - 999
C	10 - 14.9	1,020 - 1,529	A3	1,000 - 1,499
D	15 - 21.9	1,530 - 2,242	A4	1,500 - 2,399
E	22 - 29.9	2,243 - 3,058	A5	2,200 - 2,999
F	30+	3,059+	A6	3,000 - 3,999
---	---	---	A7	4,000 - 4,999
---	---	---	A8	5,000 - 5,999
---	---	---	A9	6,000+


## IMPACT RESISTANT GLOVE STANDARD (2019 EDITION) ANSI/ISEA 138 - 2019

The ANSI/ISEA 138 2019 Impact Resistant Glove Standard was developed to better classify the impact resistance of gloves, making it easier than ever to choose the right impact glove for any application. This standard considers the minimum performance, classification and labeling requirements for material protecting the fingers and knuckles from impact.


#### UNDERSTANDING ANSI/ISEA 138-2019 TESTING

ANSI/ISEA 138-2019 outlines three levels of impact protection. Each level is determined by how effectively each glove can disperse impactful force applied during testing. The way this impactful force is created is by dropping a 2.5-kilogram mass onto each glove with an impact energy of 5 joules. This process is repeated ten times on the fingers and eight times on the knuckles. The glove's impact level will then be determined based on the Mean Transmitted Force (MTF) recorded.

It is important to note that the MTF of the finger region is treated separately from that of the knuckle region, so the lower mean transmitted force of the two regions will be used to classify the glove as a whole.




25 MM FROM TIP  
50 MM FROM TIP  
KNUCKLE IMPACTS




**LOW**  
PERFORMANCE LEVEL

≤ 9.0 (N)  
MTF



**MEDIUM**  
PERFORMANCE LEVEL

≤ 6.5 (N)  
MTF



**HIGH**  
PERFORMANCE LEVEL

≤ 4.0 (N)  
MTF



#### GLOVE MARKINGS AND NEW ICONS

PIP® Impact resistant gloves now display the ANSI/ISEA 138-2019 symbol in accordance to its level. The symbol is printed next to the ANSI cut score on a tag located inside of the wrist of the glove.



TAG INSIDE OF GLOVE




PROTECTIVE INDUSTRIAL PRODUCTS

# Cut Risk Hazard Matrix™

## CHOOSING THE RIGHT HAND PROTECTION

# YOUR GUIDE TO THE RIGHT CHOICE



## Cut Risk Hazard Matrix™

The Cut Risk Hazard Matrix™ is a unique and logical method to guide users in selecting a glove or sleeve with the right cut resistant material and score. Once a safety manager can identify where their application fits on the Cut Risk Hazard Matrix™, they can more confidently correlate the task to the glove or sleeve best suited for their job.



We deemed it necessary to develop a unique approach to help determine the risk and possible severity of an injury.

### CALCULATING THE CRH: FACTOR™

1. Assess the EDGE SHARPNESS with "Rough" equating to the edge of a brick and "Razor" to that of a sharp knife.
2. FORCE is relative to the different tasks being performed. Tasks such as deboning large animals require a high degree of force compared to working with box cutters in a repacking operation.
3. Mapping the two will place you in one of the four quadrants of RISK where you can determine your CRH: Factor™ and proceed to selecting the optimal coating for maximum grip.


Copyright © 2017. Protective Industrial Products, Inc. All rights reserved.





## WE'VE EQUATED CUT SCORE FACTORS WITH REAL-WORLD TASKS AND APPLICATIONS AS EXAMPLES

By plotting the tasks and applications, we determine a **Cut Risk Hazard Factor™** (CRH: Factor™) as outlined on the right side. The CRH: Factor™ is a comparative indicator that helps safety managers determine the level of potential hazard related to the task or application.



Copyright © 2017. Protective Industrial Products, Inc. All rights reserved.



G-TEK® NEOFOAM® COATED  
SEAMLESS KNIT CUT RESISTANT GLOVES



NeoFoam®



SECURE  
DRY & FLEXIBLE GRIP

Handling, Assembly and Sorting of Small to Medium Parts and Materials  
Shipping, Receiving and Packaging / Ideal for Maintenance and Repair Operations



Scan it



NEW

ANSI  
A9

**GP16399**

- Highest rated cut protection available
- MicroSurface finish provides medium durability and good grip on oily surfaces



TOP SELLER

ANSI  
A7

**GP16377**

- Lightweight coating and liner provides dexterity and tactile sensitivity
- Ideal for handling and assembly of sharp parts and materials



ANSI  
A4

**GP16X570**

- Highly durable cut resistant fiber
- Ideal for heavy and general duty applications



DEXTERITY AND CUT

ANSI  
A3

**GP16368**

- Lightweight coating and liner provides dexterity and tactile sensitivity
- Highly versatile glove with reinforced wear points good for a variety of handling applications

NeoFoam® is a highly flexible coating that provides wearers with a high degree of grip, hand dexterity and comfort




## TOUCHSCREEN COMPATIBLE

STYLE	ANSI CUT	EN388	ANSI/ISEA 139	COATING	COATING COVERAGE	COATING COLOR	LINER	LINER COLOR	GAUGE	SIZES
GP16368	A3	4X31CX	-	NeoFoam®	Palm & Fingers	Black	PolyKor® X7™	Burgundy	18	S-2XL
GP16377	A7	4X42FX	-	NeoFoam®	Palm & Fingers	Black	PolyKor® X7™	Black	18	XS-2XL
GP16399	A9	4X43FX	-	NeoFoam® MicroSurface	Palm & Fingers	Black	PolyKor® X7™	Green	13	S-2XL
GP16X570	A4	4542DX	-	NeoFoam®	Palm & Fingers	Black	PolyKor® Xrystal™	Gray	13	XS-2XL






# Nitrile

 SECURE DRY GRIP  
AND OIL RESISTANT

Handling and Assembly of Medium to Large Parts and Materials / Metal Fabrication  
Mechanical Equipment Maintenance and Repair / Heavy to Medium Fastening and Anchoring



Scan it



TOP SELLER

ANSI  
**A7**

### GP09K1600

- Resistant to light heat and spark
- Handling heavy sharp parts in oily environments



ANSI  
**A5**

### GP16635

- Comfortable and flexible
- Medium duty blended shell ideal for manufacturing and assembly



DOUBLE-DIPPED

ANSI  
**A5**

### GP16655

- Double-dipped coating resists oil penetration
- Salt and pepper liner with dark coating



ANSI  
**A5**

### GP555

- Ultra-lightweight 18-gauge liner delivers outstanding dexterity and tactile sensitivity
- Touchscreen compatible
- Reinforced thumb crotch



ANSI  
**A5**

### GP16354

- Medium weight breathable and durable glove liner
- Coating provides excellent puncture, tear and abrasion resistance



LIGHT HEAT RESISTANCE

ANSI  
**A4**

### GP09K1630

- Resistant to light heat and spark
- Nitrile foam coating resists contact with common industrial oils and solvents
- Dark liner and coating hides dirt

## RESISTANT TO SNAG, CUT, PUNCTURE & ABRASION

STYLE	ANSI CUT	EN388	ANSI/ISEA 133	COATING	COATING COVERAGE	COATING COLOR	LINER	LINER COLOR	GAUGE	SIZES
GP09K1600	A7	4532FX	-	Nitrile Foam	Palm & Fingers	Black	Kevlar®	Yellow	13	S-3XL
GP09K1630	A4	4X31DX	-	Nitrile Foam	Palm & Fingers	Black	Kevlar®	Gray	13	S-2XL
GP16354	A5	4X43E	-	Nitrile Foam	Palm & Fingers	Black	PolyKor®	Black	13	XS-2XL
GP16635	A5	4X42EX	-	Nitrile MicroSurface	Palm & Fingers	Black	PolyKor®	Blue	13	S-2XL
GP16655	A5	4X42EX	-	Nitrile MicroSurface	Palm & Fingers	Black	PolyKor®	Salt & Pepper	13	S-2XL
GP555	A5	4X41E	-	Nitrile Foam	Palm & Fingers	Black	PolyKor®	Gray	18	XS-2XL



G-TEK® NITRILE COATED  
SEAMLESS KNIT CUT RESISTANT GLOVES

ANSI  
**A8**



**GPH-VG710SNF**  
-Compatible with light oils, good grip and excellent abrasion resistance  
-Hi-Vis liner for added visibility

**SILICONE FREE**

ANSI  
**A6**



**GP418156**  
-Reinforced thumb crotch for extended glove life and enhanced comfort  
-Single-layer construction provides excellent thermal insulation and improved dexterity

ANSI  
**A4**



**GP16854**  
-Ultra-lightweight 18-gauge liner delivers outstanding dexterity and tactile sensitivity  
-Touchscreen compatible

**TOUCHSCREEN COMPATIBLE**

ANSI  
**A4**



**GP16350**  
-Double-dipped coating resists oil penetration  
-Salt and pepper liner with dark coating hides dirt

**TOP SELLER**

ANSI  
**A4**



**GP411417**  
-15-gauge PolyKor® shell with 7-gauge acrylic lining provides thermal insulation  
-Double-dipped full hand coating provides liquid protection

**EXTENDED COVERAGE**

ANSI  
**A4**



**GP16939**  
-Lightweight coating and liner provides dexterity and tactile sensitivity  
-Double-dipped and fully coated for excellent oil and liquid resistance

**NEW**

ANSI  
**A3**



**GP411415**  
-Hi-vis wrist for added visibility in poor conditions  
-Double-dipped full hand coating provides liquid protection

**EXTENDED COVERAGE**

ANSI  
**A3**



**GP09K1618**  
-Dark liner and coating hides dirt  
-Glove liner offers light heat resistance

**LIGHT HEAT RESISTANCE**

ANSI  
**A3**



**GP19D334**  
-Light, cool, flexible feel  
-Affordable value

ANSI  
**A3**



**GP16340LG**  
-Moving heavy parts where visibility is required  
-Double-dipped coating resists oil penetration

**HI-VISIBILITY**

ANSI  
**A3**



**GP705CGNF**  
-Designed with a cell structure that disperses fluids on contact for an improved grip  
-Hi-Vis liner for added visibility

ANSI  
**A2**



**GP09K1450**  
-Resistant to light heat and spark  
-Secure dry grip ideal for small parts handling and assembly applications

**LIGHT HEAT RESISTANCE**

ANSI  
**A2**



**GP16323**  
-Hi-Vis liner for added visibility  
-Thin 15-gauge offers increased dexterity ideal for assembly and parts inspection

**HI-VISIBILITY**

ANSI  
**A2**



**GP16334**  
-Salt & pepper liner and dark coating hides dirt  
-Tough wearing glove, ideal for light assembly and inspection

Nitrile is a synthetic rubber compound that offers excellent puncture, tear and abrasion resistance

STYLE	ANSI CUT	EN388	ANSI/ISEA 138	COATING	COATING COVERAGE	COATING COLOR	LINER	LINER COLOR	GAUGE	SIZES
GP09K1618	A3	4421CX	-	Nitrile Foam	Palm & Fingers	Black	Kevlar®	Gray	18	S-2XL
GP16340LG	A3	4544CX	-	Nitrile MicroSurface	Palm & Fingers	Black	PolyKor®	Hi-Vis Yellow	13	S-2XL
GP16350	A4	4543DX	-	Nitrile MicroSurface	Palm & Fingers	Black	PolyKor®	Salt & Pepper	13	XS-2XL
GP16854	A4	4X42D	-	Nitrile Foam	Palm & Fingers	Black	PolyKor®	Salt & Pepper	18	XS-2XL
GP16939	A4	4X42CX	-	Nitrile MicroSurface	Full Hand	Black	PolyKor® XT	Blue	18	S-2XL
GP19D334	A3	4443CX	-	Nitrile Foam	Palm & Fingers	Black	Dyneema® Diamond	Salt & Pepper	13	S-2XL
GP411415	A3	4X32C	-	Nitrile Foam	Full Hand	Black	PolyKor®	Hi-Vis Yellow	15 shell/7 liner	S-2XL
GP411417	A4	4X32D	-	Nitrile Foam	Full Hand	Black	PolyKor®	Black	15 shell/7 liner	S-2XL
GP418156	A6	4X42F	-	Nitrile Foam	Palm & Fingers	Black	PolyKor®	Hi-Vis Orange	10	S-2XL
GPHV6710SNF	A8	4543F	-	Nitrile Foam	Palm & Fingers	Black	PolyKor®	Hi-Vis Green	10	S-2XL
GP09K1450	A2	3221BX	-	Nitrile Smooth	Palm & Fingers	Black	Kevlar®	Yellow	15	XS-3XL
GP16323	A2	4332BX	-	Nitrile Foam	Palm & Fingers	Gray	PolyKor®	Hi-Vis Yellow	15	XS-3XL
GP16334	A2	4343BX	-	Nitrile Foam	Palm & Fingers	Black	PolyKor®	Salt & Pepper	13	XS-2XL
GP705CGNF	A3	4X43C	-	Nitrile Foam	Palm & Fingers	Black	PolyKor®	Hi-Vis Green	13	S-2XL





Scan it

# Nitrile MicroFoam



GOOD GRIP, DURABLE COATING  
PREMIUM PERFORMANCE

Handling, Assembly and Sorting of Small to Medium Parts / Finishing and Parts Inspection / Mechanical Equipment Maintenance and Repair



▲ GP19D470

ANSI  
**A4**

### MAXICUT™

- Excellent dry grip
- Good dexterity and tactility
- Patented Nitrile MicroFoam coating offers 360° breathability



MICRO DOT PALM

▲ GP443445



▲ GP443455



SILICONE FREE

▲ GP443745



▲ GP443755

ANSI  
**A3**

### MAXICUT™ ULTRA DT™ & MAXICUT™ ULTRA

- Secure dry and light oily grip
- Thumb reinforcement for added durability
- Patented Nitrile MicroFoam coating offers 360° breathability



▲ GP44504



ENHANCED PROTECTION

▲ GP44505

ANSI  
**A3**

### MAXICUT™ OIL

- Secure wet and oily grip
- Reinforced thumb for added durability
- Good puncture resistance



ENHANCED PROTECTION

▲ GP44305

ANSI  
**A2**

### MAXICUT™ OIL

- Secure wet and oily grip
- Lightweight and durable
- Reinforced thumb for added durability



▲ GP18570



ENHANCED PROTECTION

▲ GP18575

ANSI  
**A2**

### MAXICUT™

- Secure dry grip
- Good dexterity and tactility
- Reinforced thumb for added durability
- Good puncture resistance
- Patented Nitrile MicroFoam coating offers 360° breathability and compatibility with light oils

Breathable cut resistance  
and premium performance

STYLE	ANSI CUT	EN388	ANSI/ISEA 138	COATING	COATING COVERAGE	COATING COLOR	LINER	LINER COLOR	GAUGE	SIZES
GP19D470	A4	4443DX	-	Nitrile MicroFoam	Palm & Fingers	Gray	MaxiCut™	Gray	13	XS-2XL
GP443445	A3	4542CX	-	Nitrile MicroFoam w/ Micro Dots	Palm & Fingers	Black	MaxiCut™ Ultra DT™	Blue	15	XS-2XL
GP443455	A3	4542CX	-	Nitrile MicroFoam w/ Micro Dots	Palm & Fingers	Black	MaxiCut™ Ultra DT™	Blue	15	XS-2XL
GP443745	A3	4542CX	-	Nitrile MicroFoam	Palm & Fingers	Black	MaxiCut™ Ultra™	Blue	15	XS-3XL
GP443745V*	A3	4542CX	-	Nitrile MicroFoam	Palm & Fingers	Black	MaxiCut™ Ultra™	Blue	15	XS-2XL
GP443745T**	A3	4542CX	-	Nitrile MicroFoam	Palm & Fingers	Black	MaxiCut™ Ultra™	Blue	15	M-XL
GP443755	A3	4542CX	-	Nitrile MicroFoam	Palm & Fingers	Black	MaxiCut™ Ultra™	Blue	15	XS-3XL
GP44504	A3	4442CX	-	Nitrile MicroFoam	Palm & Fingers	Black	MaxiCut™ Oil™	Blue	15	XS-2XL
GP44505	A3	4442CX	-	Nitrile MicroFoam	Palm, Fingers & Knuckles	Black	MaxiCut™ Oil™	Blue	15	XS-2XL
GP18570	A2	4331BX	-	Nitrile MicroFoam	Palm & Fingers	Gray	MaxiCut™	Green	15	XS-3XL
GP18575	A2	4331BX	-	Nitrile MicroFoam	Palm, Fingers & Knuckles	Gray	MaxiCut™	Green	15	XS-2XL
GP44305	A2	4341BX	-	Nitrile MicroFoam	Palm, Fingers & Knuckles	Black	MaxiCut™ Oil™	Green	15	XS-2XL

\* Vend version available

\*\* Tagged version available



# Nitrile MicroFoam

 MAXIMUM DEXTERITY, BREATHABILITY,  
COMFORT & DURABILITY

Handling, Assembly and Sorting /  
General Industrial Applications /  
Precision Construction Jobs



Scan it



▲ GP348743

ENHANCED PROTECTION

▲ GP348453

MICRO DOT PALM

▲ GP348443

DUPONT® KEVLAR

▲ GP341743

ANSI



## MAXIFLEX® CUT™

- Good dry and light oily grip
- High dexterity and tactility
- Patented Nitrile MicroFoam coating offers 360° breathability
- Complies with FDA food handling requirements 21 CFR, Part 177

STYLE	ANSI CUT	EN388	ANSI/ISEA 138	COATING	COATING COVERAGE	COATING COLOR	LINER	LINER COLOR	GAUGE	SIZES
GP341743	A4	4331DX	-	Nitrile MicroFoam	Palm & Fingers	Black	MaxiFlex® Cut™	Black	15	XS-2XL
GP348443	A2	4331BX	-	Nitrile MicroFoam w/ Micro Dots	Palm & Fingers	Black	MaxiFlex® Cut™	Green	15	XS-2XL
GP348443V*	A2	4331BX	-	Nitrile MicroFoam w/ Micro Dots	Palm & Fingers	Black	MaxiFlex® Cut™	Green	15	XS-2XL
GP348443T**	A2	4331BX	-	Nitrile MicroFoam	Palm & Fingers	Black	MaxiFlex® Cut™	Green	15	XS-2XL
GP348453	A2	4331BX	-	Nitrile MicroFoam w/ Micro Dots	Palm & Fingers	Black	MaxiFlex® Cut™	Green	15	XS-2XL
GP348743	A2	4331BX	-	Nitrile MicroFoam	Palm & Fingers	Black	MaxiFlex® Cut™	Green	15	XS-3XL
GP348743T**	A2	4331BX	-	Nitrile MicroFoam	Palm & Fingers	Black	MaxiFlex® Cut™	Green	15	XS-2XL
GP348743V*	A2	4331BX	-	Nitrile MicroFoam	Palm & Fingers	Black	MaxiFlex® Cut™	Green	15	XS-3XL
GP348753	A2	4331BX	-	Nitrile MicroFoam	Palm, Fingers & Knuckles	Black	MaxiFlex® Cut™	Green	15	XS-3XL
GP348753V*	A2	4331BX	-	Nitrile MicroFoam	Palm, Fingers & Knuckles	Black	MaxiFlex® Cut™	Green	15	XS-3XL

\* Vend version available

\*\* Tagged version available





# Latex



SECURE GRIP WET OR DRY,  
TEAR & PUNCTURE RESISTANT

Handling and Cleanup of Heavy to Medium Abrasive Parts and Materials  
Demolition / Masonry and Tile / Steel Rod and Metal Fastening and Assembly



Scan it

**ANSI A4**

**GP09K1300**

- Resistant to light heat and spark
- Latex crinkle grip offers high abrasion and puncture resistance

TOP SELLER

**ANSI A3**

**GP09K1310**

- Resistant to light heat and spark
- Ideal for applications that require secure dry grip

LIGHT HEAT RESISTANCE

**ANSI A2**

**GP16813**

- General use glove with light cut resistance
- Yellow coating provides added visibility

**ANSI A3**

**GP16815**

- Salt & pepper liner and dark coating hides dirt
- MicroFinish® coating is ideal for applications that require a secure wet grip

**ANSI A3**

**GP16820**

- Insulated hand protection for cold weather applications
- Extended coating coverage to knuckle for heavy-duty jobs

TOP SELLER

**ANSI A4**

**GP418014**

- Insulated hand protection for cold weather applications
- Single-layer Polykor® / acrylic layer provides excellent dexterity

NEW

**ANSI A5**

**GP418035**

- Single-layer construction provides excellent dexterity
- Full hand coverage keeps hands warm and dry

DOUBLE-DIPPED

Secure grip  
wet or dry

STYLE	ANSI CUT	EN388	ANSI/ISEA 130	COATING	COATING COVERAGE	COATING COLOR	LINER	LINER COLOR	GAUGE	SIZES
GP09K1300	A4	354DX	-	Latex Crinkle	Palm & Fingers	Blue	Kevlar®	Yellow	7	S-2XL
GP09K1310	A3	244CX	-	Latex Crinkle	Palm & Fingers	Blue	Kevlar®	Yellow	10	S-XL
GP16813	A2	334BX	-	Latex Crinkle	Palm & Fingers	Yellow	PolyKor®	White	13	XS-2XL
GP16815	A3	3543CX	-	Latex MicroSurface	Palm & Fingers	Black	PolyKor®	Salt & Pepper	13	S-2XL
GP16820	A3	3K43CX	-	Latex MicroSurface	Palm, Fingers & Knuckles	Black	PolyKor®	Salt & Pepper	13	S-2XL
GP418014	A4	3K42D	-	Latex MicroSurface	Palm & Fingers	Black	PolyKor®	Blue & Black	10	S-2XL
GP418035	A5	3K42E	-	Latex MicroSurface	Full Hand	Black	PolyKor®	Gray	10	S-2XL

\* Vend version available





Scan it



# Polyurethane



THIN COATING, GOOD GRIP FOR  
HIGH DEXTERITY HANDLING

Handling, Assembly and Sorting of Small to Medium Parts and Materials  
Shipping, Receiving and Packaging / MRO Applications



ANSI  
A5

### GP16645LG

- Hi-vis liner for added visibility
- Optimal level of flexibility and cut protection

HI-VISIBILITY



ANSI  
A5

### GP16665

- Aramid blended shell provides light heat resistance
- Ideal for handling hot parts in machining and molding operations



ANSI  
A5

### GP556

- Ultra-lightweight 18-gauge liner delivers outstanding dexterity and tactile sensitivity
- Touchscreen compatible
- Reinforced thumb crotch



ANSI  
A4

### GP16560

- Best-selling G-Tek® medium cut glove
- Flexible liner shell with thin coating for precision work

GP16564  
Industry grade

BEST SELLER



ANSI  
A4



### GP19D322

- Made from bio-based fibers to provide a sustainable solution
- Light, cool, flexible feel
- Ideal for general parts inspection and quality control

ECO SERIES BIO-BASED FIBERS



ANSI  
A3

- Thin flexible and strong
- Ideal for medium duty applications that require high dexterity and tactile sensitivity

GP16533  
Value priced alternative



ANSI  
A3

### GP19D325

- Light, cool, flexible feel
- Ideal for clean environment and inspection applications



ANSI EN374-5  
A3

### GP16VRX380

- Ultra-lightweight 18-gauge cut resistant liner delivers outstanding dexterity and tactile sensitivity
- Machine washable up to 6 wash cycles without negatively impacting coating properties

TOUCHSCREEN COMPATIBLE



ANSI  
A2

### GP09K1250

- Resistant to light heat and spark
- Ideal for machining, deburring and polishing

LIGHT HEAT RESISTANCE



ANSI  
A2

- Liner/coating hides dirt for longer wear
- Reliable and versatile glove for multi-purpose applications



ANSI  
A2

- General use glove with light cut resistance
- Comfortable wearing glove for multi-task operations

BEST SELLER



ANSI  
A2

- Premium grade
- Bright color helps in-hand visibility for handling small components

STYLE	ANSI CUT	EN388	EN374-5	COATING	COATING COVERAGE	COATING COLOR	LINER	LINER COLOR	GAUGE	SIZES
GP16530	A3	4X43CX	-	Polyurethane	Palm & Fingers	Gray	PolyKor®	Salt & Pepper	13	XS-2XL
GP16533	A3	4X41CX	-	Polyurethane	Palm & Fingers	Gray	PolyKor®	Salt & Pepper	13	S-2XL
GP16560	A4	4543DX	-	Polyurethane	Palm & Fingers	Gray	PolyKor®	Gray	13	XS-2XL
GP16564	A4	4X41DX	-	Polyurethane	Palm & Fingers	Gray	PolyKor®	Gray	13	XS-2XL
GP16645LG	A5	4X42EX	-	Polyurethane	Palm & Fingers	Gray	PolyKor®	Hi-Vis Yellow	13	XS-2XL
GP16665	A5	4X42EX	-	Polyurethane	Palm & Fingers	Black	PolyKor®	Green	13	S-2XL
GP19D322	A4	4X42D	-	Polyurethane	Palm & Fingers	Gray	Dyneema® Diamond 2.0	White	13	XS-2XL
GP19D325	A3	4541CX	-	Polyurethane	Palm & Fingers	White	Dyneema® Diamond	White	13	XXS-2XL
GP556	A5	4X31E	-	Polyurethane	Palm & Fingers	Black	PolyKor®	Gray	18	XS-2XL
GP09K1250	A2	4231BX	-	Polyurethane	Palm & Fingers	Gray	Kevlar®	Yellow	13	XS-2XL
GP16150	A2	4342BX	-	Polyurethane	Palm & Fingers	Gray	PolyKor®	Salt & Pepper	13	XXS-3XL
GP16150V*	A2	4342BX	-	Polyurethane	Palm & Fingers	Gray	PolyKor®	Salt & Pepper	13	XXS-3XL
GP16322	A2	4342BX	-	Polyurethane	Palm & Fingers	Blue	PolyKor®	Blue	18	XXS-2XL
GP16D622	A2	4342BX	-	Polyurethane	Palm & Fingers	Gray	PolyKor®	White	13	XS-2XL
GP16VRX380	A3	4X32C	Yes	Polyurethane	Full Hand	Black	PolyKor®	Black	18	XS-2XL
GP19D324	A2	4542BX	-	Polyurethane	Palm & Fingers	Black	Dyneema® Diamond	White	13	XS-2XL
GP720DGU	A2	4342BX	-	Polyurethane	Palm & Fingers	Gray	HPPE Blend	Salt & Pepper	13	XXS-3XL



Scan it

# COATED SEAMLESS KNIT CUT RESISTANT GLOVES

## Quick Find Index

### ENHANCED PERFORMANCE FEATURES



#### TOUCHSCREEN

With the rapid increase of technology in the workplace, especially in factories and manufacturing plants where cut-resistant work gloves are used, touchscreen compatibility has never been more important. Use this index to locate gloves that combine cut resistance and touchscreen compatibility for increased safety and efficiency.



#### SILICONE FREE

Silicone is an excellent lubricant and release agent frequently found in manufacturing. These same properties are a major concern in coating or bonding applications, such as automotive finishing. The slightest trace of silicone can result in adhesive failure, resulting in poor quality finishes that cost time and drain resources to repair. Use this index to locate gloves required for silicone-free applications.



#### 21 CFR

Cross-contamination of one item or surface onto another can cause serious illnesses or allergic reactions. Coated seamless knit gloves are ideal for indirect contact in food plants for MRO applications or sorting and packaging tasks where the contact is incidental, or when the contact is not purposeful or continuous. Use this index to locate gloves that are ideal for indirect food contact applications.



STYLE NUMBER	ANSI CUT	DESCRIPTION	COATING	TOUCHSCREEN COMPATIBLE	SILICONE FREE	21 CFR, PART 177
<a href="#">GP555</a>	A5	G-Tek® PolyKor®	Nitrile Foam	•		
<a href="#">GP556</a>	A5	G-Tek® PolyKor®	Polyurethane	•		
<a href="#">GP16150</a>	A2	G-Tek® PolyKor®	Polyurethane		•	
<a href="#">GP16323</a>	A2	G-Tek® PolyKor®	Nitrile Foam		•	•
<a href="#">GP16368</a>	A3	G-Tek® PolyKor® X7™	NeoFoam™	•		
<a href="#">GP16377</a>	A7	G-Tek® PolyKor® X7™	NeoFoam™	•	•	•
<a href="#">GP16399</a>	A9	G-Tek® PolyKor® X7™	NeoFoam™ MicroSurface	•		
<a href="#">GP16560</a>	A4	G-Tek® PolyKor®	Polyurethane		•	
<a href="#">GP16813</a>	A2	G-Tek® PolyKor®	Latex Crinkle			•
<a href="#">GP16854</a>	A4	G-Tek® PolyKor®	Nitrile Foam	•		
<a href="#">GP16939</a>	A4	G-Tek® PolyKor® X7™	Nitrile MicroSurface	•		
<a href="#">GP16VRX380</a>	A3	G-Tek® PolyKor®	Polyurethane	•	•	
<a href="#">GP19D334</a>	A3	G-Tek® 36X	Nitrile Foam			•
<a href="#">GP341743</a>	A4	MaxiFlex® Cut™	Nitrile MicroFoam	•	•	
<a href="#">GP348443</a>	A2	MaxiFlex® Cut™	Nitrile MicroFoam	•		
<a href="#">GP348743</a>	A2	MaxiFlex® Cut™	Nitrile MicroFoam	•		•
<a href="#">GP443745</a>	A3	MaxiCut® Ultra™	Nitrile MicroFoam	•	•	•
<a href="#">GP443755</a>	A3	MaxiCut® Ultra™	Nitrile MicroFoam		•	
<a href="#">GP720D6U</a>	A2	G-Tek® PolyKor®	Polyurethane		•	

**COATED SEAMLESS KNIT  
CUT RESISTANT GLOVES**

# Vend-ready solutions

PACKAGED FOR VENDING MACHINES



Scan it



FREQUENTLY USED  
ITEMS



OPTIMALLY SIZED  
FOR MOST MACHINES



BARCODED PACKAGING FOR  
INVENTORY CONTROL

## A comprehensive line of vend packed gloves

### IN STOCK VEND-READY SOLUTIONS

STYLE NUMBER	ANSI CUT	EN388	COATING	COATING COVERAGE	COATING COLOR	LINER MATERIAL	LINER COLOR	CONSTRUCTION	GAUGE	SIZE
GP09K1250V	4231B	A2	Polyurethane	Palm & Fingers	Yellow	Dupont™ Kevlar™	Yellow	Coated Seamless Knit	13	S-2XL
GP16150V	4342B	A2	Polyurethane	Palm & Fingers	Gray	PolyKor™	Gray	Coated Seamless Knit	13	2XS-3XL
GP348443V	4331B	A2	Nitrile MicroFoam	Palm & Fingers with Dots	Black	MaxiFlex™ Cut™	Green	Coated Seamless Knit	15	XS-2XL
GP348743V	4331B	A2	Nitrile MicroFoam	Palm & Fingers	Black	MaxiFlex™ Cut™	Green	Coated Seamless Knit	15	XS-3XL
GP443745V	4542C	A3	Nitrile MicroFoam	Palm & Fingers	Black	MaxiFlex™ Ultra™	Blue	Coated Seamless Knit	15	XS-2XL



SECTION:

# Uncoated Knit Cut Resistant Gloves



THE #1 TRUSTED BRAND  
FOR HIGH-RISK FOOD  
PROCESSING WORKERS

Made in the USA, Claw Cover® seamless knit gloves are designed to provide high-level cut protection while complying with both U.S. and Canadian standards for food contact. Claw Cover® gloves are launderable and can be used for operations where direct, indirect and incidental contact with food may occur.



MADE IN AMERICA  
UNCOATED GLOVES FOR  
INDUSTRIAL WORKERS

Kut Gard® is the Made in America brand for factories and operations demanding the highest level of cut resistant gloves, sleeves and garments. Proprietary engineered yarns and the ability to configure custom solutions make Kut Gard® the brand of choice for safety managers.

## YARN TECHNOLOGIES

### DYNEEMA®

Dyneema® is 15 times stronger than steel on a weight-for-weight basis! It's a high performance polyethylene (HPPE) fiber made from ultra high molecular weight polyethylene (UHMWPE). Dyneema® fiber is much thinner and more flexible than traditional materials, such as leather and cotton, while offering higher protection.

### PolyKor®

Products constructed with PolyKor® engineered yarn are suitable to protect against mechanical hazards in the toughest environments. PolyKor® products are designed for different protection levels, up to the highest levels, while maintaining an unprecedented level of comfort.



CUTTING



CHOPPING



TRIMMING




FILLETING



CUTS AND  
SNAGS



GLASS  
HANDLING



METAL  
HANDLING



SHARP PARTS  
ASSEMBLY



HEAT  
RESISTANCE



CUTS AND  
SNAGS

## FIBER TECHNOLOGIES

### KEVLAR®

Kevlar® is light, comfortable and provides enduring protection against heat, cuts, lacerations and abrasions. Protective gloves and sleeves bearing this brand name provide assurance of compliance with strict performance and quality standards and are produced only by Kevlar® licensed manufacturers.

### ACP™ AND ATA®

Proprietary ACP™ and ATA® technologies raise the standards for performance knit products, offering an increase in overall performance and value compared to traditional Aramid products. ACP™ and ATA® provide excellent abrasion and cut resistance for a lower cost per use. Gloves and sleeves featuring ACP™ and ATA® technology are 100% silicone-free.

*Antimicrobial treatment used on glove fibers/yarns help to inhibit bacteria, mold and mildew from developing in the presence of sweat and moisture, thereby improving comfort and extending the life of the sleeve.*

*Products referenced as "Compliant with FDA 21 CFR 177.2800" refer specifically to PART 177 — INDIRECT FOOD ADDITIVES: POLYMERS Sec. 177.2800 Textiles and textile fibers. Textiles and textile fibers may safely be used as articles or components of articles intended for use in producing, manufacturing, packing, processing, preparing, treating, packaging, transporting, or holding food.*



Scan it



Polykor®

AFFORDABLE PROTECTION  
OPTIMIZED FOR FOOD APPLICATIONS

Cutting / Chopping / Trimming / Filleting



ANSI  
**A5**

**GP14ASP700**

- PolyKor® engineered yarns offer exceptional cut and slash resistance
- Medium weight cut resistant glove ideal for food processing
- Complies with FDA food handling requirements 21 CFR, Part 177

# ENGINEERED PROTECTION FOR FOOD APPLICATIONS

Claw Cover® with PolyKor® Technology

STYLE	ANSI CUT	Z1CFR	MATERIAL	COLOR	CONSTRUCTION	GAUGE	WEIGHT	GRIP	SIZES
GP14ASP700	A5	Yes	Claw Cover® made with PolyKor®	Salt & Pepper	Seamless Knit	7	Heavyweight	Uncoated	S-XL




Scan it



Dyneema®

UNPARALLELED COMFORT, COOLNESS AND PROTECTION PLUS MULTI-COLOR OFFERING

Filleting / Trimming / Chopping / Cutting



ANSI  
**A6**

**GP18SD385**

- Double-sided PVC dots provide enhanced grip and extra cut and abrasion resistance
- Will not discolor or lose strength when exposed to sun or fluorescent light

ULTRAVIOLET RESISTANCE



ANSI  
**A7**

**GP22760**

- Highly durable 10 gauge cut resistant glove ideal for food processing
- Complies with FDA food handling requirements 21 CFR, Part 177

THIN + HIGH CUT SCORE



ANSI  
**A7**

**GP22900**

- Excellent cut resistance protects against cuts and scrapes
- Complies with FDA food handling requirements 21 CFR, Part 177

ANTIMICROBIAL

Claw Cover® with Dyneema® Technology

STYLE	ANSI CUT	Z1CFR	MATERIAL	COLOR	CONSTRUCTION	GAUGE	WEIGHT	GRIP	SIZES
GP18SD385	A6	Yes	Claw Cover® made with Dyneema®	Gray	Seamless Knit, Extended Cuff	7	Heavyweight	PVC	L
GP22760	A7	Yes	Claw Cover® made with Dyneema®	White	Seamless Knit	10	Medium Weight	Uncoated	XS-XL
GP22900	A7	Yes	Claw Cover® made with Dyneema®	Gray	Seamless Knit	7	Heavyweight	Uncoated	XS-XL




Scan it

**KUT GARD®**

# Kevlar® / Aramid

CUT RESISTANT WITH ADDED LIGHT HEAT PROTECTION

Automotive / Glass Operations / Sheet Metal Fabrication / Manufacturing of Appliances and Metal Enclosures



ANSI  
**A3**

### GP07K300

- Medium weight seamless knit construction protects hands without sacrificing comfort or dexterity
- Reversible design allows replacing one glove at a time, rather than pairs



ANSI  
**A3**

### GP07K350

- Heavy weight with Kevlar® provides excellent cut protection, heat resistance and is inherently flame resistant
- Ideal for automotive applications and glass operations

## EXCELLENT CUT PROTECTION & HEAT RESISTANCE

#### Kut Gard® Kevlar®

STYLE	ANSI CUT	MATERIAL	COLOR	CONSTRUCTION	GAUGE	WEIGHT	GRIP	GRIP COVERAGE	SIZES
GP07K300	A3	Kut Gard® made with Kevlar®	Yellow	Seamless Knit	7	Medium	Uncoated	-	XS-2XL
GP07K350	A3	Kut Gard® made with Kevlar®	Yellow	Seamless Knit	7	Heavy	Uncoated	-	XS-XL



Scan it

**KUT GARD®**

# ACP™ / Kevlar

LOW-COST ALTERNATIVE WITH CUT AND LIGHT HEAT PROTECTION

Machine Operation / Metal Fabrication / Automotive / Plastic Molding



ANSI  
**A5**

### GP07KA730

- Heat resistance protects the hand from minor heat and burn injuries
- Polyester lining is ultra soft and very lightweight

## GREAT PROTECTION AND VALUE

#### ACP™ with Kevlar®

STYLE	ANSI CUT	MATERIAL	COLOR	CONSTRUCTION	GAUGE	WEIGHT	GRIP	GRIP COVERAGE	SIZES
GP07KA730	A5	Kut Gard® ACP™ with Kevlar®	Green	Seamless Knit	7	Heavyweight	Uncoated	-	S-XL





**KUT  
GARD®**

# ATA® Fiber Technology

BEST VALUE ALTERNATIVE WITH  
HIGH CUT AND LIGHT HEAT PROTECTION

Machine Operations / Metal Fabrication / Automotive / Plastic Molding



Scan it



ANSI

**A4**

### GPMATA30HA

- Heavy gauge for increased durability and glove wear
- Hide-Away™ fibers hide dirt and grime

## LIGHTWEIGHT COMFORT, PROTECTION AND PERFORMANCE

ATA®

STYLE	ANSI CUT	ZICFR	MATERIAL	COLOR	CONSTRUCTION	GAUGE	WEIGHT	GRIP	SIZES
<b>GPMATA30HA</b>	A4	-	Kut Gard® ATA® Hide-Away™ Technology	Green	Seamless Knit	7	Heavyweight	Uncoated	S-XL
<b>GPMATA30HA0EPD1</b>	A4	-	Kut Gard® ATA® Hide-Away™ Technology	Green	Seamless Knit	7	Heavyweight	Dotted	S-XL

SECTION:

# General Purpose Gloves



CONFIDENCE TO DO THE JOB™

This section contains general purpose gloves designed to keep hands clean and protect the wearer's hands from scrapes and abrasion in low-risk work applications. PIP® offers a full range of economical general purpose gloves that combine comfort, protection and fit to suit any type of application.

**General Purpose Coated Gloves** are offered in a variety of materials that provide unique grip characteristics (see page 8 for more information on glove coatings). They offer a high degree of hand dexterity, tactile sensitivity, durability and abrasion resistance when compared to uncoated gloves.

**General Purpose Uncoated Gloves** are an economical solution to keeping hands protected in low-risk work applications. Commonly constructed of cotton, polyester and nylon yarns either in their pure form or in a blended form. With a reversible design, they can be replaced one at a time, instead of in pairs. They also function as added insulation as a glove liner for other styles of hand protection.

**General Purpose Fabric Gloves** are offered in a wide variety of materials, grades and styles. Cotton, cotton canvas and poly/cotton blended gloves are constructed of woven fabric cloth offered in a variety of weights and styles to provide soft, flexible comfort and good overall wear and durability. These glove materials meet two important requirements. First, the tightly woven fabric forms a barrier against dirt and grime. Secondly, the weave provides a strong surface to resist abrasion. Additionally, cotton is known to be one of the easiest fibers to wash; because of its excellent thermal properties it keeps its natural size after repeated drying.

**Chore and Jersey Gloves** are lightweight gloves used to keep hands clean and protect against scrapes and abrasions in low-risk work applications. Constructed of 100% cotton or cotton/polyester blends, these are the original cut and sewn type of hand protection, Clute cut with a straight thumb. New types include cotton canvas, double palm and dotted palm. They are used in general warehouse and shipping tasks, landscaping, light assembly, general maintenance and light automotive applications.

**Leather General Purpose Gloves** are economical, extremely durable, naturally heat resistant and provide outstanding flexibility and comfort. Leather comes in a variety of types and grades, each with unique characteristics that influence the glove's durability, puncture resistance, abrasion resistance, flexibility, insulation properties, moisture-resistance and breathability. Leather general purpose gloves are often used in construction, carpentry, general maintenance, agriculture and landscaping.



THERMAL



HEAT RESISTANCE



CONSTRUCTION



LANDSCAPING



AGRICULTURE





NeoFoam®



SECURE DRY & FLEXIBLE GRIP



Scan it

Handling, Assembly and Sorting of Small to Medium Parts and Materials / Shipping, Receiving and Packaging / Ideal for Maintenance and Repair Operations



**GP34600**

- Lightweight liner for tasks that require a high degree of dexterity
- Thin flexible coating ideal for sorting and inspection

SKIN-LIKE DEXTERITY



**GP34603**

- Extended coating over knuckles improves durability for highly repetitive tasks
- Ideal for light maintenance



**GP34605**

- Double strand liner for tasks that require added strength and abrasion resistance
- Thin flexible coating ideal for small parts handling and light assembly


MULTI-TASKER



**GP34608**

- Extended coating over knuckles improves durability for highly repetitive tasks
- Ideal for general maintenance


## Blue LINER TECHNOLOGY



**LIGHTER**

For fine dexterity tasks

## Earth tone LINER TECHNOLOGY



**STRONGER**

Double strand for a tighter, stronger work glove

STYLE	EN388	COATING	COATING COVERAGE	COATING COLOR	LINER MATERIAL	LINER COLOR	CONSTRUCTION	GAUGE	SIZES
GP34600	4121	NeoFoam®	Palm & Fingers	Black	Nylon	Blue	Coated Seamless Knit, Touchscreen Compatible	15	XS-2XL
GP34603	4121	NeoFoam®	Palm, Fingers & Knuckles	Black	Nylon	Blue	Coated Seamless Knit, Touchscreen Compatible	15	XS-2XL
GP34605	4131	NeoFoam®	Palm & Fingers	Black	Nylon	Brown	Coated Seamless Knit, Touchscreen Compatible	15	S-2XL
GP34608	4131	NeoFoam®	Palm, Fingers & Knuckles	Black	Nylon	Brown	Coated Seamless Knit, Touchscreen Compatible	15	S-2XL





# Nitrile



SECURE GRIP AND OIL RESISTANT



Scan it

Handling and Assembly of Parts and Materials / Equipment Maintenance and Repair / Parts Cleaning / Fastening and Anchoring



### GP34225

- Smooth coating finish will not absorb liquids
- Flat textured grip provides a tactile grip in dry conditions



### GP34300

- MicroSurface finish provides secure dry and good wet grip
- Breathable back for comfort



### GP34315

- 15 gauge shell offers increased comfort, finger dexterity and abrasion resistance
- Ideal for handling & assembly of parts and materials



### GP34500

- Comfortable breathable liner for all-day use
- Ideal for light maintenance applications



### GP34C229

- Smooth coating finish will not absorb liquids
- Flat textured grip provides a tactile grip in dry conditions



### GP34C232

- Medium gauge liner for added abrasion resistance
- Ideal for general purpose jobs where dirt and oil are present



### GP34C234

- One-piece nylon shell offers increased comfort, finger dexterity and breathability
- Ideal for light maintenance applications



SILICONE-FREE

### GP715SNFLW

- One-piece nylon shell offers increased comfort, finger dexterity and breathability
- Ideal for light maintenance applications



### GP715SNFTP

- Medium gauge liner for added abrasion resistance
- Ideal for general purpose jobs where dirt and oil are present

STYLE	EN388	ANSI/ISEA 133	COATING	COATING COVERAGE	COATING COLOR	LINER MATERIAL	LINER COLOR	CONSTRUCTION	GAUGE	SIZES
GP34225	4121	-	Nitrile Smooth	Palm & Fingers	Gray	Nylon	White	Coated Seamless Knit	13	XS-XL
GP34300	4121	-	Nitrile MicroSurface	Palm & Fingers	Black	Polyester	Gray	Coated Seamless Knit	13	XS-2XL
GP34315	3121	-	Nitrile Foam	Palm & Fingers	Black	Polyester	Blue	Coated Seamless Knit	15	XS-2XL
GP34500	4121	-	Nitrile MicroSurface	Palm & Fingers	Black	Nylon	Blue	Coated Seamless Knit	13	XXS-2XL
GP34C229	4131	-	Nitrile Smooth	Palm & Fingers	Blue	Nylon	White	Coated Seamless Knit	13	S-XL
GP34C232	4121	-	Nitrile Foam	Palm & Fingers	Black	Nylon	Gray	Coated Seamless Knit	13	XS-XL
GP34C234	4131	-	Nitrile Foam	Palm & Fingers	Gray	Nylon	White	Coated Seamless Knit	13	XS-XL
GP715SNFLW	3131X	-	Nitrile Foam	Palm & Fingers	Gray	Nylon	White	Coated Seamless Knit	15	XS-2XL
GP715SNFTP	4141X	-	Nitrile Foam	Palm & Fingers	Black	Nylon	Gray	Coated Seamless Knit	15	S-2XL



# Nitrile MicroFoam



MAXIMUM BREATHABILITY,  
COMFORT & DURABILITY



Handling, Assembly and Sorting of  
Small Parts and Materials / Finishing  
and Parts Inspection / Light  
Maintenance and Repair

Scan it



▲ GP348014



▲ GP34874



HI-VISIBILITY

▲ GP34874FY



▲ GP34875



▲ GP34876

## MAXIFLEX® ULTIMATE™

- High tactile sensitivity and dexterity
- Designed and developed with 360° breathability through the use of ATG's patented AIRtech™ platform
- Micro-cup finish provides excellent dry grip and compatibility with light oils
- Complies with FDA food handling requirements 21 CFR, Part 177
- Silicone-free



▲ GP34844



▲ GP34845



▲ GP34846



FULLY COATED & BREATHABLE

▲ GP348745

Raised  
micro-dots  
for more  
durability

## MAXIFLEX® ENDURANCE™

- High tactile sensitivity and dexterity
- Patented MicroFoam nitrile coating offers 360° breathability
- Micro-cup finish provides excellent dry grip and compatibility with light oils
- Complies with FDA food handling requirements 21 CFR, Part 177
- Micro-dots provide increased durability

### MaxiFlex® Ultimate™

STYLE	EN388	Z1CFR	CFIA	COATING	COATING COVERAGE	COATING COLOR	LINER MATERIAL	LINER COLOR	CONSTRUCTION	GAUGE	SIZES
GP348014	4131	Yes	Yes	Nitrile MicroFoam	Palm & Fingers	Black	Nylon / Spandex	Hi-Vis Orange	Coated Seamless Knit	15	S-2XL
GP34874	4131	Yes	Yes	Nitrile MicroFoam	Palm & Fingers	Black	Nylon / Spandex	Gray	Coated Seamless Knit	15	XXS-3XL
GP34874FY	4131	Yes	Yes	Nitrile MicroFoam	Palm & Fingers	Hi-Vis Yellow	Nylon / Spandex	Hi-Vis Yellow	Coated Seamless Knit	15	S-2XL
GP34874V	4131	Yes	Yes	Nitrile MicroFoam	Palm & Fingers	Black	Nylon / Spandex	Gray	Coated Seamless Knit	15	XXS-3XL
GP34875	4131	Yes	Yes	Nitrile MicroFoam	Palm, Fingers & Knuckles	Black	Nylon / Spandex	Gray	Coated Seamless Knit	15	XXS-XL
GP34876	4131	Yes	Yes	Nitrile MicroFoam	Full Hand	Black	Nylon / Spandex	Gray	Coated Seamless Knit	15	XXS-2XL
GP42874	4131	Yes	Yes	Nitrile MicroFoam	Palm & Fingers	Black	Nylon / Spandex	Gray	Coated Seamless Knit	15	XS-2XL
GP34846**	4131	Yes	Yes	Nitrile MicroFoam	Full Hand	Black	Nylon / Spandex	Gray	Coated Seamless Knit	15	M-2XL
GP34874T**	4131	Yes	Yes	Nitrile MicroFoam	Palm & Fingers	Black	Nylon / Spandex	Gray	Coated Seamless Knit	15	XS-2XL

### MaxiFlex® Endurance™

GP34844	4131	Yes	Yes	Nitrile MicroFoam w/ Micro Dots	Palm & Fingers	Black	Nylon / Spandex	Gray	Coated Seamless Knit, Dotted Palm	15	XXS-XL
GP34845	4131	Yes	Yes	Nitrile MicroFoam w/ Micro Dots	Palm, Fingers & Knuckles	Black	Nylon / Spandex	Gray	Coated Seamless Knit, Dotted Palm	15	XXS-2XL
GP34846	4131	Yes	Yes	Nitrile MicroFoam w/ Micro Dots	Full Hand	Black	Nylon / Spandex	Gray	Coated Seamless Knit, Dotted Palm	15	XXS-2XL
GP348745	4131	Yes	Yes	Nitrile MicroFoam w/ Micro Dots	Full Hand	Black	Nylon / Spandex	Black	Coated Seamless Knit, Dotted Palm	15	S-2XL

\* Vend version available

\*\* Tagged version available





# Nitrile MicroFoam

MAXIMUM BREATHABILITY,  
COMFORT & DURABILITY



Scan it

Handling, Assembly and Sorting of  
Small Parts and Materials / Quality  
Control and Inspection / 21 CFR -  
Indirect Food Contact



SILICONE-FREE

## GP34274

- Maximum dexterity and tactility
- Micro-cup finish provides excellent dry grip and compatibility with light oils



ANTI-STATIC

## GP34774B

- Anti-static, complies with EN 16350-2014 for electrostatic protective gloves
- Ultra-lightweight at 14 grams per pair



MADE WITH ALOE VERA & VITAMIN E

## GP34824

- MicroFoam Nitrile coatings provide excellent abrasion resistance
- Micro-cup finish provides excellent dry grip and compatibility with light oils



MADE WITH ALOE VERA & VITAMIN E

## GP348264

- High tactile sensitivity and dexterity
- 360° breathability
- Micro-cup finish provides excellent dry grip and compatibility with light oils



## GP349025

- 100% silicone-free
- Complies with FDA food handling requirements 21 CFR, Part 177



## GP34900

- High dexterity and tactility
- Lighter coating for improved flexibility and dexterity
- Silicone-free



## GP34800

- High dexterity and tactility
- Tough foam nitrile coating for improved grip and durability
- Silicone-free

Unparalleled  
dexterity and  
tactile sensitivity

### MaxiFlex® Elite™

STYLE	EN388	21 CFR	CFIA	COATING	COATING COVERAGE	COATING COLOR	LINER MATERIAL	LINER COLOR	CONSTRUCTION	GAUGE	SIZES
GP34274	4121	Yes	Yes	Nitrile MicroFoam	Palm & Fingers	Blue	Nylon / Spandex	Blue	Coated Seamless Knit	18	XS-2XL
GP34774B	4121	Yes	Yes	Nitrile MicroFoam	Palm & Fingers	Black	Nylon / Spandex	Gray	Coated Seamless Knit	18	XS-2XL

### MaxiFlex® Active™

GP34824	4131	Yes	Yes	Nitrile MicroFoam	Palm & Fingers	Light Blue	Nylon / Spandex	Light Blue	Coated Seamless Knit	15	XS-XL
GP348264	4131	Yes	Yes	Nitrile MicroFoam	Palm & Fingers	Pink	Nylon / Spandex	Pink	Coated Seamless Knit	15	XXS-XL

### MaxiFlex® Comfort™

GP349025	3141	Yes	Yes	Nitrile MicroFoam	Palm, Fingers & Knuckles	Blue	Nylon / Cotton / Spandex	Gray	Coated Seamless Knit	15	S-XL
----------	------	-----	-----	-------------------	--------------------------	------	--------------------------	------	----------------------	----	------

### MaxiFoam®

GP34900	3121	Yes	Yes	Nitrile MicroFoam	Palm & Fingers	Black	Nylon / Spandex	Gray	Coated Seamless Knit	15	XS-2XL
GP34800	4131	Yes	Yes	Nitrile MicroFoam	Palm & Fingers	Gray	Nylon / Spandex	White	Coated Seamless Knit	15	XXS-2XL



# Nitrile MicroFoam



**TOUGH &  
OIL RESISTANT GRIP**

Handling, Assembling and Sorting of Light Oily Parts and Materials / General Maintenance and Repair / Indirect Food Handling and Cold Storage Applications



Scan it



▲ GP56424



▲ GP56425



▲ GP56426

### MAXIDRY®

- High dexterity
- Comfortable
- Micro-cup finish provides excellent dry grip and compatibility with light oils
- Dark liner and coating hides dirt



▲ GP56451

### MAXIDRY® ZERO™

- High thermal insulation properties
- Super soft and flexible coating provides ultimate flexibility even in extremely cold environments
- Liquid repellence, and thermal resistance down to -10°C/14°F



▲ GP56530

### MAXIDRY® PLUS™

- Combines liquid repellence, chemical protection, and cut resistance
- Certified according to EN 374 (low level chemical resistance) and cut level 1 (EN 388)
- Gauntlet cuff for added forearm protection

Superior  
grip in oily  
and wet  
applications

STYLE	EN374	EN388	Z1 CFR	CFIA	COATING	COATING COVERAGE	COATING COLOR	LINER MATERIAL	LINER COLOR	CONSTRUCTION	GAUGE	SIZES
GP56424	-	4121	Yes	Yes	Nitrile MicroFoam	Palm & Fingers	Black	Nylon / Spandex	Purple	Coated Seamless Knit	15	XS-2XL
GP56425	-	4121	Yes	Yes	Nitrile MicroFoam	Palm, Fingers & Knuckles	Black	Nylon / Spandex	Purple	Coated Seamless Knit	15	XS-2XL
GP56426	-	4111	Yes	Yes	Nitrile MicroFoam	Full Hand	Black	Nylon / Spandex	Purple	Coated Seamless Knit	15	S-2XL
GP56451	-	4231	Yes	Yes	Nitrile MicroFoam	Full Hand	Black	Nylon / Elastane	Purple	Coated Seamless Knit	15	S-2XL
GP56530	JKL	4121	Yes	Yes	Nitrile Foam	Palm, Fingers & Knuckles	Black	Nylon	Blue	Coated Seamless Knit	-	S-2XL





## Latex



SECURE GRIP WET OR DRY,  
TEAR & PUNCTURE RESISTANT



Scan it

Handling and Cleanup of Abrasive Parts  
and Materials / Demolition / Masonry and  
Tile / Metal Fastening and Assembly



### GP391310

- Latex crinkle coating allowing better contact on dry or wet surfaces
- Breathable glove shell



### GP39C121

- Comfortable and economical
- Excellent grip in wet/dry conditions



### GP39C1305

- Latex crinkle coating allowing better contact on dry or wet surfaces
- Breathable glove shell



### GP411400

- Acrylic liner provides an economical alternative for cold weather applications
- MicroFinish provides superior grip in dry and wet conditions



### GP411420

- Terry liner provides excellent thermal insulation
- Ideal for transportation and snow clearing applications where visibility is required



### GP411425

- Acrylic liner provides an economical alternative for cold weather applications
- Soft and comfortable, quickly evaporates moisture from the skin



### GP411430

- Acrylic liner provides an economical alternative for cold weather applications
- Excellent thermal insulation



### GP411475

- Acrylic liner provides an economical alternative for cold weather applications
- Excellent thermal insulation



### GP55AG317

- High tactile sensitivity and dexterity
- Ideal for loading and unloading material where visibility is required



### GP700SLC

- Latex crinkle coating allowing better contact on dry or wet surfaces
- Breathable glove shell



### GPHVG700SLC

- Cotton/polyester liner offers increased comfort, dexterity and breathability
- Knit wrist helps prevent dirt and debris from entering

STYLE	ENC88	COATING	COATING COVERAGE	COATING COLOR	LINER MATERIAL	LINER COLOR	CONSTRUCTION	GAUGE	SIZES
GP391310	2142	Latex Crinkle	Palm & Fingers	Blue	Cotton / Polyester	Gray	Coated Seamless Knit	10	XS-2XL
GP39C121	2011	Latex Smooth	Palm & Fingers	Red	Cotton / Polyester	Natural	Coated Seamless Knit	7	S-L
GP39C1305	2142	Latex Crinkle	Palm & Fingers	Blue	Cotton / Polyester	Gray	Coated Seamless Knit	10	XS-XL
GP411400	2230X	Latex MicroFinish®	Palm & Fingers	Brown	Acrylic	Hi-Vis Orange	Coated Seamless Knit	10	S-2XL
GP411420	1221XX	Latex Crinkle	Palm & Fingers	Black	Acrylic	Hi-Vis Yellow	Coated Seamless Knit	7	S-XL
GP411425	3132XX	Latex Crinkle	Palm & Fingers	Black	Acrylic	Hi-Vis Yellow	Coated Seamless Knit	10	S-2XL
GP411430	3230XX	Latex MicroFinish®	Palm & Fingers	Brown	Polyester / Acrylic	Black	Coated Seamless Knit	10	S-2XL
GP411475	2121XX	Latex MicroFinish®	Palm, Fingers & Knuckles	Brown	Acrylic	Hi-Vis Orange	Coated Seamless Knit	10	S-2XL
GP55AG317	2121	Latex MicroSurface	Palm & Fingers	Black	Polyester	Hi-Vis Yellow	Coated Seamless Knit	13	XS-2XL
GP700SLC	2142	Latex Crinkle	Palm & Fingers	Blue	Polyester	Gray	Coated Seamless Knit	10	XS-3XL
GPHVG700SLC	2242X	Latex Crinkle	Palm & Fingers	Black	Cotton / Polyester	Hi-Vis Yellow	Coated Seamless Knit	10	S-XL



**G-Tek®**

# Polyurethane

 THIN COATING, GOOD GRIP FOR  
HIGH DEXTERITY HANDLING

Small Parts Handling / General  
Maintenance / Quality Control  
and Inspection / MRO



Scan it



▲ GP33125



▲ GP33B125



▲ GP33G125



▲ GP33GT125




▲ GP33115



▲ GP33B115



▲ GP33G115



▲ GP33G115



▲ BARRIER PROTECTION

EN374-5



### GP33VRX180

- Antibacterial and antiviral barrier protection per ISO 20743:2013 test method & EN374-5
- ESD Safe, with 4.0 AQL similar to the AQL levels for industrial grade disposable gloves
- Touchscreen compatible, machine washable up to 6 wash cycles without negatively impacting coating properties
- Ultra-lightweight 18-gauge nylon liner delivers outstanding dexterity and tactile sensitivity

### G-Tek® GP™

- Lightweight polyester/nylon liner provides good dexterity and tactile sensitivity
- Breathable back for comfort

### PIP®

- Lightweight breathable glove liner
- Ideal for high dexterity handling applications

Lightweight and  
tactile sensitivity  
for high dexterity  
handling

STYLE	EN388	EN374-5	COATING	COATING COVERAGE	COATING COLOR	LINER MATERIAL	LINER COLOR	CONSTRUCTION	GAUGE	SIZES
GP33115	3121	-	Polyurethane Smooth	Palm & Fingers	White	Polyester	White	Coated Seamless Knit	13	XS-2XL
GP33125	4131AX	-	Polyurethane Smooth	Palm & Fingers	White	Nylon	White	Coated Seamless Knit	13	XS-2XL
GP33B115	3121	-	Polyurethane Smooth	Palm & Fingers	Black	Polyester	Black	Coated Seamless Knit	13	XXS-2XL
GP33B125	4131AX	-	Polyurethane Smooth	Palm & Fingers	Black	Nylon	Black	Coated Seamless Knit	13	XS-2XL
GP33G115	3121	-	Polyurethane Smooth	Palm & Fingers	Gray	Polyester	Gray	Coated Seamless Knit	13	XS-2XL
GP33G125	4131AX	-	Polyurethane Smooth	Palm & Fingers	Gray	Nylon	Gray	Coated Seamless Knit	13	XS-3XL
GP33GT125	4131	-	Polyurethane Smooth	Palm & Fingers	Gray	Nylon / Polyester	Gray	Coated Seamless Knit, Touchscreen Compatible	13	XS-2XL
GP33VRX180	4X32C	Yes	Polyurethane	Full Hand	Black	PolyKor™	Blue	Coated Seamless Knit	18	XS-2XL





Scan it

# COATED SEAMLESS KNIT GENERAL PURPOSE GLOVES

## Quick Find Index

### ENHANCED PERFORMANCE FEATURES



#### TOUCHSCREEN

With the rapid increase of technology in the workplace, especially in factories and manufacturing plants where cut-resistant work gloves are used, touchscreen compatibility has never been more important. Use this index to locate gloves that combine cut resistance and touchscreen compatibility for increased safety and efficiency.



#### SILICONE FREE

Silicone is an excellent lubricant and release agent frequently found in manufacturing. These same properties are a major concern in coating or bonding applications, such as automotive finishing. The slightest trace of silicone can result in adhesive failure, resulting in poor quality finishes that cost time and drain resources to repair. Use this index to locate gloves required for silicone-free applications.



#### 21 CFR

Cross-contamination of one item or surface onto another can cause serious illnesses or allergic reactions. Coated seamless knit gloves are ideal for indirect contact in food plants for MRO applications or sorting and packaging tasks where the contact is incidental, or when the contact is not purposeful or continuous. Use this index to locate gloves that are ideal for indirect food contact applications.



TOUCHSCREEN  
COMPATIBLE



SILICONE-  
FREE



21  
CFR,  
PART 177

STYLE NUMBER	DESCRIPTION	COATING	TOUCHSCREEN COMPATIBLE	SILICONE-FREE	21 CFR, PART 177
GP33B115	G-Tek™	Polyurethane		•	
GP33B125	G-Tek™	Polyurethane		•	
GP33G115	G-Tek™	Polyurethane		•	
GP33G125	G-Tek™	Polyurethane		•	
GP33G125	G-Tek™	Polyurethane	•	•	
GP33VRX180	G-Tek™ VR-X™	Polyurethane	•	•	
GP34600	G-Tek™ NeoFoam™	NeoFoam™ Foam	•		•
GP34603	G-Tek™ NeoFoam™	NeoFoam™ Foam	•		•
GP34605	G-Tek™ NeoFoam™	NeoFoam™ Foam	•		•
GP34608	G-Tek™ NeoFoam™	NeoFoam™ Foam	•		•
GP34774B	MaxiFlex™ Elite™	Nitrile MicroFoam	•	•	•
GP34800	MaxiFoam™ Premium	Nitrile MicroFoam		•	•
GP348014	MaxiFlex™ Ultimate™	Nitrile MicroFoam		•	•
GP34824	MaxiFlex™ Active	Nitrile MicroFoam		•	•
GP348264	MaxiFlex™ Active	Nitrile MicroFoam		•	•
GP34844	MaxiFlex™ Endurance™	Nitrile MicroFoam	•	•	•
GP34845	MaxiFlex™ Endurance™	Nitrile MicroFoam	•	•	•
GP34846	MaxiFlex™ Endurance™	Nitrile MicroFoam	•	•	•
GP34874	MaxiFlex™ Ultimate™	Nitrile MicroFoam	•	•	•
GP348745	MaxiFlex™ Endurance™	Nitrile MicroFoam	•	•	•
GP34874FY	MaxiFlex™ Ultimate™	Nitrile MicroFoam		•	•
GP34875	MaxiFlex™ Ultimate™	Nitrile MicroFoam	•	•	•
GP34876	MaxiFlex™ Ultimate™	Nitrile MicroFoam	•	•	•
GP34900	MaxiFoam™ Lite	Nitrile MicroFoam		•	•
GP349025	MaxiFlex™ Comfort™	Nitrile MicroFoam		•	•
GP411400	PowerGrab™ Thermo	Latex MicroFinish®			•
GP42874	MaxiFlex™ Ultimate™ AD-APT™	Nitrile MicroFoam	•	•	•
GP56451	MaxiDry™ Zero™	Nitrile MicroFoam		•	•
GP715SNFLW	G-Tek™	Nitrile Foam		•	

COATED SEAMLESS KNIT  
GENERAL PURPOSE GLOVES

# Vend-ready solutions

PACKAGED FOR VENDING MACHINES



Scan it



FREQUENTLY USED  
ITEMS



OPTIMALLY SIZED  
FOR MOST MACHINES



BARCODED PACKAGING FOR  
INVENTORY CONTROL

## A comprehensive line of vend packed gloves

### IN STOCK VEND-READY SOLUTIONS

STYLE NUMBER	EN388	COATING	COATING COVERAGE	COATING COLOR	LINER MATERIAL	LINER COLOR	CONSTRUCTION	GAUGE	SIZE
GP34874V	4131A	Nitrile MicroFoam	Palm & Fingers	Black	Nylon / Spandex	Gray	Coated Seamless Knit	15	2XS-3XL
GP34875V	4131	Nitrile MicroFoam	Palm, Fingers & Knuckles	Black	Nylon / Spandex	Gray	Coated Seamless Knit	15	2XS-XL





# Uncoated String Knits Cotton & Polyester

General Assembly / Food Processing Warehousing / Parts Handling



Scan it



BEST SELLER

### GP35C104

- Standard weight comfortable cotton/polyester fiber
- Complies with FDA food handling requirements 21 CFR, Part 17



### GP35C110

- Medium weight comfortable cotton/polyester fiber
- Complies with FDA food handling requirements 21 CFR, Part 17



### GP35C500

- Medium weight comfortable cotton/polyester fiber
- Complies with FDA food handling requirements 21 CFR, Part 17



### GP713SN

- Lightweight, comfortable and reduces hand fatigue
- Ideal for use where low lint properties are desired



### GP713SNL

- Lightweight, comfortable and reduces hand fatigue
- Ideal for use where low lint properties are desired

STYLE	COATING	LINER MATERIAL	COLOR	CONSTRUCTION	21 CFR	GAUGE	WEIGHT	SIZES
GP35C104	Uncoated	Cotton Polyester	Natural	Seamless Knit	Yes	7	Standard	XS-L
GP35C110	Uncoated	Cotton Polyester	Natural	Seamless Knit	Yes	7	Medium	XS-L
GP35C500	Uncoated	Cotton Polyester	Gray	Seamless Knit	Yes	7	Medium	S-XL
GP713SN	Uncoated	Nylon	White	Seamless Knit	-	13	Lightweight	MENS
GP713SNL	Uncoated	Nylon	White	Seamless Knit	-	13	Lightweight	LADIES



CUT-AND-SEWN NITRILE OR LATEX DIPPED  
GENERAL PURPOSE GLOVES



Scan it

# Armor® Cut-and-Sewn Nitrile Dipped

 EXCELLENT  
OILY GRIP

General Handling / Parts Handling / Roofing / Maintenance / Fabrication



### GP563145

- Nitrile dipped terry cloth liner with rough textured grip
- Economical dry grip and oil resistant



### GP563152

- Medium weight, nitrile dipped jersey liner with smooth finish
- Secure dry grip, protection from puncture and abrasion



### GP563154

- Medium weight, nitrile dipped jersey liner with smooth finish
- Secure dry grip, protection from puncture and abrasion

#### Armor® Nitrile Dipped Fabric

STYLE	COATING	COATING COVERAGE	COATING COLOR	LINER MATERIAL	CUFF	CONSTRUCTION	WEIGHT	SIZES
GP563145	Nitrile Rough	Palm, Fingers & Knuckles	Blue	Jersey / Terry Cloth	Safety Cuff	Dipped Fabric	Heavyweight	M-XL
GP563152	Nitrile Smooth	Full Hand	Blue	Jersey	Knit Wrist	Dipped Fabric	Medium Weight	S-XL
GP563154	Nitrile Smooth	Full Hand	Blue	Jersey	Safety Cuff	Dipped Fabric	Medium Weight	M-XL



Scan it

# Armor® Cut-and-Sewn Latex Dipped

 SUPERIOR  
WET/DRY GRIP

General Maintenance / Fabrication / Assembly / Handling Glass, Tile and Sheet Metal



### GP553273

- Standard weight canvas lined clute cut gloves provide a cool, comfortable fit
- Good grip in dry or oily conditions
- Plasticized safety cuff

LATEX COATING PROVIDES  
SUPERIOR GRIP  
IN WET/DRY  
CONDITIONS

#### Armor® Latex Dipped Fabric

STYLE	COATING	COATING COVERAGE	COATING COLOR	LINER MATERIAL	CUFF	CONSTRUCTION	WEIGHT	SIZES
GP553273	Latex Crinkle	Palm, Fingers & Knuckles	Yellow	Canvas	Safety Cuff	Dipped Fabric	Standard Weight	MENS





Scan It

# Multi-Purpose Canvas Gloves

General Applications / Light Protection



## GP91908PD

- Lightweight 8 oz. economy grade cotton canvas glove with PVC dots on palm, thumb and forefinger

## General purpose protection at an affordable price

### Clute Cut Dotted Canvas

STYLE	FABRIC	FABRIC COLOR	DOT COLOR	THUMB	CUFF	CONSTRUCTION	FABRIC WEIGHT	SIZES
GP91908PD	Black	Canvas	Natural	Straight	Knit Wrist	Clute Cut	8 oz	MENS



Scan it



# Fabric Work Gloves

General Chores / Light Protection / Farming / Warehousing / Parts Handling



## GPKJ55I

- Lightweight, reversible design allows replacing one glove at a time  
- Cotton construction is breathable and decreases hand fatigue  
- Wing thumb increases comfort in closed-fisted work



## GPKJ65LI

- Lightweight, reversible design allows replacing one glove at a time  
- Cotton construction is breathable and decreases hand fatigue  
- Wing thumb increases comfort in closed-fisted work

### Jersey Gloves

STYLE	FABRIC	COLOR	THUMB	CUFF	CONSTRUCTION	FABRIC WEIGHT	SIZES
GPKJ55I	Cotton	Natural	Straight	Knit Wrist	Clute Cut	Lightweight	MENS
GPKJ65LI	Cotton	Naturea	Straight	Knit Wrist	Clute Cut	Lightweight	LADIES



Scan it



# Pattern Grip Hot Mill Gloves

Float Glass / Foundries & Metal Casting / Ceramics Manufacturing / Forging Operations



▲ GP43850



▲ GP43858



## GP43850 | GP43858

- Kevlar /Preox blend shell provides excellent cut, abrasion and thermal protection as well as flame resistance
- Ambidextrous pattern permits glove to be worn on either hand, extending wear and reducing costs
- Meets OSHA CFR 1910.269 standards
- Protects against the intense heat of an electric ARC complying with NFPA 70E standards

STYLE	WEIGHT	COATING	LINER MATERIAL	LINER COLOR	CONSTRUCTION	CUFF	SIZES
GP43850	32 oz	Uncoated	Kevlar /Preox Blend	Green	Double-Layered Seamless Knit	Open	L
GP43858	32 oz	Uncoated	Kevlar /Preox Blend, Terry Cotton Lined	Green	Double-Layered Seamless Knit	Open	S-L



Scan it

# Seamless Knit Gloves and Liners



BEST SELLER

## GP41001

- Thermax™ helps wick moisture away from the hands, keeping them warm, dry and comfortable
- Lightweight, extra-soft material ideal for use as a non-chafing glove liner



## GP41130

- Merino™ wool provides superior insulating properties even when wet
- Lightweight, extra-soft non-chafing glove liner

## IDEAL AS INSULATING GLOVE LINERS

STYLE	MATERIAL	COLOR	GAUGE	WEIGHT	SIZES
GP41001	Thermax™	Black	13	Light	M-L
GP41001NB	Thermax™	Blue	13	Light	L
GP41005	Polypropylene	Black	13	Light	XS-XL
GP41130	Merino™ Wool	Black	13	Light	L





# Insulated Coated Seamless Knit



Scan it

Construction / Transportation  
Railyard / Mining / Warehousing  
Cold Storage / Oil & Gas



ANSI  
**A5**

### GP418035

- Single-layer construction provides excellent dexterity
- Full hand coverage keeps hands warm and dry

NEW



ANSI  
**A4**

### GP418014

- Single-layer construction provides excellent dexterity
- Coating provides excellent abrasion resistance and a good grip in dry and slightly oily conditions

NEW



ANSI  
**A3**

### GP411415

- Hi-vis wrist for added visibility in poor conditions
- Double-dipped full hand coating provides liquid protection



ANSI  
**A4**

### GP411417

- 15-gauge PolyKor® shell with 7-gauge acrylic lining provides thermal insulation
- Double-dipped full hand coating provides liquid protection

BEST SELLER



ANSI  
**A3**

### GP16820

- Extended coating coverage to knuckle for added abrasion resistance
- Coating provides a good grip in dry, wet, or oily conditions



### GP10170R

- Hi-Vis orange color PVC is great for visibility in warehouses and on the highway
- Jersey lining is soft, warm, flexible, and stretchy

HI-VISIBILITY



▲ GP713WHPTPD



▲ GP713WHPTND

ANSI  
**A4**

### Barracuda®

- 13-gauge Nylon/HPPE shell with acrylic lining provides cold weather protection
- PVC foam coating provides a superior grip in dry and wet conditions
- Extra softness for non-chafing comfort

## Insulated Coated Seamless Knit Cut

STYLE	ANSI CUT	EN388	COATING	COATING COVERAGE	COATING COLOR	LINER	LINER COLOR	CONSTRUCTION	GAUGE	SIZES
GP418035	A5	3X42E	Latex MicroSurface	Full Hand	Black/Blue	Acrylic PolyKor®	Salt & Pepper	Coated Seamless Knit	10	S-2XL
GP418014	A4	3X42D	Latex MicroSurface	Palm & Fingers	Black/Blue	Acrylic PolyKor®	Blue	Coated Seamless Knit	10	S-2XL
GP411415	A3	4432CX	Nitrile Foam	Palm, Full Finger & Knuckle	Black/Blue	Acrylic PolyKor®	Hi-Vis Yellow	Coated Seamless Knit	15	S-2XL
GP411417	A4	4X32D	Nitrile Foam	Palm, Full Finger & Knuckle	Black/Blue	Acrylic PolyKor®	Black	Coated Seamless Knit	15	S-2XL
GP16820	A3	3X43CX	Latex MicroSurface	Palm, Fingers & Knuckles	Black	Acrylic PolyKor®	Salt & Pepper	Coated Seamless Knit	13	S-2XL
GP10170R	-	-	PVC	Full Hand	Orange	Jersey	Beige	Supported	-	L

## Barracuda® Insulated Coated PVC

STYLE	ANSI CUT	EN388	COATING	COATING COVERAGE	COATING COLOR	LINER	LINER COLOR	CONSTRUCTION	GAUGE	SIZES
GP713WHPTND	A4	4X42D	PVC	Palm, Fingers & Knuckles	Black	Acrylic	Yellow	Coated Seamless Knit	13	M-2XL
GP713WHPTPD	A4	4X42D	PVC	Palm & Fingers	Black	Acrylic	Yellow	Coated Seamless Knit	13	S-2XL



**GP411400**

- Terry liner provides excellent thermal insulation
- Coating provides a good grip in dry, wet, or oily conditions

BEST SELLER



**GP411420**

- Heavy gauge terry liner for added thermal protection
- Ideal for transportation and snow clearing applications where visibility is required



**GP411425**

- Hi-vis liner for added visibility in poor conditions
- Soft and comfortable, quickly evaporates moisture from the skin



**GP411430**

- Acrylic liner provides an economical alternative for cold weather applications
- Coating provides a good grip in dry, wet, or oily conditions



**GP411475**

- Extended coating coverage to knuckle for added abrasion resistance
- Coating provides a good grip in dry, wet, or oily conditions

EXTRA COATING



**GP587303**

- Smooth tacky coating provides a good grip in dry and slightly wet conditions
- Foam insulation keeps hands warm and dry



**GP587305**

- Smooth tacky coating provides a good grip in dry and slightly wet conditions
- Foam insulation keeps hands warm and dry

PVC COATED

Keep working hands warm and dry

PROVIDES EXCEPTIONAL  
BALANCE BETWEEN PERFORMANCE AND  
COLD WEATHER PROTECTION

Insulated Coated Seamless Knit GP

STYLE	EN388	COATING	COATING COVERAGE	COATING COLOR	LINER	LINER COLOR	CONSTRUCTION	GAUGE	SIZES
GP411400	2230XX	Latex MicroFinish®	Palm & Fingers	Brown	Acrylic	Hi-Vis Orange	Coated Seamless Knit	10	S-2XL
GP411420	1221XX	Latex Crinkle	Palm & Fingers	Black	Acrylic	Hi-Vis Yellow	Coated Seamless Knit	7	S-XL
GP411425	3132XX	Latex Crinkle	Palm & Fingers	Black	Acrylic	Hi-Vis Yellow	Coated Seamless Knit	10	S-2XL
GP411430	3230XX	Latex MicroFinish®	Palm & Fingers	Brown	Polyester / Acrylic	Black	Coated Seamless Knit	10	S-2XL
GP411475	2121XX	Latex MicroFinish®	Palm, Fingers & Knuckles	Brown	Acrylic	Hi-Vis Orange	Coated Seamless Knit	10	S-2XL

ProCoat™ Insulated Coated PVC

STYLE	EN388	POLYMER	COLOR	CUFF	LENGTH	GRIP	CONSTRUCTION	LINING	SIZES
GP587303	4121XX	PVC	Hi-Vis Orange	Knit Wrist	11"	Supported	Smooth	Foam	MENS
GP587305	4121XX	PVC	Hi-Vis Orange	Safety	11"	Supported	Smooth	Foam	MENS





# Insulated Leather Palm



Scan it

Construction / Transportation / Aviation /  
Shipping & Freight / Heavy-Duty Industrial



### GP1353

- Split cowhide leather palm with Heatrac® insulation
- Waterproof membrane



### GP210502

- Split cowhide leather palm with Heatrac® insulation
- Wind & water resistant



### GP2370

- Caiman® Next Gen Goatskin leather with Heatrac® Insulation
- Waterproof membrane



### GP2372

- Caiman® Next Gen Goatskin leather with Heatrac® insulation
- Wind & water resistant



### GP2374

- Caiman® Next Gen Goatskin leather with Heatrac® insulation
- Double Cuff with belted Closure



### GP2960

- Pig grain leather with G-Grip™ patches and Heatrac® insulation
- Waterproof membrane



BEST SELLER

### GP5555

- Breathable pigskin leather palm with Posi-Therm™ lining
- Leather knuckle strap and finger tips for extra protection



### GP783927

- Breathable pigskin leather palm with 3M™ Thinsulate™ lining
- Straight thumb to increase comfort in closed-fisted work



## Insulated Leather Palm Gloves

STYLE	HIDE	GRADE	INSULATION	PATTERN	THUMB	BACK	COLOR	CUFF	SIZES
GP1353	Split Cowhide	Premium	Heatrac®	-	Keystone	Polyester	Hi-Vis Orange	Elastic	M-XL
GP210502	Top Grain Cowhide	A/B Gold	Heatrac®	-	Wing	Leather	Black	Pull String	S-XL
GP2370	Genuine Goatskin	A/B	Heatrac®	-	Keystone	Polyester	Hi-Vis Orange	Knit Wrist	S-XL
GP2372	Genuine Goatskin	A/B	Heatrac®	-	Keystone	Polyester	Black	Knit Wrist	S-XL
GP2374	Genuine Goatskin	A/B	Heatrac®	-	Keystone	Leather	Blue	Knit Wrist	S-XL
GP2960	Top Grain Pigskin	Premium	Heatrac®	-	Kontour	Polyester	Black	Elastic	M-2XL
GP5555	Pigskin	Premium	Posi-Therm™	Gunn	Wing	Canvas	Blue/Black/Red	Safety, Rubberized	M-2XL
GP783927	Pigskin	Premium	3M™ Thinsulate™	Gunn	Straight	Canvas	Blue/Green	Safety, Rubberized	M-XL



# Insulated Leather Drivers



Construction / Farm &  
Ranch / Transportation /  
Equipment Operation

Scan it



### GP77269

- 3M™ Thinsulate™ provides superior insulation without the bulk of fleece
- Keystone thumb is ergonomic for improved dexterity



### GP77469

- 3M™ Thinsulate™ provides superior insulation without the bulk of fleece
- Keystone thumb is ergonomic for improved dexterity



### GP994KP

- White thermal lining provides superior lightweight insulation
- Keystone thumb is ergonomic for improved dexterity



### GP1355

- Heatrac® micro-fiber insulation for ultimate warmth & comfort
- Kontour™ gloves conform to the natural shape of the human hand and provide proper finger alignment



### GP771364

- Heatrac® micro-fiber insulation for ultimate warmth & comfort
- Kontour™ gloves conform to the natural shape of the human hand and provide proper finger alignment

## THE TACK OF A LEATHER GLOVE IMPROVES GRIP AND CONTROL OVER THE STEERING WHEEL

### Insulated Leather Drivers

STYLE	HIDE	GRADE	INSULATION	THUMB	COLOR	CUFF	SIZES
GP77269	Cowhide	Premium	3M™ Thinsulate™	Keystone	Natural	Slip-On	S-XL
GP77469	Pigskin	Premium	3M™ Thinsulate™	Keystone	Natural	Slip-On	S-XL
GP994KP	Pigskin	Premium	Posi-Therm	Keystone	Natural	Slip-On	S-3XL
GP1355	Pigskin	Premium	Heatrac®	Keystone	Navy	Elastic	L-XL
GP771364	Top Grain Cowhide	A/B Gold	3M™ Thinsulate™	Keystone	Natural	Safety	S-3XL





# Top Grain Leather Drivers



Scan it

Equipment Operation / Utility Work / Farming /  
General Applications / Roping / Construction



### GP713618

- Premium grade with slip-on styling to provide good fit and comfort
- Keystone thumb offers superior dexterity and durability



### GP68162

- Economy grade top grain cowhide leather provides comfort and breathability
- Keystone thumb offers superior dexterity and durability



### GP68105

- Economy grade top grain cowhide leather provides comfort and breathability
- Straight thumb increases comfort in closed-fisted work



### GP68106

- Industry grade top grain cowhide leather provides comfort and excellent abrasion resistance
- Straight thumb increases comfort in closed-fisted work



### GP997KB

- Hi-vis TPR molded knuckle and dorsal guards provide protection from impact and pinch
- Ergonomic keystone thumb offers superior dexterity and durability



### GP997KBC

- Hi-vis TPR molded knuckle and dorsal guards provide protection from impact and pinch
- Ergonomic keystone thumb offers superior dexterity and durability



### GP9414

- Premium cowhide leather construction provides comfort, durability, excellent abrasion resistance, and breathability
- Elastic closure sewn inside glove for safety and comfort

## Top Grain Leather Drivers

STYLE	HIDE	GRADE	THUMB	CUFF	CLOSURE	STITCHING	SIZES
GP713618	Goatskin	Premium	Keystone	Slip-on	Elastic	Nylon	S-XL
GP997KB	Cowhide / Split Leather Back	Premium	Keystone	Slip-on	Elastic	Nylon	XS-3XL
GP997KBC	Cowhide / Split Leather Back	Premium	Keystone	Slip-on	Elastic	Nylon	S-3XL
GP68162	Cowhide	Economy	Keystone	Slip-on	Elastic	Nylon	S-2XL
GP68105	Cowhide	Economy	Straight	Slip-on	Elastic	Nylon	S-2XL
GP68106	Cowhide	Industry	Straight	Slip-on	Elastic	Nylon	S-2XL
GP9414	Cowhide / Split Leather Back	Premium	Keystone	Slip-on	Elastic	Nylon	S-3XL



# Split Leather Palm Gloves

Construction / Metalworking / Farming /  
Equipment Operation / Maintenance



Scan it



### GP827563

- "A/B" grade shoulder split cowhide construction with cotton-lined palm for extra comfort and dexterity
- Fabric back provides breathability and flexibility



### GP836563

- Regular grade cowhide leather construction provides comfort and dexterity
- Elastic closure sewn inside glove for safety and comfort



### GP857500

- Constructed of economical split side cowhide
- Fabric back provides breathability and flexibility



### GP857500P

- Constructed of economical split side cowhide
- Palm patch provides added protection at common wear point



### GP85DB7563P

- Constructed of economical split side cowhide
- Denim safety cuff helps protect wrist and allows for fast removal



### GP836733

- Regular grade cowhide leather construction provides comfort and dexterity
- Double palm offers insulation and heat protection



### GP1JL2393

- Premium grade cowhide leather construction provides maximum comfort and durability
- Shirred back for elasticity

## GLOVES BUILT FOR RUGGED WORK

STYLE	HIDE	SERIES	GRADE	PATTERN	PALM	BACK	COLOR	CUFF	STITCHING	SIZES
GP827563	Split Cowhide	Silver	A/B Select Shoulder	Gunn	Single	Canvas	Blue/Green	Safety, Rubberized	Nylon	S-XL
GP836563	Split Cowhide	Bronze	B Shoulder	Gunn	Single	Canvas	Green/Pink	Safety, Rubberized	Nylon	XS-2XL
GP857500	Split Cowhide	Economy	Economy	Gunn	Single	Canvas	Blue/Black/Red	Safety, Rubberized	Nylon	S-XL
GP857500P	Split Cowhide	Economy	Economy	Gunn	Reinforced	Canvas	Blue/Black/Red	Safety, Starched	Nylon	MENS
GP85DB7563P	Split Cowhide	Economy	Economy	Gunn	Reinforced	Denim	Blue	Safety, Denim	Nylon	MENS
GP836733	Split Cowhide	Bronze	B Shoulder	Gunn	Double	Canvas	Green/Pink	Safety, Rubberized	Nylon	MENS
GP1JL2393	Split Cowhide	Economy	B/C Shoulder	Gunn	Double	Canvas	Gray/Orange	Safety, Rubberized	Aramid	S-3XL





# Top Grain Leather Palm



Scan it

Heavy-Duty Material Handling / Construction /  
General Maintenance / Farming



PREMIUM BEST SELLER

## GP5000

- Cowhide leather construction provides comfort and dexterity
- Wing thumb increases comfort in open-handed work



REINFORCED PALM

## GP871563P

- Economy grade cowhide leather construction provides comfort and dexterity
- Elastic closure sewn inside glove for safety and comfort



## GP871563

- Regular grade cowhide leather construction provides comfort and dexterity
- Elastic closure sewn inside glove for safety and comfort



# HIGH QUALITY, DURABLE AND RESISTS STAINS

STYLE	HIDE	GRADE	PATTERN	PALM	BACK	COLOR	CUFF	STITCHING	SIZES
GP5000	Top Grain Cowhide	Premium	Gunn	Single	Canvas	Natural	Safety, Rubberized	Nylon	S-XL
GP871563P	Top Grain Cowhide	Economy	Gunn	Reinforced	Canvas	Blue/Black/Red	Safety, Rubberized	Nylon	MENS
GP871563	Top Grain Cowhide	Regular	Gunn	Single	Canvas	Blue/Black/Red	Safety, Rubberized	Nylon	S-2XL



# White Glove Service

Hoteliers, Restaurateurs and General Catering



Scan it



▲ GP130100WM



▲ GP130100WMNZ

## CABARET™ COTTON GLOVE

- Constructed in full fashion pattern with fourchettes and set-in thumbs for a tailored fit
- With or without raised stitching on back

### Cabaret™ 100% Cotton Dress Glove

STYLE	COLOR	CUFF STYLE	PALM	RAISED STITCHING	SIZES
GP130100WM	White	Open Cuff	Standard	Yes	S-XL
GP130100WMNZ	White	Open Cuff	Standard	No	XS-XL



SECTION:

# High Performance Gloves



MADE FOR WORKING™



TOUGHEST MATERIALS.  
TOUGHEST STANDARDS.  
TOUGHEST PROTECTION.™

This section contains high performance task-specific gloves. These are field-tested gloves, designed for real-world environments using advanced, composite materials and built to deliver a higher level of performance in the harshest conditions. Key markets include Oil & Gas, Mining, Construction, Electrical and Gas Utilities and Mechanical Trades.

## EVERY INDUSTRY HAS SPECIFIC NEEDS

**High Performance gloves** are generally considered to be gloves that are designed and built for the toughest of jobs. Key applications include Oil & Gas, Heavy Industry, Mining, Trench Work and Construction. These gloves are typically composed of multiple materials that may include natural leathers and/or tough synthetics that are highly cut, tear and puncture-resistant. Key to the enhanced protective nature of these gloves is the back-of-hand impact protection where thermoplastic rubber (TPR) or similar elastomers are carefully applied to maximize coverage, protection and flexibility. The recently released ANSI 138 standard for back-of-hand impact protection provides a testing and scoring method for impact protection. It allows for a score of 1 to 3, low to high, based on the mean transmitted force across several specific points across the back of the hand, knuckles and fingers.

**Task-specific** and **Mechanics gloves** are gloves that are designed for specific jobs. Our product developers take the time to understand every aspect of a job to learn the pain points, the high-risk points and the high wear points. Then they find the right glove design that mitigates all of these while providing the wearer with comfort and dexterity to do the job.

**ARC Rated (AR) gloves** help provide flame and thermal protection from exposure to an electrical ARC flash. Gloves are a vital component of PPE worn to protect workers while working around energized equipment. AR rated gloves are designed and treated to help limit exposure and burn percentage as a result of an electrical ARC flash incident. The National Fire Protection Association (NFPA) outlines four ARC Flash PPE Categories to classify ranges of ARC flash hazards and the corresponding requirements for Personal Protective Equipment (PPE).

**Flame resistant (FR) gloves** earn their designation because they are made of fabrics that are inherently resistant to or are treated to be resistant to igniting when exposed directly to flame. The material resists ignition or is designed to self-extinguish when ignited. FR gloves can also be designed with an extra liner that provides a thermal barrier to help protect the wearer's skin when exposed to direct heat energy and help minimize the risk.



HEAVY DUTY



IMPACT



ARC FLASH



FLASH FIRE



# Oil, Gas and Mining



Scan it

Handling and Moving Heavy Materials /  
Repair and Maintenance / Operating  
Heavy-Duty Machinery and Tools /  
Manipulating, Positioning and  
Assembling Large Heavy Objects



ANSI  
**A2**

**GP1205130**  
TUFFMAX3<sup>®</sup>  
- Lightweight HPPE shell provides excellent dexterity  
- Secure dry and good oily grip



ANSI  
**A4**

**GP1205150**  
TUFFMAX5<sup>™</sup>  
- Lightweight HPPE shell provides excellent dexterity  
- Nitrile MicroSurface coating provides good grip in oily conditions and a secure grip in dry conditions



ANSI  
**A5**

**GP120MP2415**  
BOSS<sup>®</sup>  
- Silicone grip delivers unparalleled grip in dry and light oil applications  
- PVC palm patch provides increased abrasion resistance and allows rope and chains to slide through the hand when guiding



ANSI  
**A2**

**GP87811**  
R2<sup>™</sup>  
- Fleece lined, waterproof  
- Flexible TPR molded finger, thumb and back-of-hand impact protection  
- Touchscreen compatible  
- Red palm for easy signaling

INSULATED BEST SELLER

## Optimal combination of durability, dexterity and visibility

STYLE	ANSI CUT	EN388	ANSI 138	GRIP	BACK	CUFF	COLOR	SIZES
GP1205130	A2	4343BX	2	Nitrile MicroSurface	HPPE	Slip-On with Hook & Loop Closure	Hi-Vis Green/Black	S-2XL
GP1205150	A4	4X44DP	2	Nitrile MicroSurface	HPPE	Slip-On with Hook & Loop Closure	Hi-Vis Orange/Black	M-2XL
GP120MP2415	A5	3X43E	2	Microfiber with Silicone	Spandex	Slip-On	Red/Yellow	M-3XL
GP87811	A2	-	1	Reinforced Polyurethane	Spandex	Slip-On with Hook & Loop Closure	Hi-Vis Yellow/Red/Black	S-3XL





# Heavy-Duty Work



Scan it

Abrasive Material Handling / Heavy Equipment Operation / Operating Power Tools / Heavy Material Handling / Demolition / Industrial Maintenance and Repair



### GP1204300

**MAXIMUM SAFETY™ GUNNER™**  
- Goatskin leather palm and half fingers provides the softest, most abrasion-resistant leather  
- PVC sandy grip on palm and thumbrotch  
- Highly recommended for applications requiring tactile sensitivity



REINFORCED THUMB & FINGER

### GP1204600

**MAXIMUM SAFETY™ VIZ™**  
- Synthetic leather palm provides good dry and light oily grip  
- PVC on index finger and thumb for fine parts handling



### GP86400

**IRONCAT™ HEAVY-DUTY GRAIN DEERSKIN GLOVES**  
- Mechanics style protects from scrapes & abrasions, ideal for professional mechanics



ANSI



### GP9916

**BOSS®**  
- Hi-Vis Thermo Plastic Rubber (TPR) molded knuckle and dorsal guards for maximum protection  
- Kevlar™ blended fiber liner on palm for superior cut protection  
- Hook & loop closure for easy on/off and a secure fit  
- ANSI Level 4 puncture resistance

Designed to withstand heavy-duty handling and highly abrasive jobs

#### Heavy-Duty Work Gloves

STYLE	EN388	GRIP	BACK	CUFF	COLOR	SIZES
GP1204300	-	PVC Sandy Grip	Neoprene / Nylon	Slip-On with Hook & Loop	Black/Gray	S-2XL
GP1204600	-	Silicone	Spandex	Slip-On with Hook & Loop	Hi-Vis Orange/Black	S-2XL
GP86400	-	Deerskin Leather	Spandex	Slip-On with Hook & Loop	Gold/Black	M-2XL

#### Heavy-Duty Leather Drivers

STYLE NUMBER	ANSI CUT	EN388	ANSI/ISEA 138	HIDE	LINER MATERIAL	LINER COLOR	SIZES
GP9916	A7	-	Impact Level 1	Grain Goatskin Leather	Kevlar™ Blend	Yellow	S-3XL



# ARC Rated / FR



Scan it

Installation, Maintenance, and Repairing /  
Electrical Distribution and Transmission System /  
Framing and Setting Poles and Meters /  
Attaching and Testing Grounding Devices  
to Remove Electrical Hazards



### GPKS993KOAB

OIL ARMOR™

- Oil Armor™ finish applied after tanning to enhance resistance to oil and dirt
- TPR for added impact and pinch protection



### GPKS992K

BOSS' XTREME TOP GRAIN COWHIDE

- Drivers gloves feature slip-on styling to provide good fit and comfort
- Aramid liner for added cut and heat protection

Tailored to deliver exceptional performance in extreme environments

#### Arc Rated Gloves

STYLE	ANSI CUT	EN388	ANSI I3B	EN 407	PPE CATEGORY	CAL/CMF	GRIP	LINER	BACK	CUFF	COLOR	SIZES
GP09LC533AR	A5	2X32E	-	-	4	44	Top Grain Goatskin Leather	Aramid	Goatskin Leather	Slip-On	Natural	M-3XL
GPKS992K	A4	2432DX	-	-	4	43	Top Grain Cowhide Leather	Kevlar™	Cowhide Leather	Slip-on	Natural	S-3XL
GPKS993KOAB	A4	2524DX	2	-	4	43	Top Grain Goatskin Leather	Aramid	Goatskin Leather	Slip-on	Brown	S-3XL



Scan it



# Mechanics

Mechanical Equipment Maintenance and Repair / Parts Inspection and Cleaning /  
Operating Pneumatic and Power Tools



### GP120MX2805

MAXIMUM SAFETY™  
MECHANICS GLOVES

- Designed to protect the professional mechanic from heat, cold and abrasion
- Launderable

STYLE	GRIP	BACK	CUFF	COLOR	SIZES
GP120MX2805	Amara™ Synthetic Leather	Elastane/Polyester	Slip-On with Hook & Loop Closure	Black	S-2XL



SECTION:

# Arm Protection



## KUT GARD®

MADE IN AMERICA  
ARM PROTECTION SOLUTIONS  
FOR INDUSTRIAL WORKERS

Kut Gard® is the Made in America brand for factories and operations demanding the highest level of cut resistant sleeves. Proprietary engineered yarns and the ability to configure custom solutions make Kut Gard® the brand of choice for safety managers.

## CLAW COVER®

THE #1 TRUSTED BRAND  
FOR HIGH-RISK FOOD  
INDUSTRY WORKERS

Made in the USA, Claw Cover® sleeves are designed to provide high-level cut protection while complying with both U.S. and Canadian standards for food contact. Claw Cover® sleeves are launderable and can be used for operations where direct, indirect, and incidental contact with food may occur.

## YARN & FIBER TECHNOLOGIES

**ACP™ & ATA®** proprietary blends use encapsulated glass fibers to create a strong, cut resistant option with no skin irritation.

**Dyneema®** is made from ultra-high molecular weight HPPE, offering superior strength and high cut resistance. Dyneema® and the stronger **Dyneema® Diamond fiber technology** is soft and comfortable and dissipates heat for a cool-wearing effect. Dyneema® fibers are not designed for use near heat or in flame-resistant applications.

**Kevlar® (Para-Aramid)** is inherently flame resistant and known for its high strength and excellent cut resistance. Kevlar® is blended with different materials like ACP™ or cotton to enhance its performance.

**PolyKor® Xrystal™** is a proprietary PIP® yarn blended with Para-Aramid and HPPE to greatly enhance cut protection without the use of glass or steel.

**PolyKor®** combines PIP's proprietary fibers and engineered yarns to produce affordable cut resistant sleeves designed to surpass performance characteristics to optimize comfort and function for every application.


**Pritex®** is a proprietary synthetic blend with inherent antimicrobial properties. Offered in general purpose styles for protection against minor scrapes and contamination or blended with cut resistant fibers like Dyneema®/ACP™ or Kevlar®/ACP™ as an economical alternative to higher-priced blends.

**Cotton** is a natural fiber that provides sweat absorption and all-day comfort.

**Polyester** is a more durable alternative to cotton offering added protection from abrasion.



GLASS  
HANDLING



METAL  
HANDLING



SHARP PARTS  
ASSEMBLY



HEAT  
RESISTANCE



INDUSTRIAL



CONSTRUCTION



CUTTING



CHOPPING



FILLETING

Antimicrobial treatment used on sleeve fiber yarns help to inhibit bacteria, mold and mildew from developing in the presence of sweat and moisture, thereby improving comfort and extending the life of the sleeve.

Products referenced as "Compliant with FDA 21 CFR 177.2800" refer specifically to PART 177 — INDIRECT FOOD ADDITIVES: POLYMERS Sec. 177.2800 Textiles and textile fibers. Textiles and textile fibers may safely be used as articles or components of articles intended for use in producing, manufacturing, packing, processing, preparing, treating, packaging, transporting, or holding food.

**KUT  
GARD®**

# SMART-FIT™ Sleeves

ONE-SIZE-FITS-ALL SLEEVE SOLUTION

Sheet Metal and Stamping / Glass Handling / Assembly / Automotive



Scan it



**ANSI A5**

**GP1021AX18TH**

- PolyKor® Xrystal™ blended knit is lightweight and provides protection against medium cut hazards
- Integrated thumb hole allows protection all the way to the knuckle without sacrificing dexterity
- Excellent FR properties will not melt or sustain a flame

**EXTRA COVERAGE**



**ANSI A4**

**GP1521KVBK18ET**

- ACP™ / Kevlar® / Pritex™ blended knit with antimicrobial fibers for exceptional comfort and excellent cut resistance
- Elastic thumb strap provides an improved fit
- Silicone and latex free

**ANTIMICROBIAL FIBER**



**ANSI A2**

**GP1521PRIBPS18**

- Proprietary Pritex® blend with antimicrobial fibers provides exceptional comfort and helps prevent skin irritation
- Withstands repeated washing in chlorine bleach and caustic detergents to remove dirt, odor, grease, oil and bacteria
- Silicone and latex free



**ANSI A2**

**GP1521PRIBPS18ET**

- Proprietary Pritex® blend with antimicrobial fibers provides exceptional comfort and helps prevent skin irritation
- Silicone and latex free



**ANSI A3**

**GP1521PRIBPS18TH**

- Proprietary Pritex® blend with antimicrobial fibers provides exceptional comfort and helps prevent skin irritation
- Silicone and latex free



**ANSI A2**

**GP1521PRIWPS18**

- Proprietary Pritex® blend with antimicrobial fibers provides exceptional comfort and helps prevent skin irritation
- Complies with FDA food handling requirements 21 CFR, Part 177



**ANSI A4**

**GP2021DACBP18THPT**

- ACP™ Technology and Dyneema® blend provides excellent protection against cuts, lacerations and abrasions
- Elasticized push-top adds comfort and helps keep the sleeve from sliding down the arm
- 100% silicone-free

**Kut Gard® Smart Fit™ Technology**

STYLE	ANSI CUT	MATERIAL	CONSTRUCTION	PLY	TOP CUFF	BOTTOM CUFF	COLOR	STANDARD LENGTH
GP1021AX18TH	A5	PolyKor® Xrystal™ / Aramid Blend	Smart-Fit™ Seamless Knit	1	Serged	Thumb Hole	Yellow	18"
GP1521KVBK18ET	A4	ACP™ / Kevlar® / Pritex™ Blend	Smart-Fit™ Seamless Knit	1	Serged	Thumb Elastic	Green	18"
GP1521PRIBPS18	A2	Pritex®	Smart-Fit™ Seamless Knit	1	Serged	Straight	Black	18"
GP1521PRIBPS18ET	A2	Pritex®	Smart-Fit™ Seamless Knit	1	Serged	Thumb Elastic	Black	18"
GP1521PRIBPS18TH	A2	Pritex®	Smart-Fit™ Seamless Knit	1	Serged	Thumb Hole	Black	18"
GP1521PRIWPS18	A2	Pritex®	Smart-Fit™ Seamless Knit	1	Serged	Straight	White	18"
GP2021DACBP18THPT	A4	ACP™ / Dyneema® Blend	Smart-Fit™ Seamless Knit	1	Serged	Thumb Hole	Salt & Pepper	18"





**KUT  
GARD®**

## FR and ARC Flash Protective Sleeves

Installing Electrical Equipment / Pulling Wire and Cable  
Installing Cable / Tray & Conduit / Connecting Wires



Scan it



### GP10KAM20

- ARC-Rating ATPV: 9.5 cal/cm<sup>2</sup> to protect against dangerous electric arc flashes
- Proprietary ACP™ technology and Kevlar® blend provides excellent protection against heat, cuts, lacerations and abrasions
- Thumb hole allows protection all the way to the knuckle

## FR AND ARC FLASH PROTECTION

### ARC Flash Sleeves

STYLE	ANSI CUT	MATERIAL	ARC RATED	CONSTRUCTION	PLY	TOP CUFF	BOTTOM CUFF	COLOR	STANDARD LENGTH
GP10KAM20	A5	ACP™ / Kevlar® Blend	ARC-Rating ATPV: 9.5 cal/cm <sup>2</sup>	Cut-and-Sewn	2	Serged	Thumb Hole	Gray	20"



Scan it

**KUT  
GARD®**

# Cut Resistant Sleeves

FORM-FITTING SEAMLESS KNIT SLEEVES  
FLEXIBLE AND COOL WEARING

Automotive / Glass Operations / Sheet Metal Fabrication / Manufacturing of Appliances and Metal Enclosures

## MADE WITH KEVLAR®

DuPont™ Kevlar® is light, comfortable and provides protection against low heat and sparks, cuts, lacerations and abrasions



ANSI  
**A3**

### GP10KS

- Protection from light cut hazards
- Resistant to low heat and sparks
- 2-ply for additional wear protection



ANSI  
**A3**

### GP10KSTO

- Protection from medium cut hazards
- Resistant to low heat and sparks
- Exceptional comfort



ANSI  
**A2**

### GP10KSS

- Protection from light cut hazards
- Resistant to low heat and sparks
- 100% silicone free

Kut Gard® Made with DuPont™ Kevlar® Cut Resistant Sleeves

STYLE	ANSI CUT	MATERIAL	CONSTRUCTION	PLY	TOP CUFF	BOTTOM CUFF	COLOR	LENGTH
GP10KS	A3	DuPont™ Kevlar®	Seamless Knit	2	Serged	Straight	Yellow	8" / 10" / 12" / 14" / 18"
GP10KSTHV	A3	DuPont™ Kevlar®	Seamless Knit	2	Serged	Thumb Hole, Velcro	Yellow	14"
GP10KSS	A2	DuPont™ Kevlar®	Seamless Knit	1	Serged	Straight	Yellow	10" / 14" / 18"
GP10KSTO	A3	DuPont™ Kevlar®	Seamless Knit	2	Serged	Thumb Hole	Yellow	10" / 14" / 18" / 22"
GP10KSSTO	A1	DuPont™ Kevlar®	Seamless Knit	1	Serged	Thumb Hole	Yellow	18"

## ATA® / ARAMID

Proven performance against heat and spark, cut and abrasion at a lower cost per use than traditional Aramid alternatives



ANSI  
**A5**

### KUT GARD®

- Available with or without thumb hole
- Protection against heat and cut hazards
- Stay-up top to keep sleeves in place

Kut Gard® Made with ATA®/Aramid Blended Fiber Technology

STYLE	ANSI CUT	MATERIAL	CONSTRUCTION	PLY	TOP CUFF	BOTTOM CUFF	COLOR	LENGTH
GPS10ATAFR5BKES6	A5	ATA® Technology Hide-Away™ FR Standard Width	Machine Knit	1	Stay-Up	Straight	Black	18" / 22"
GPS10ATAFR5BKES6T	A5	ATA® Technology Hide-Away™ FR Standard Width	Machine Knit	1	Stay-Up	Thumb Hole	Black	18" / 22"





# Claw Cover®

THE #1 TRUSTED BRAND FOR  
HIGH-RISK FOOD INDUSTRY WORKERS

Cutting / Chopping / Trimming / Filleting



Scan it



ANSI

**A9**

### GPCS7LGYAC

- Protection from high cut hazards
- Antimicrobial properties will not wash out of the fiber and will last the life of the sleeve

## MATCHING CUT RESISTANT GLOVE

See page 24 for more  
details



ANSI

**A7**

### GP22760

- Highly durable 10 gauge cut resistant glove ideal for food processing
- Complies with FDA food handling requirements 21 CFR, Part 177

THIN + HIGH CUT SCORE

#### Claw Cover® Made with HPPE Technology

STYLE	ANSI CUT	21CFR	MATERIAL	CONSTRUCTION	PLY	TOP CUFF	BOTTOM CUFF	COLOR	STANDARD LENGTH
GPCS7LGYAC	A9	Yes	Claw Cover® made with HPPE	Seamless Knit	1	Alligator Clip	Straight	Gray	22"



**KUT  
GARD®**

# General Duty Sleeves

Assembly / Plastic Molding / Metal Fabrication / Automotive Applications



Scan it



## CANE MESH AND GENERAL DUTY SLEEVE

Provides an extra layer of protection against cuts or minor scrapes and abrasion for light duty applications



ANSI  
**A4**

### GP306795B

- 2-ply construction for added protection
- Exceptional comfort, lightweight, breathable, and shrink resistant
- Hook & loop closure for a snug, secure fit

#### Cane Mesh Sleeves

STYLE	ANSI CUT	MATERIAL	CONSTRUCTION	PLY	TOP CUFF	BOTTOM CUFF	COLOR	STANDARD LENGTH	SIZES
GP306795B	A4	Nylon Cane Mesh	Cut-and-Sewn	2	-	-	Black	9"	S-4XL



# Above-the-neck PROTECTION

Above-the-neck products protect our sight, hearing, breathing and brain – all vital to sustain life. These are some of the most critical PPE that meets a variety of very strict industry requirements.



STRUCK-BY  
HAZARDS



UNSAFE  
PARTICULATES



NOISE-INDUCED  
HEARING LOSS



IMPACT, SPLASH  
& DEBRIS

60

**HEAD PROTECTION** includes CSA Type 1 and Type 2 hard hats and safety helmets that by way of a protective shell and suspension system help attenuate impact force when struck by hard or falling objects. Bump caps help protect from scrapes and bumps that can be caused by walking or bumping into an object overhead in a confined space.

71

**HEARING PROTECTION** reduces the risk of cumulative and gradual hearing loss from work environments where noise levels typically exceed 85 decibels within an 8-hour time period. An environment that poses hearing hazards is one where individuals are consistently exposed to volume levels comparable to the noise produced by a lawn mower. PIP® ear plugs and muffs deliver a wide range of Noise Reduction Ratings (NRR), ranging from 20 to 33 dB.

83

**DISPOSABLE RESPIRATORS** are designed to meet stringent NIOSH requirements to help protect workers from airborne contaminants when working around particulate risks, filtering out between 95% to 99.97% of all particles that are 0.3 microns in diameter or larger.

91

**EYE PROTECTION** delivers maximum safety and enhanced productivity in hazardous environments by meeting the CSA Z94.3-20 standard for lens thickness, material, mounting and design and protection from impact, splash and debris. New lens technologies address common workplace hazards such as fogging, hindered vision and eye strain from glare and overexposure to blue light.

SECTION:


# Head Protection



PROVEN PROTECTION. PROVEN PERFORMANCE.™

Because there are so many different industries and applications where head protection is required, there are multiple categories and styles of head protection to consider. Evaluating the work environment and assessing the hazards is a crucial first step.

PIP® offers an extensive line of safety helmets and hard hats that protect workers from falling objects in multiple industries, from heavy-duty mining to residential construction, as well as bump caps for use in workspaces where hard hats are not mandated.



## HEAD PROTECTION DISTINCTIONS

Hard hats and safety helmets are classified by ANSI standard Z89.1 and CSA standard Z94.1 as Type 1 for top of head protection or Type 2 for lateral impact protection. Both types are tested for impact attenuation and penetration resistance. Type 2 performance requirements include criteria for impact energy attenuation from force incurred at the front, back and sides of the head as well as for off-center penetration resistance and chin strap retention.

### TYPE 1

Designed to protect workers from objects and blows that come from above, or from contact with fixed objects (exposed beams, pipes, etc.) that strike the top of the head to reduce the force of impact or penetration. Type 1 does not include a chin strap test or specification requirements.

### TYPE 2

Protect both the top and the sides of the head by incorporating a foam liner, designed to absorb the force of impact with the head form swiveled at 60° in any direction so that the point of impact is off center.

STANDARD	TYPE	CROWN IMPACT		SIDE IMPACT	
		PENETRATION	IMPACT ABSORPTION	PENETRATION	IMPACT ABSORPTION
CSA Z89.1	Type 1	30 joules	55 joules	-	-
CSA Z89.1	Type 2	30 joules	55 joules	15 joules	30 joules





WORKING  
AT HEIGHT



TRIP  
AND FALL



STRUCK-BY  
HAZARDS



BUMPING  
INTO

## ELECTRICAL CLASSES

Three classes indicate the helmet's electrical insulation rating.



### CLASS E ELECTRICAL

Non-vented, reduces the danger of contact with high voltage risks, proof tested at 20,000 volts.



### CLASS G GENERAL

Non-vented, reduces the danger of low voltage risks, proof tested at 2,200 volts.




### CLASS C CONDUCTIVE

Vented, provides no electrical protection.



### EXTREME PERFORMANCE HEAT RESISTANCE

Certain shell materials are designed to protect for high heat, tested for several hours to maintain comfortable temperatures for workers in sustained high temperature environments.



## HARD HAT

Most common form of head protection, with CSA Type 1 Class E (non-vented) as the most widely specified hard hat style. Features include a secure and adjustable suspension with a robust wheel ratchet to properly adjust fit.

## SAFETY HELMET

Safety helmets are a relatively new concept in industrial and construction settings. Safety helmets feature an adjustable multi-point chin strap designed to keep the hard hat on the head in the event of a fall with a short brim design for unobstructed peripheral vision.

CSA Type 2 rated head protection offers the highest level of side-impact and penetration protection, designed with foam inserts that reduce the force of impact from a blow to the top, front, back and sides of the head. Transmitted force through the head form cannot exceed 4.45kN / 1000 lbf.

## BUMP CAPS

Bump caps are designed to help protect against minor incidents such as bumping into or knocking against a stationary object. They are not CSA approved to protect against falling objects or projectiles. Environments with low ceilings or hanging obstructions that the worker might bump into or those where hard hats are not mandatory are ideal places to wear bump caps.



## SAFETY HELMETS

# Working At Height



Scan it



CONSTRUCTION, INDUSTRIAL & UTILITIES

Wind Energy / Scaffolding / Telecom / Utilities



### DYNAMIC ALL-AROUND PROTECTION

#### Dynamic® Rocky™ HP142

- Super lightweight ABS/Polycarbonate shell
- Foam lateral impact protection
- ANSI/CSA Type 2; Class E

#### POPULAR COLORS



Added side  
impact protection



SUPER LIGHTWEIGHT  
POLYCARBONATE/ABS SHELL




INTEGRATED HIGH-DENSITY  
INNER SHELL FOAM LINER  
(HP142R MODEL ONLY)




ADJUSTABLE 4-POINT  
SUSPENSION, WITH SURE-LOCK  
WHEEL RATCHET & CHIN STRAP



4-point quick-  
release suspension  
for a proper fit




Inner padding  
for added comfort



Accessory  
slots



Double-layer  
textile straps  
for a secure fit



Sure-lock wheel  
ratchet for an  
effortless fit



Impact liner helps  
absorb front, side,  
or rear impacts

#### Dynamic® Rocky™

STYLE NUMBER	CLASS	TYPE	ANSI Z89.1	CSA Z94.1-15	SHELL MATERIAL	SUSPENSION	SIZE ADJUSTMENT	BRIM	IMPACT LINER	AVAILABLE COLORS
HP141R	Class E (NON-VENTED)	Type 1	•	•	ABS/polycarbonate	4-Point Nylon	Wheel Ratchet	Short	No	See color chart on page 69
HP142R	Class E (NON-VENTED)	Type 2	•	•	ABS/polycarbonate	4-Point Nylon	Wheel Ratchet	Short	Foam Lateral Protection	See color chart on page 69

\* View all Dynamic® color options at [pipcanada.ca](http://pipcanada.ca)





# HARD HATS Heavy-Duty



Scan it



INDUSTRIAL, CONSTRUCTION & UTILITIES

Mining / Tunneling / Demolition / Utilities / Metal Work



## DYNAMIC ALL-AROUND PROTECTION



### Dynamic<sup>®</sup> Mont-Blanc<sup>™</sup> HP542R

- Lightweight HDPE shell
- Foam lateral impact protection
- ANSI/CSA Type 2; Class E

POPULAR COLORS



## DYNAMIC ELEVATED HEAT PERFORMANCE



ELEVATED HEAT  
APPLICATIONS

### Dynamic<sup>®</sup> Vesuvio<sup>™</sup> HP851R

- Ambient heat protection up to 400°F
- Wheel ratchet size adjustment
- ANSI/CSA Type 1; Class E

POPULAR COLORS



## DYNAMIC TOUGH ABS/ POLYCARBONATE SHELL



### Dynamic<sup>®</sup> Stromboli<sup>™</sup> HP841

- ABS/Polycarbonate shell with matte finish
- Wheel ratchet or swing ratchet adjustment
- ANSI/CSA Type 1 or 2; Class E

POPULAR COLORS



Dynamic <sup>®</sup> Mont-Blanc <sup>™</sup>										
STYLE NUMBER	CLASS	TYPE	ANSI Z89.1	CSA Z94.1-15	SHELL MATERIAL	SUSPENSION	SIZE ADJUSTMENT	BRIM	OPTIONS	AVAILABLE COLORS*
HP542	Class E (NON-VENTED)	Type 2	•	•	HDPE	4-Point Nylon	Pinlock	Standard	Foam/Lateral Impact Protection	See color chart on page 69
HP542R	Class E (NON-VENTED)	Type 2	•	•	HDPE	4-Point Nylon	Wheel Ratchet	Standard	Foam/Lateral Impact Protection	See color chart on page 69
Dynamic <sup>®</sup> Vesuvio <sup>™</sup>										
HP851R	Class E (NON-VENTED)	Type 1	•		Nylon Resin	4-Point Nylon	Wheel Ratchet	Standard	Ambient heat protection up to 400° F	See color chart on page 69
Dynamic <sup>®</sup> Stromboli <sup>™</sup>										
HP841R	Class E (NON-VENTED)	Type 1	•	•	ABS/Polycarbonate	4-Point Nylon	Wheel Ratchet	Standard	High Strength Outer Shell with Matte Finish	See color chart on page 69
HP841SR	Class E (NON-VENTED)	Type 1	•	•	ABS/Polycarbonate	4-Point Nylon	Swing Wheel Ratchet	Standard	High Strength Outer Shell with Matte Finish	See color chart on page 69
HP841RCL	Class E (NON-VENTED)	Type 1	•	•	ABS/Polycarbonate	4-Point Nylon	Wheel Ratchet	Standard	Cap-Lock Blades	See color chart on page 69
HP842R	Class E (NON-VENTED)	Type 2	•	•	ABS/Polycarbonate	4-Point Nylon	Wheel Ratchet	Standard	High Strength Outer Shell with Matte Finish	See color chart on page 69
HP842RCL	Class E (NON-VENTED)	Type 2	•	•	ABS/Polycarbonate	4-Point Nylon	Wheel Ratchet	Standard	Cap-Lock Blades	See color chart on page 69

\* View all Dynamic<sup>®</sup> color options at [pipcanada.ca](http://pipcanada.ca)



## CAP STYLE HARD HATS

# General




Scan it



CONSTRUCTION & INDUSTRIAL

Building Construction / Roadwork / Excavation / General Industrial



## TOP-SELLING ENGINEERED PERFORMANCE



### Dynamic® Whistler™ HP241

- Classic cap styling
- Wheel ratchet or pinlock size adjustment
- ANSI/CSA Type 1; Class E or C

#### POPULAR COLORS



## Enhanced strength and protection

**1** 4-POINT QUICK RELEASE SUSPENSION  
With dual position height adjustment ensures a proper fit

**2** LIGHTWEIGHT SHELL  
Super lightweight high-density polyethylene shell minimizes fatigue

**3** SOFT SWEATBAND  
Comfortable soft foam felt lined sweatband

**4** ACCESSORY SLOTS  
Accommodate eye, face and hearing protection

**4** DOUBLE-LAYER TEXTILE STRAPS  
Strong double-layer woven nylon straps provide secure fit and superior force absorption

**4** EXTRA PADDING  
Provides added comfort and support to the nape

**4** CROWN COMFORT PAD  
Provides additional comfort  
Sure-Lock Wheel Ratchet only

**ANSI**  
CERTIFIED PROTECTION  
Meets CSA Z94.1 type 1 and ANSI/ISEA Z89.1 Type 1

## Maximum force absorption without sacrificing worker comfort

Highly adjustable 4-point nylon inner suspension features a plush brow pad, comfortable crown padding and soft inside ratchet foam. 6-point suspension is also available.

Suspension is available with economical pin-lock or with our exclusive SURE-LOCK one-handed wheel ratchet adjustment that provides an easy-to-use, secure fit.







## VERSATILE PROTECTION



### Dynamic® Dom™ HP341R

- Smooth dome shape
- Wheel ratchet or swing ratchet adjustment
- ANSI/CSA Type 1; Class E

#### POPULAR COLORS



## MINER'S LAMP BRACKET INSTALLED



### Dynamic® Whistler™ HP241RMLB

- Hard hat comes with miner's lamp bracket pre-installed
- Wheel ratchet size adjustment
- ANSI/CSA Type 1; Class C

#### POPULAR COLORS



STYLE NUMBER	CLASS	TYPE	STANDARDS MET		SHELL MATERIAL	SUSPENSION	SIZE ADJUSTMENT	BRIM	OPTIONS	AVAILABLE COLORS*
			ANSI Z89.1	CSA Z94.1-15						
HP241	Class E (NON-VENTED)	Type 1	•	•	HDPE	4-Point Nylon	Pinlock	Standard	-	See color chart on page 69
HP241R	Class E (NON-VENTED)	Type 1	•	•	HDPE	4-Point Nylon	Wheel Ratchet	Standard	-	See color chart on page 69
HP241RMLB	Class C (VENTED)	Type 1	•	•	HDPE	4-Point Nylon	Wheel Ratchet	Standard	Miner Lamp Bracket	See color chart on page 69
HP241RV	Class C (VENTED)	Type 1	•	•	HDPE	4-Point Nylon	Wheel Ratchet	Standard	-	See color chart on page 69
HP261	Class E (NON-VENTED)	Type 1	•	•	HDPE	6-Point Nylon	Pinlock	Standard	-	See color chart on page 69
HP261R	Class E (NON-VENTED)	Type 1	•	•	HDPE	6-Point Nylon	Wheel Ratchet	Standard	-	See color chart on page 69
<b>Dynamic® Dom™</b>										
HP341	Class E (NON-VENTED)	Type 1	•	•	HDPE	4-Point Nylon	Pinlock	Standard	-	See color chart on page 69
HP341R	Class E (NON-VENTED)	Type 1	•	•	HDPE	4-Point Nylon	Wheel Ratchet	Standard	-	See color chart on page 69
HP341SR	Class E (NON-VENTED)	Type 1	•	•	HDPE	4-Point Nylon	Swing Wheel Ratchet	Standard	-	See color chart on page 69

\* View all Dynamic® color options at [pipcanada.ca](http://pipcanada.ca)



## FULL BRIM HARD HATS

# General



Scan it



CONSTRUCTION & INDUSTRIAL

Added protection from the elements




### ENGINEERED PERFORMANCE



#### Dynamic<sup>®</sup> Kilimanjaro™ HP641

- Sleek and attractive HDPE shell
- Wheel ratchet size adjustment
- 4-point suspension system
- ANSI/CSA Type 1; Class E or C

#### POPULAR COLORS




### WIDE PROFILE DESIGN



#### Dynamic<sup>®</sup> Annapurna™ HP1041R

- Lightweight polycarbonate / ABS shell with matte finish
- Wheel ratchet size adjustment
- 4-point suspension
- ANSI/CSA Type 1; Class E

#### POPULAR COLORS



### Vented shell

Optional vents along the crown of the hard hat provides better comfort and cooling.



### Longer back brim

Helps protect neck and ears from the sun's UV rays and functions as a run-off for rain and snow.

#### Dynamic<sup>®</sup> Annapurna™

#### STANDARDS MET

STYLE NUMBER	CLASS	TYPE	ANSI Z89.1	CSA Z94.1-15	SHELL MATERIAL	SUSPENSION	SIZE ADJUSTMENT	BRIM	OPTIONS	AVAILABLE COLORS*
HP1041R	Class E (NON-VENTED)	Type 1	•	•	ABS/Polycarbonate	4-Point Nylon	Wheel Ratchet	Full Brim	-	See color chart on page 69
HP1041RMLB	Class E (NON-VENTED)	Type 1	•	•	ABS/Polycarbonate	4-Point Nylon	Wheel Ratchet	Full Brim	Miner Lamp Bracket	See color chart on page 69
Dynamic <sup>®</sup> Kilimanjaro™										
HP641	Class E (NON-VENTED)	Type 1	•	•	HDPE	4-Point Nylon	Pinlock	Full Brim	-	See color chart on page 69
HP641R	Class E (NON-VENTED)	Type 1	•	•	HDPE	4-Point Nylon	Wheel Ratchet	Full Brim	-	See color chart on page 69
HP641RMLB	Class E (NON-VENTED)	Type 1	•	•	HDPE	4-Point Nylon	Wheel Ratchet	Full Brim	Miner Lamp Bracket	See color chart on page 69
HP641RV	Class C (VENTED)	Type 1	•	•	HDPE	4-Point Nylon	Wheel Ratchet	Full Brim	-	See color chart on page 69
HP642R	Class E (NON-VENTED)	Type 2	•	•	HDPE	4-Point Nylon	Wheel Ratchet	Full Brim	-	See color chart on page 69
HP642RMLB	Class E (NON-VENTED)	Type 2	•	•	HDPE	4-Point Nylon	Wheel Ratchet	Full Brim	Miner Lamp Bracket	See color chart on page 69

\* View all Dynamic<sup>®</sup> color options at [pipcanada.ca](http://pipcanada.ca)



BUMP CAPS

# Incidental Contact



Scan it



USE IN WORK SPACES WHERE  
HARD HATS ARE NOT MANDATED

Assembly Line / Maintenance / Aviation / Automotive



## EXCELLENT COMFORT AND FIT

### JSP® HardCap Aerolite™ Bump Cap

- Lightweight and cool, weighs less than 5 oz.
- Sleek low profile baseball cap design
- HDPE liner provides all around protection
- Unique size adjuster provides a quick, secure fit



▲ **SHORT BRIM - 2"**  
HP282AES150



▲ **MICRO BRIM - 1"**  
HP282AEM130



### Dynamic® Grand Slam™ HP946

- Ideal for low hazard areas for protection against bumps and lacerations
- Interior shell with crown padding for comfort and fit
- Lightweight and well ventilated
- Adjustable sizing to fit most head sizes



### Dynamic® Bump Cap HP940

- Lightweight ventilated HDPE shell
- 4-point pinlock suspension

POPULAR COLORS



## LED CAP LIGHT



### HP946LED

- Our popular HP946 model, with LED lights installed on the front pallet
- Includes 5 high-power white LEDs that are unbreakable
- Batteries included*

### Bump Caps

STYLE NUMBER	BRIM	AVAILABLE COLORS
HP940	Micro - 1.25"	See color chart on page 69
HP282AES150	Short - 2"	Black, Navy
HP282AEM130	Micro - 1"	Black, Navy
HP946	Regular - 2.75"	See color chart on page 69
HP946LED	Regular - 2.75"	See color chart on page 69



Scan it

# Dynamic<sup>®</sup>

## ACCESSORIES



HPSLH

### Rocky™ Lamp/Goggle Clip

- 4 clips per pack
- Holds the lamp strap in place

- Compatible with Dynamic® Rocky™ and most styles of hard hats



HP241C

2-point, elastic with plastic hooks

### Chin Straps

- Made to hold the hard hat on the head of the user
- 10 per pack



HP542C

4-point, elastic with plastic hooks

- Adjustable



HP142RS

### Replacement Suspension

- Fits Dynamic® HP142R



HP641RS

### Replacement Suspension

- Fits Dynamic® HP241R, HP341R, HP641R, HP841R, HP851R, HP1041R



HP142FM

### Replacement Foam Liner

- Fits Dynamic® HP142R



HP542FM

### Replacement Foam Liner

- Fits Dynamic® HP542, HP542R, HP642R, HP842R, HP842SR



HP1X4

### Dyna-Brite™ Reflective Strips

- For Dynamic® hard hats
- Available in white, yellow and orange
- 16 strips per pack



HPHH1

### Dyna-Lite™ Reflective Strips with Rafters

- For Dynamic® hard hats
- Available in gray/red and gray/green
- 3 strips per pack



HPSS84

### Dyna-Lite™ Reflective Strips

- For Dynamic® hard hats
- Available in gray
- Multiple options available

STYLE NUMBER	DESCRIPTION
HPSLH	Rocky™ Lamp/Goggle Clip
HP241C	Chin Strap 2-Point
HP542C	Chin Strap 4-Point
HP142RS	Dynamic® Replacement Suspension for HP142R
HP641RS	Dynamic® Replacement Suspension for HP241R, HP341R, HP641R, HP841R, HP851R, HP1041R
HP542RS	Dynamic® Replacement Suspension for HP542R, HP642R, HP842R
HP542S	Dynamic® Replacement Suspension for HP542
HP641S	Dynamic® Replacement Suspension for HP241, HP341, HP641, HP1041
HP661CS	Comfort Conversion Strap for HP261, HP261R
HP661S	Dynamic® Replacement Suspension for HP261
HP661RS	Dynamic® Replacement Suspension for HP261R
HP841SRS	Dynamic® Replacement Suspension for HP341SR, HP841SR
HP5B241	Replacement Felt Sweatband
HP5B841	Replacement Velcro® Sweatband
HP142FM	Replacement Foam Liner for HP142R
HP542FM	Replacement Foam Liner for HP542, HP542R, HP642R, HP842R, HP842SR
HP1X4-01	Dyna-Brite™ Reflective Kits - White
HP1X4-02	Dyna-Brite™ Reflective Kits - Yellow
HP1X4-03	Dyna-Brite™ Reflective Kits - Orange
HPHH1RD	Dyna-Lite™ 3 Pack Reflective Strips with Rafters - Gray and Red
HPHH1GN	Dyna-Lite™ 3 Pack Reflective Strips with Rafters - Gray and Green
HPSS8	Dyna-Lite™ Single Reflective Strip - Gray
HPSS24	Dyna-Lite™ Wraparound Reflective Strip - Gray
HPSS83	Dyna-Lite™ 3 Pack Reflective Strip - Gray
HPSS84	Dyna-Lite™ Reflective Strip Kit - Gray
HPSS85	Dyna-Lite™ Deluxe Reflective Strip Kit - Gray





# Dynamic®

## HARD HAT COLORS

STOCK MOQ / ADD INC	MTO MOQ / ADD INC	SO MOQ / ADD INC	PRODUCT FAMILY	STYLE NUMBER	01	02	03	04	05	06	07	08	09	10	11	13	14	15	17	18	20	31	44	45	71	74	79
					White	Yellow	Orange	Dark Green	Hi-Vis Red	Light Blue	Sky Blue	Navy Blue	Gray	Beige	Black	Gold	Dark Gray	Red	Royal Blue	North Blue	Pink	Hi-Vis Orange	Hi-Vis Yellow	Lime Green	Steel Blue	Forest Green	Silver
12 / 12	48 / 12	-	Whistler™	HP241R	★	★	★	★	●	●	★	★	★	●	★	●	★	★	★	●	●	★	★	★	●	●	●
12 / 12	48 / 12	-	Whistler™	HP241	★	★	●	★	●	●	★	★	★	●	●	●	●	●	●	●	●	★	●	●	●	●	●
12 / 12	48 / 12	-	Mont-Blanc™	HP542R	★	★	★	★	●	●	★	★	★	●	★	●	●	★	★	●	●	★	★	●	●	●	●
12 / 12	48 / 12	-	Mont-Blanc™	HP542	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
12 / 12	48 / 12	-	Kilimanjaro™	HP641R	★	★	★	★	●	●	★	★	★	●	★	●	●	★	●	●	●	★	●	●	●	●	●
12 / 12	48 / 12	-	Kilimanjaro™	HP641	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
12 / 12	48 / 12	-	Kilimanjaro™	HP642R	★	★	★	★	●	●	★	★	★	●	★	●	●	★	●	●	●	●	●	●	●	●	●
12 / 12	-	96 / 12	Stromboli™	HP841R	★	★	▲	▲	-	▲	-	-	★	-	★	-	★	★	-	-	-	-	-	▲	★	▲	-
12 / 12	-	96 / 12	Stromboli™	HP841SR	▲	▲	▲	▲	-	▲	-	-	▲	-	▲	-	▲	▲	-	-	-	-	-	▲	▲	▲	-
12 / 12	-	96 / 12	Stromboli™	HP842R	★	★	★	★	-	▲	-	-	★	-	★	-	★	★	-	-	-	-	-	▲	★	▲	-
12 / 12	-	96 / 12	Annapurna™	HP1041R	★	-	-	-	-	-	-	-	-	-	★	-	-	★	-	-	-	-	-	-	★	-	-
-	48 / 12	-	Annapurna™	HP1041	●	-	-	-	-	-	-	-	-	-	●	-	-	●	-	-	-	-	-	-	●	-	-
2 / 2	-	96 / 8	Rocky™	HP141R	★	★	★	▲	-	★	-	-	★	-	★	-	▲	▲	-	-	-	-	-	▲	▲	▲	-
2 / 2	-	96 / 8	Rocky™	HP142R	★	★	★	★	-	★	-	-	★	-	★	-	▲	★	-	-	-	-	-	▲	▲	▲	-
12 / 12	-	96 / 12	Dom™	HP341R	★	★	▲	▲	▲	▲	▲	▲	★	▲	★	▲	▲	★	▲	▲	▲	▲	▲	▲	▲	▲	▲
12 / 12	-	96 / 12	Dom™	HP341	★	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
12 / 12	-	96 / 12	Dom™	HP341SR	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
12 / 12	-	96 / 12	Whistler™	HP261R	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
12 / 12	-	96 / 12	Whistler™	HP261	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
12 / 12	-	96 / 12	Vesuvio™	HP851R	▲	▲	▲	▲	-	-	-	-	▲	-	▲	-	▲	▲	-	-	-	-	-	-	▲	-	-
20 / 20	-	100 / 20	Dynamic™	HP940	★	▲	▲	▲	▲	▲	★	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
16 / 16	-	-	Grand Slam II™	HP946	-	-	-	-	-	-	-	★	★	-	★	-	-	★	-	-	-	-	-	-	-	-	-

★ Stock 3 days
● Made-to-Order (MTO) up to 15 days
▲ Special Order (SO) TBC
- Not Available

**Logo(s)**  
Add 10-15 days to lead time

**Accessory Installation**  
Add 5 days to lead time

**Full Wrap Graphics**  
Add a minimum of 30 days to lead time and order minimum is 108 hats

**ALL VENTED HARD HATS** are considered as a Special Order, with Minimum Order Quantity (MOQ) of 96 and Additional Increment (ADD INC) of 12. Vented only available in same colors as non-vented.



Scan it

# Winter Caps & Liners

## DYNAMIC® WINTER LINERS

- Made from quality materials
- Designed to keep the wearer warm and comfortable to help protect against cold stress
- Fits the head snugly and is compatible with both regular or wide brim hard hats



▲ HPWL1



▲ HPWL2



▲ HPWL3

STYLE NUMBER	TYPE	COLOR	MATERIAL	FR
HPWL1	Hard Hat Winter Liner	Black	Nylon/Cotton	No
HPWL2	Sock Type Winter Liner	Red	Stretch Nylon	No
HPWL3	Hard Hat Winter Liner w/ Face Warmer	Royal Blue	Cotton	Yes
HPWL4	Thermal Face Protector	Black	Acrylic	No
HPWL5	Balaclava	Black	Acrylic	No
HPWL6	Snug Fit Tuque	Black	Acrylic	No



▲ HPWL4



▲ HPWL5



▲ HPWL6

## PIP® WINTER BEANNIE CAP

- Knit polyester cap
- Silver reflective piping for enhanced visibility
- One size fits most
- Non-FR

STYLE NUMBER	TYPE	COLOR
HP360BEANNIEOR	Winter Beanie Cap	Hi-Vis Orange
HP360BEANNIELY	Winter Beanie Cap	Hi-Vis Yellow



▲ HP360BEANNIELY



▲ HP360BEANNIEOR

## PIP® 3-IN-1 BALACLAVA

- Polyester fleece winter liner with drawstring tightening for universal adjustment
- Shoulder length wraps around to front and can be tucked into jacket
- Warm polyester fleece outer layer
- Ideal for use in cold weather work conditions such as construction, wood work, refineries, oil drilling, maintenance, mining, etc.

STYLE NUMBER	TYPE	COLOR
HP3641170	Extended Adjustable 3-in-1 Balaclava	Black



▲ HP3641170



SECTION:

# Hearing Protection

## Noise-Induced Hearing Loss Can Be Prevented

This section contains important PPE related to hearing protection. As many as 11 million Canadians are exposed to potentially harmful noise at work. But, because hearing loss is gradual, many are unaware of the damage. For that reason, it's critical that hearing protection is used in industrial and construction settings.

All PIP® hearing protection carries a noise reduction rating (NRR) representing how much noise is reduced by the proper use of PPE. When choosing a device, it's important to select a product with an NRR that is appropriate for the environment in which it will be used. Comfort, ease of use and features are all key influencers when determining which hearing product is suitable.

## COMPARING HEARING PROTECTION OPTIONS

Hearing protection comes in two formats. Ear Muffs help the wearer get maximum hearing protection because they seal against the head and cover the entire ear. Ear Plugs are more commonly used because they are considered more economical and the low profile means they can easily be worn with other PPE. However, the correct use of ear plugs is critical to their performance. PIP® recommends training and practice to ensure workers are using them properly.

### PASSIVE EAR MUFFS

When choosing Passive Ear Muffs, consider the other PPE being worn. Neckband and cap mounted styles are designed to work with a hard hat, while headband style ear muffs, do not.

### SINGLE-USE EAR PLUGS

Single-use Ear Plugs are the most popular choice – mostly for convenience and hygiene reasons. PIP® ear plugs with PowerSoft™ technology use a proprietary foam formulation for optimal rebound, a perfect fit and all-day comfort.

### HYBRID EZ-TWIST™

The hybrid EZ-Twist™ technology eliminates the need for workers to roll down the ear plug before fitting; a unique stem makes great fit as easy as insert and twist.

### MULTIPLE-USE EAR PLUGS

Multiple-use Ear Plugs are reusable and easy to clean, making them ideal for use in manufacturing, construction and MRO.

PIP® offers **Corded**, **Uncorded** and **Metal Detectable** options in both ear plug styles. Uncorded is economical, while corded plugs can be worn around the neck when not in use, making them easy to keep track of at all times. Metal detectable are preferred in food processing operations where X-rays may be used to confirm that nothing has contaminated the product.



CONTINUOUS  
NOISE



SUDDEN BLASTS  
OF NOISE



Scan it



# PASSIVE Ear Muffs

FOR CONSTRUCTION, INDUSTRIAL AND ALL OTHER JOBS WHERE HEARING IS

## HEADBAND

**28**  
NRR



**B52™**  
NP117

- Padded metal wire headband with micro-adjustment
- Extra-large earcups provide maximum noise protection
- Protection for high noise exposure

**27**  
NRR



**Hercules™**  
NP113

- Dielectric headband reduces electrical hazards
- Smooth telescopic height adjustment for optimized comfort and seal
- Protection for high noise exposure

**25**  
NRR



**Mirage™**  
NP115

- Padded metal wire headband with micro-adjustment
- Lightweight, low profile earcups
- Protection for moderate noise exposure

**24**  
NRR



**Spitfire™**  
NP111

- Dielectric headband reduces electrical hazards
- Smooth telescopic height adjustment for optimized comfort and seal
- Protection for moderate noise exposure

## CAP STYLE HARD HAT MOUNT

**25**  
NRR



**B52™**  
**Cap Style**  
NP118

- Durable metal wire headband with micro-adjustment
- Extra-large earcups provide maximum noise protection
- Multiple positions for usage, stand-by and storage
- Protection for moderate noise exposure

**25**  
NRR



**Hercules™**  
**Cap Style**  
NP114

- Dielectric headband reduces electrical hazards
- Smooth telescopic height adjustment for optimized comfort and seal
- Multiple positions for usage, stand-by and storage
- Protection for moderate noise exposure

**23**  
NRR



**Mirage™**  
**Cap Style**  
NP116

- Durable metal wire headband with micro-adjustment
- Lightweight, low profile earcups
- Multiple positions for usage, stand-by and storage
- Protection for low noise exposure

**20**  
NRR



**Spitfire™**  
**Cap Style**  
NP112

- Dielectric headband reduces electrical hazards
- Smooth telescopic height adjustment for optimized comfort and seal
- Multiple positions for usage, stand-by and storage
- Protection from low noise exposure



AT RISK



**25**  
NRR

**Concorde™**  
NP121

- Collapsible design for convenient storage
- Lightweight, low profile earcups
- Protection for moderate noise exposure



**24**  
NRR

**Piper™**  
NP110

- Dielectric headband reduces electrical hazards
- Smooth telescopic height adjustment for optimized comfort and seal
- Protection for moderate noise exposure

## BEHIND THE NECK



**24**  
NRR

**Mirage™**  
**Neck Band**  
NP120

- Non-slip customizable strap adjustment
- Lightweight, low profile earcups
- Protection for moderate noise exposure

Can be worn with:  
> Hard hats and other specialty headgear

## FULL BRIM HARD HAT MOUNT



**26**  
NRR

**Buffalo™**  
**Full Brim Style**  
NP119

- Durable metal wire headband with micro-adjustment
- Designed specifically for full brim hard hats
- Multiple positions for usage, stand-by and storage
- Protection for moderate noise exposure

Three distinct wearing positions:  
> Over the ear  
> Slightly off the ear  
> Pivoted up when not in use

## Maximum hearing protection

STYLE NUMBER	NRR	TYPE	DIELECTRIC	SIZE ADJUSTMENT	COLOR
NP110	24	Banded	Yes	Slide	Orange
NP111	24	Banded	Yes	Slide	Black/Blue
NP112	20	Cap Style	Yes	Slide	Black/Blue
NP113	27	Banded	Yes	Slide	Black/Green
NP114	25	Cap Style	Yes	Slide	Black/Green
NP115	25	Banded	No	Micro-Slide	Black/Yellow
NP116	23	Cap Style	No	Micro-Slide	Black/Yellow
NP117	28	Banded	No	Micro-Slide	Black/Red
NP118	25	Cap Style	No	Micro-Slide	Black/Red
NP119	26	Full Brim	No	Micro-Slide	Black/White
NP120	24	Neck Band	No	Adjustable Strap with Velcro	Black/Yellow
NP121	25	Folding Band	No	Micro-Slide	Black





Scan it

# Industrial, Forestry and Gardening Kits

## EYE, FACE, HEARING, AND HEAD PROTECTION



### Deluxe Forestry and Gardening Kit NPK10

- (1) HP542R03 Mont-Blanc™ class 2 orange hard hat
- (1) EPB101 plastic faceshield bracket
- (1) EPWM815 metal forestry screen visor
- (1) NP118 B52™ earmuff



### Quality Forestry and Gardening Kit NPK11

- (1) HP241R02 Whistler™ class 1 yellow hard hat
- (1) EPB101 plastic faceshield bracket
- (1) EPWM815 metal forestry screen visor
- (1) NP116 Mirage™ earmuff



### Good Gardening Kit NPK12

- (1) HP24104 Whistler™ class 1 dark green hard hat
- (1) EPB101 plastic faceshield bracket
- (1) EPWM815 metal forestry screen visor
- (1) NP112 Spitfire™ earmuff



### Industrial Kit NPK13

- (1) HP241R02 Whistler™ class 1 yellow hard hat
- (1) EPB101 plastic faceshield bracket
- (1) EPB15/40 PETG clear faceshield
- (1) NP116 Mirage™ earmuff



### Deluxe Forestry and Gardening Kit NPK14

- (1) HP142R15 Rocky™ class 2 red safety helmet
- (1) EPB103 faceshield bracket
- (1) EPWM815 metal forestry screen visor
- (1) NP118 B52™ earmuff



### Quality Forestry and Gardening Kit NPK15

- (1) HP241R03 Whistler™ class 1 orange hard hat
- (1) EPB101 plastic faceshield bracket
- (1) EPWM815 metal forestry screen visor
- (1) NP116 Mirage™ earmuff



### Good Gardening Kit NPK16

- (1) HP24103 Whistler™ class 1 orange hard hat
- (1) EPB101 plastic faceshield bracket
- (1) EPWM815 metal forestry screen visor
- (1) NP112 Spitfire™ earmuff

Designed for use in forestry, gardening and industrial applications




Scan it

**33**  
NRR  
**PLUS SERIES**




SINGLE-USE  
**Ear Plugs**



INCREASED SOUND PROTECTION



NP267HPF810



NP267HPF810C

**33**  
NRR

**Tapered shape**  
for easy installation

**Mega Bullet™ Plus**

- Regular size fits most ear canals
- Easy roll-down for quick and easy insertion
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort
- Shape conforms to most ear canals for maximum sound attenuation



NP267HPF910



NP267HPF910C

**33**  
NRR

**Flared bell shape**  
allows easier insertion  
and removal

**Mega Flare™ Plus**

- Design resists backing out of ear
- Non-irritating smooth outer surface
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort
- Shape conforms to most ear canals for maximum sound attenuation

Workers who need to block out loud noise demand the best protection and comfort available.

PIP® Plus Series ear plugs with PowerSoft™ polyurethane foam fit comfortably and securely in any ear canal providing increased 33 NRR sound attenuation.

Safeguard your hearing with a quick, consistent fit that eliminates any uncomfortable outward pressure.

STYLE NUMBER	NRR	USE	CORDING	MATERIAL	SIZE	SHAPE	COLOR	DETECTABLE	PAIR / PACK
<b>Mega Bullet™ Plus</b>									
NP267HPF810	33	Single	Uncorded	PowerSoft™ Polyurethane Foam	Standard	Bullet	Orange	No	200 / Box
NP267HPF810C	33	Single	Black PVC Cord	PowerSoft™ Polyurethane Foam	Standard	Bullet	Orange	No	100 / Box
<b>Mega Flare™ Plus</b>									
NP267HPF910	33	Single	Uncorded	PowerSoft™ Polyurethane Foam	Standard	Contoured	Red	No	200 / Box
NP267HPF910C	33	Single	Black PVC Cord	PowerSoft™ Polyurethane Foam	Standard	Contoured	Red	No	100 / Box




Scan it



DISPOSABLE EAR PLUGS

# Metal Detectable

FOR FOOD PROCESSING FACILITIES



NP267HPF210D

**33**  
NRR

NP267HPF810D

**Tapered shape for easy installation**

**Food Pro Bullet™ and Food Pro Bullet™ Plus**

- Regular size fits most ear canals
- Easy roll-down for quick and easy insertion
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort
- Shape conforms to most ear canals for maximum sound attenuation
- For use in the food industry



NP267HPF910D

**33**  
NRR

**Flared bell shape allows easier insertion and removal**

**Food Pro Flare™ Plus**

- Design resists backing out of ear
- Non-irritating smooth outer surface
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort
- Shape conforms to most ear canals for maximum sound attenuation
- For use in the food industry



NP267HPF610D

**30**  
NRR

**Hybrid foam plug and unique stem enable easy insertion**

**Food Pro EZ-Twist™**

- No need to roll down before fitting, ideal for use with dirty hands
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort
- Shape conforms to most ear canals for maximum sound attenuation
- For use in the food industry

STYLE NUMBER	NRR	USE	CORDING	MATERIAL	SIZE	SHAPE	COLOR	DETECTABLE	PAIR / PACK
<b>Food Pro Bullet™ Plus</b>									
NP267HPF810D	33	Single	Blue Metal Detectable Cord	PowerSoft™ Polyurethane Foam	Standard	Bullet	Blue	Yes	100 / Box
<b>Food Pro Bullet™</b>									
NP267HPF210D	32	Single	Blue Metal Detectable Cord	PowerSoft™ Polyurethane Foam	Standard	Bullet	Blue	Yes	100 / Box
<b>Food Pro Flare™ Plus</b>									
NP267HPF910D	33	Single	Blue Metal Detectable Cord	PowerSoft™ Polyurethane Foam	Standard	Contoured	Blue	Yes	100 / Box
<b>Food Pro EZ-Twist™</b>									
NP267HPF610D	30	Single	Blue Metal Detectable Cord	PowerSoft™ Polyurethane Foam	Standard	Cylinder Push-In	Blue	Yes	100 / Box





Scan it



# SINGLE-USE Ear Plugs

WITH POWERSOFT™ FOAM TECHNOLOGY



NP267HPF210C


NP267HPF210

**32**  
NRR

**Tapered shape  
for easy installation**

### Mega Bullet™

- Regular size fits most ear canals
- Easy roll-down for quick and easy insertion
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort
- Shape conforms to most ear canals for maximum sound attenuation
- Traceable metal detectable (blue) style available for use in the food industry



NP267HPF310C

NP267HPF310

**28**  
NRR

**Smaller tapered shape designed  
to fit narrow ear canals**

### Nano Bullet™

- Designed to accommodate smaller ear canals
- Easy roll-down for quick and easy insertion
- Non-irritating smooth outer surface
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort



NP267HPF410C

NP267HPF410

**32**  
NRR

**Flared bell shape allows easier  
insertion and removal**

### Mega Flare™

- Design resists backing out of ear
- Non-irritating smooth outer surface
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort
- Shape conforms to most ear canals for maximum sound attenuation

STYLE NUMBER	NRR	USE	CORDING	MATERIAL	SIZE	SHAPE	COLOR	DETECTABLE	PAIR / PACK
<b>Mega Bullet™</b>									
NP267HPF210	32	Single	Uncorded	PowerSoft™ Polyurethane Foam	Standard	Bullet	Orange	No	200 / Box
NP267HPF210C	32	Single	Black PVC Cord	PowerSoft™ Polyurethane Foam	Standard	Bullet	Orange	No	100 / Box
NP267HPF210D	32	Single	Blue Metal Detectable Cord	PowerSoft™ Polyurethane Foam	Standard	Bullet	Blue	Yes	100 / Box
<b>Nano Bullet™</b>									
NP267HPF310	28	Single	Uncorded	PowerSoft™ Polyurethane Foam	Small	Bullet	Purple	No	200 / Box
NP267HPF310C	28	Single	Black PVC Cord	PowerSoft™ Polyurethane Foam	Small	Bullet	Purple	No	100 / Box
<b>Mega Flare™</b>									
NP267HPF410	32	Single	Uncorded	PowerSoft™ Polyurethane Foam	Standard	Contoured	Red	No	200 / Box
NP267HPF410C	32	Single	Black PVC Cord	PowerSoft™ Polyurethane Foam	Standard	Contoured	Red	No	100 / Box



# PowerSoft™ Getting a proper fit

## FOAM TECHNOLOGY

Foams with small, dense cells may result in:

- > Harder plugs with shorter rebound time
- > More pressure and discomfort in ear canal


Foams with large, airy cells may result in:

- > Uneven roll-down and longer time to fit
- > Longer rebound time

PIP® EAR PLUGS WITH POWERSOFT™

FOAM TECHNOLOGY DELIVER:

- > Optimal rebound
- > Maximum all-day comfort
- > Perfect fit




**32**  
NRR

"T" shape is ideal for smaller or oval-shaped ear canals

### Mega T-Fit™

- Wide base allows easier insertion and removal
- Design resists backing out of ear
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort
- Shape conforms to most ear canals for maximum sound attenuation




**30**  
NRR

Hybrid foam plug and unique stem enable easy insertion

### EZ-Twist™

- No need to roll down before fitting, ideal for use with dirty hands
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort
- Shape conforms to most ear canals for maximum sound attenuation
- Traceable metal detectable (blue) style available for use in the food industry



**30**  
NRR

Softest most comfortable cylinder-shaped ear plug

### SoftStar™

- Unique beveled edge helps insertion
- PVC-free PowerSoft™ Foam polyurethane foam
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort
- Shape conforms to most ear canals for maximum sound attenuation

STYLE NUMBER	NRR	USE	CORDING	MATERIAL	SIZE	SHAPE	COLOR	DETECTABLE	PAIR / PACK
<b>Mega T-Fit™</b>									
NP267HPF510	32	Single	Uncorded	PowerSoft™ Polyurethane Foam	Standard	T-Shaped	Orange	No	200 / Box
NP267HPF510C	32	Single	Black PVC Cord	PowerSoft™ Polyurethane Foam	Standard	T-Shaped	Orange	No	100 / Box
<b>EZ-Twist™</b>									
NP267HPF610	30	Single	Uncorded	PowerSoft™ Polyurethane Foam	Standard	Cylinder Push-In	Orange	No	200 / Box
NP267HPF610C	30	Single	Black PVC Cord	PowerSoft™ Polyurethane Foam	Standard	Cylinder Push-In	Orange	No	100 / Box
NP267HPF610D	30	Single	Blue Metal Detectable Cord	PowerSoft™ Polyurethane Foam	Standard	Cylinder Push-In	Blue	Yes	100 / Box
<b>SoftStar™</b>									
NP267HPF710	30	Single	Uncorded	PowerSoft™ Polyurethane Foam	Small	Cylinder	Red	No	200 / Box
NP267HPF710C	30	Single	Black PVC Cord	PowerSoft™ Polyurethane Foam	Small	Cylinder	Red	No	100 / Box



Scan it



# MULTI-USE Ear Plugs




EASY TO CLEAN, REDUCE WASTE AND SAVE MONEY



**27**  
NRR

NP267HPR410



NP267HPR410C


#### 4-Flange Reusable

- Self-sealing 4-flange TPR (thermoplastic rubber) for all-day use and secure sound attenuation
- Corded version offers removable cord



**25**  
NRR


NP267HPR310



NP267HPR310C

#### 3-Flange Reusable

- Self-sealing 3-flange TPR (thermoplastic rubber) for all-day use and secure sound attenuation
- Corded version offers removable cord



**27**  
NRR

NP267HPR410D

## METAL DETECTABLE

#### Metal Detectable 4-Flange Reusable

- Self-sealing 4-flange TPR (thermoplastic rubber) for all-day use and secure sound attenuation
- Metal detectable version offers metal infused ear plugs and cord for more detectability
- Metal detectable cord is NOT removable (used for food industry)

STYLE NUMBER	NRR	USE	CORDING	MATERIAL	SIZE	SHAPE	COLOR	DETECTABLE	PAIR / PACK
<b>3-Flange Reusable</b>									
NP267HPR310	25	Reusable	Uncorded	TPR (thermoplastic rubber)	Standard	3-flange	Orange	No	200 / Box
NP267HPR310C	25	Reusable	Textile Cord	TPR (thermoplastic rubber)	Standard	3-flange	Orange	No	100 / Box
<b>4-Flange Reusable</b>									
NP267HPR410	27	Reusable	Uncorded	TPR (thermoplastic rubber)	Standard	4-flange	Red	No	200 / Box
NP267HPR410C	27	Reusable	Textile Cord	TPR (thermoplastic rubber)	Standard	4-flange	Red	No	100 / Box
NP267HPR410D	27	Reusable	Blue Metal Detectable Cord	TPR (thermoplastic rubber)	Standard	4-flange	Blue	Yes	100 / Box
NP267HPR400C	27	Reusable	PVC Cord	TPR (thermoplastic rubber)	Standard	4-flange	Orange	No	100 / Box
NP267HPR400D	27	Reusable	Blue Metal Detectable Cord	TPR (thermoplastic rubber)	Standard	4-flange	Orange	Yes	100 / Box





BANDED EAR PLUGS  
HEARING PROTECTION



Scan it



BANDED

# Ear Plugs

Ideal for moving  
in and out of noisy  
work areas



## BANDED EAR PLUGS FOR SITE VISITORS OR AS A LIGHTER ALTERNATIVE TO EAR MUFFS

**24**  
NRR

**Curved design**  
prevents pods  
from touching  
dirty surfaces


SIDE PROFILE ►

**Soft foam pod**  
snuggly fits the ear canal  
opening for stability,  
comfort and improved  
sound attenuation

REPLACEMENT PODS  
AVAILABLE SEPARATELY  
NP267HPB41050

**Co-injected TPR**  
reduces pressure on the  
ear canal for a more  
comfortable fit

**Ergonomically designed band**  
sits comfortably around the neck for  
consistent or intermittent use



▲ NP267HPB410





Scan it

# Prefilled Dispensers and Refill Packs

REDUCE WASTE & COST



▲ NP267HPD510250



▲ NP267HPD810250



▲ NP267HPD910200

## Prefilled Dispensers

- Wall or table mount
- Easy to maintain

STYLE NUMBER	REFILL PACK STYLE	NBR	PAIR
NP267HPD510250	Mega T-Fit™	32	250
NP267HPD810250	Mega Bullet Plus™	33	250
NP267HPD910200	Mega Flare Plus™	33	200



▲ NP267HPF5101



▲ NP267HPF8101



▲ NP267HPF9101

## Ear Plug Refill Packs

- Simple to open and fill dispenser

STYLE NUMBER	REFILL PACK STYLE	NBR	PAIR
NP267HPF2101	Mega Bullet™	32	250
NP267HPF3101	Nano Bullet™	28	250
NP267HPF5101	Mega T-Fit™	32	250
NP267HPF8101	Mega Bullet Plus™	33	250
NP267HPF9101	Mega Flare Plus™	33	200



SECTION:

# Respiratory Protection



PROVEN PROTECTION. PROVEN PERFORMANCE.™

This section of the catalog covers filtering facepiece respirators (FFR), commonly referred to as disposable respirators. These are designed to meet the National Institute for Occupational Safety and Health (NIOSH) requirements intended to help protect workers from airborne contaminants when working around particulate risks, filtering out between 95% to 99.97% of particles that are 0.3 microns in diameter or larger. PIP's line of Dynamic® filtering facepiece respirators are designed with advanced features for increased comfort and industrial wear and tear in mind, when working around the breathing hazards outlined below.



## STANDARDS

The National Institute for Occupational Safety and Health (NIOSH) provides testing requirements for non-powered particulate filters that remove particulates from ambient air. NIOSH certifies three classes of filters with three levels of filter efficiency. PIP® carries the following classes of FFR for particulates:

### N-SERIES

> **N95** – Operates with 95% efficiency

### P-SERIES

> **P95** – Operates with 95% efficiency against oil-based particulates or aerosols

> **P100** – Operates with 99.97% efficiency against oil-based particulates or aerosols



WELDING FUMES



OIL-BASED PARTICULATES



PARTICULATES

**WOVEN ELASTIC STRAP**

*Prevents interference with hair*

**CURVED NOSE CLIP**

*Adjusts over the bridge of the nose for a custom fit*

**WOVEN STRAP  
ULTRASONICALLY  
WELDED TO WINGS**  
*Prevents distorted shape while in use*

**CLEAR VALVE COVER  
WITH UNIQUE BUTTERFLY VALVE**  
*Enables the user to ensure the valve is functioning properly*

**SLIDING TOGGLE**  
*Adjustable for secure custom respirator fit*



# A BETTER DESIGNED RESPIRATOR

PIP® disposable respirators\* are designed with advanced features for increased comfort and reliability when working around particulate risks.

\* pictured RPD714N95

# CHOOSE THE RIGHT RESPIRATOR FOR THE APPLICATION

RPD513N95  
RPD514N95  
RPD713N95  
RPD714N95  
RPD714N95OAO  
RPD723N95  
RPD724N95  
RPD614P95  
RPD814P95  
RPD814P95OAO  
RPD914P100

APPLICATION & INDUSTRIES	POTENTIAL HAZARDS	FILTER OPTIONS	RPD513N95	RPD514N95	RPD713N95	RPD714N95	RPD714N95OAO	RPD723N95	RPD724N95	RPD614P95	RPD814P95	RPD814P95OAO	RPD914P100
Spray Painting, Varnishing, Coating	Solvent-based, Water-based Latex	OV/P95										●	
Sanding and Grinding	Particulate	N95	●	●	●	●		●	●				
Welding	Weld fume	N95/P95					●			●			
	Stainless steel & Galvanized	OV/N95-P95					●					●	
Abatement	Lead	P100											●
	Mold	P100											●
Cement Work	Silica/Dust	P100											●
Cleaning and Janitorial	Bleach	AG/P95										●	
	Ammonia*	AM/MA/P95										●	
	General Cleaning Products	OV/P95										●	
Agriculture	Pesticides & Insecticides	OV/AG/P95-P100										●	●
Construction	Particulate	N95	●	●	●	●		●	●				
Manufacturing	Solvents*	OV/N95/P95					●					●	
	Particulate	N95	●	●	●	●		●	●				
Pharmaceutical Manufacturing	Particulate	N95/P95/P100	●	●	●	●		●	●	●	●		●
Chemical Manufacturing	Chlorine*	AM/MA/P95										●	

\*Only for use under permitted exposure limit (PEL)

OV = Organic Vapor    AG = Acid Gas    AM = Ammonia    MA = Methylamine

## RESPIRATORY RATINGS

LETTER CLASS	DESCRIPTION	NUMBER CLASS	DESCRIPTION
<b>N</b>	Not oil resistant	<b>95</b>	Removes 95% of all particles that are at least 0.3 microns in diameter
<b>R</b>	Resistant to oil	<b>99</b>	Removes 99% of particles that are at least 0.3 microns in diameter
<b>P</b>	Oil proof	<b>100</b>	Removes 99.97% of all particles that are 0.3 microns in diameter or larger







Scan it



# N95 Disposable Respirators

95% FILTRATION EFFICIENCY AGAINST NON-OIL BASED PARTICULATES



## STANDARD N95 DISPOSABLE RESPIRATORS



RPD713N95



RPD714N95

- Durable, clear valve cover protects the butterfly valve and permits quick inspection to ensure the respirator valve is unobstructed and in proper working condition



FR OUTER LAYER MATERIAL



RPD714N950AO


- Activated carbon layer provides relief from nuisance levels of ozone, organic vapors or acid gases below PEL's

### Dynamic® Standard N95 Disposable Respirators

NIOSH approved for at least 95% filtration efficiency against non-oil based particulates

- Closed-cell nose cushion provides a secure and comfortable seal
- Designed to be comfortable and compatible with safety eyewear and hearing protection
- Curved nose clip follows the contours of the user's nose for a superior seal at the bridge of the nose which helps minimize the fogging of eyewear
- Woven strap ultrasonically welded to the wings of the respirator
- Latex-free without any common allergens to keep you and your workers worry free

STYLE NUMBER	DESCRIPTION	PACK
RPD713N95	N95 Disposable Respirator	20 / Box
RPD714N95	N95 Disposable Respirator with Butterfly Valve	10 / Box
RPD714N950AO	N95 Disposable Respirator with Butterfly Valve, FR Material	10 / Box



Adjustable toggle on straps provides a comfortable and custom fit



# FLATFOLD N95 DISPOSABLE RESPIRATORS

**Dynamic®**

**Flatfold N95 Disposable Respirators**

*NIOSH approved N95 foldable respirator for filtration efficiency against non-oil based particulates*

- Flatfold design is compact when not in use, increases worker productivity and can be kept in workers' pockets for future use
- Each respirator is individually wrapped for hygiene to ensure it's clean, safe and ready for use
- Latex-free, dual elastic head straps help keep the respirator positioned properly on the face
- Curved nose clip helps form the mask to the shape of the user's nose for a secure seal



Folds flat for  
**easy  
storage**



RPD723N95



RPD724N95

- Durable, valve cover protects the butterfly valve and permits quick inspection to ensure the respirator valve is unobstructed and in proper working condition



STYLE NUMBER	DESCRIPTION	PACK
RPD723N95	N95 Flatfold Disposable Respirator	20 / Box
RPD724N95	N95 Flatfold Disposable Respirator with Butterfly Valve	10 / Box

# ECONOMY N95 DISPOSABLE RESPIRATORS

**Dynamic®**

**Economy N95 Disposable Respirators**

*NIOSH approved N95 respirator for filtration of non-oil particulates*

- Open-cell foam nose pad creates a cushion between the nose and the mask for increased comfort
- Nose clip helps form the mask to the shape of the user's nose for a secure seal
- Latex-free



RPD513N95



RPD514N95

- Durable, clear shield protects the butterfly valve



STYLE NUMBER	DESCRIPTION	PACK
RPD513N95	N95 Economy Disposable Respirator	20 / Box
RPD514N95	N95 Economy Disposable Respirator with Butterfly Valve	10 / Box



Scan it



# P95 Disposable Respirators

95% FILTRATION EFFICIENCY AGAINST OIL-BASED PARTICULATES



### RPD814P95

- Sliding toggle on both straps designed to achieve a secure, comfortable fit
- Full face seal with closed-cell foam material provides a secure, comfortable fit



FR OUTER LAYER MATERIAL



### RPD614P95

- FR outer layer material
- Sliding toggle on both straps designed to achieve a secure, comfortable fit



### RPD814P95OA


- Activated carbon layer to provide relief from nuisance levels of ozone, organic vapors or acid gases below PEL's
- Four-point adjustment clips to control the tension of the elastic straps for a precise seal
- Full face seal with closed-cell foam material provides a secure, comfortable fit

## Dynamic® Standard P95 Disposable Respirators

Versatile NIOSH approved P95 respirator for filtration against oil and non-oil based particulates

- Closed-cell foam seals the respirator for better performance and a secure, comfortable fit
- Unique butterfly exhalation valve controls the flow of air, opening as the user exhales and closing securely as the user inhales
- Durable, clear valve cover protects the butterfly valve and permits quick inspection to ensure the respirator valve is unobstructed and working properly
- Latex-free

STYLE NUMBER	DESCRIPTION	PACK
RPD814P95	P95 Disposable Respirator with Butterfly Valve	10 / Box
RPD614P95	P95 Disposable Respirator with Butterfly Valve and FR Outer Layer Material	10 / Box
RPD814P95OA	P95 Disposable Respirator Nuisance Level OV-AG-Ozone with Butterfly Valve	5 / Box



Notched nose bridge provides a secure and comfortable fit





# P100 Disposable Respirators

99.97% FILTRATION EFFICIENCY AGAINST OIL-BASED PARTICULATES

**Dynamic® Deluxe P100  
Disposable Respirators**

RPD914P100

*Versatile NIOSH approved P100 respirator for  
filtration against oil and non-oil based particulates*

- Unique butterfly exhalation valve controls the flow of air, opening as the user exhales and closing securely as the user inhales
- Durable protective cap shields the valve and directs exhaled air downward limiting the build-up of warm, moist breath
- Four-point adjustable clip to control the tension of the elastic straps for a precise seal
- Each respirator is individually wrapped for hygiene, to ensure it's clean, safe and ready for use
- Latex-free



Butterfly valve  
down-flow  
air valve cover

STYLE NUMBER	DESCRIPTION	PACK
RPD914P100	P100 Disposable Respirator with Butterfly Valve	5 / Box



MAGENTA MESH INDICATES NIOSH P100 DESIGNATION



FULL FACE SEAL WITH CLOSED-CELL FOAM MATERIAL PROVIDES A SECURE, COMFORTABLE FIT



Scan it

# Fit Test Kit and Disposable Face Masks



### Bitrex Fit Test Kit RPFITBITREX

STYLE NUMBER	DESCRIPTION
RPFITBITREX	Bitrex Fit Test Kit Complete With: Nebulizers, Test and Sensitivity Solutions, Hood
RPBTXSEN	Replacement Fit Test Kit Sensitivity Solution, 6 tubes/box
RPBTSOL	Replacement Fit Test Kit Test Solution, 6 tubes/box
RPHOOD	Replacement Fit Test Hood, 1
RPNEBUL	Replacement Fit Kit Nebulizers, 1



### Comfort Mask RP1000

*Nuisance level mask / Not NIOSH approved*

- Provides relief from nuisance levels of dusts
- Not for use where concentrations are at or above the Permissible Exposure Limit (PEL)

STYLE NUMBER	DESCRIPTION	PACK
RP1000	Comfort Mask	50 / Box



### Disposable Face Mask RPD4000

*Nuisance level mask / Not NIOSH approved*

- 3-ply pleated construction with 99% Bacterial Filter Efficiency (BFE)
- Latex-free ear loops and adjustable metal nose clip secure the mask over the nose and mouth

STYLE NUMBER	DESCRIPTION	PACK
RPD4000	Disposable Face Mask	50 / Box

ENHANCED  
COMFORT  
AND RELIABILITY  
when working around breathing hazards



SECTION:

# Eye and Face Protection



## CSA Z94.3-20 AND ANSI/ISEA Z87.1 CERTIFIED

These standards prescribe the design, performance specs and markings of eye and face safety products. Testing may include the following parameters:



IMPACT



DUST



CHEMICAL  
SPLASH



UV LIGHT AND  
BRIGHT GLARE



HEAT AND  
SPARKS



PARTICULATES

## AVAILABLE LENS COATINGS



A permanently bonded coating that extends the life of the lens, without anti-fog protection.



**ANTI-SCRATCH:** Extends lens life in abrasive environments.



**ANTI-UV:** Absorbs more than 99.9% of harmful ultraviolet radiation.



**ANTI-STATIC:** Reduces dust and particulate attraction.



A permanently bonded coating that extends the life of the lens.



**ANTI-FOG:** Resists fogging and improves vision in humid environments.



**ANTI-SCRATCH:** Extends lens life in abrasive environments.



**ANTI-UV:** Absorbs more than 99.9% of harmful ultraviolet radiation.



**ANTI-STATIC:** Reduces dust and particulate attraction.



**A premium anti-fog treatment** that performs in even the harshest environments. The VPP technology prevents fogging of the lens even after repeated cleaning. This unique chemical coating also improves longevity with extra protection against abrasions.



**ANTI-FOG:** Resists fogging and improves vision in humid environments.



**ANTI-SCRATCH:** Extends lens life in abrasive environments.



**ANTI-UV:** Absorbs more than 99.9% of harmful ultraviolet radiation.



**ANTI-STATIC:** Reduces dust and particulate attraction.

## PRODUCT STYLES

Full Frame – Popular styling for outdoor construction work

Semi-Frameless – Wraparound styling with improved peripheral vision

Frameless – Lightweight with unobstructed peripheral vision and fit

Foam Gasket – Sealed to keep out dust and airborne particles

Over-the-Glass – Designed to fit over prescription eyewear

Goggles – Protection from projectiles, impact and liquid splash





## Lens Selection Chart

**LIGHT TRANSMISSION:** Is the amount of light reaching the eye after passing through a filter.

**LIGHT ABSORPTION:** Is the amount of light which is absorbed or eliminated by passing through a lens.










**FILTERS:** Are lenses that reduce or eliminate light intensity. The light spectrum covers ultraviolet, visible and infra-red radiation.

**VISIBLE LIGHT:** Is radiant energy that is visible to the human eye and having a wavelength between 380 nm to 760 nm.

**INFRARED RADIATION:** Is radiant energy or electromagnetic radiation of large wavelengths between 760 nm to 1000 nm.

**ULTRAVIOLET RADIATION:** Is radiant energy or electromagnetic radiation of short wavelengths between 100 nm to 380 nm.

## Lens Color Chart

LENS COLOUR	DESCRIPTION	VISIBLE LIGHT TRANSMISSION %	UV LIGHT TRANSMISSION %
 <b>CLEAR</b>	For indoor or outdoor applications where light filtration is not required.	90% ± 1%	0.005%
 <b>AMBER</b>	For low light applications where contrast enhancement is required. Also reduces low energy blue light.	99% ± 0.05%	0.05%
 <b>BLUE</b>	For work areas where high levels of yellow light is present, such as sodium vapor lighting.	47% ± 1%	0.05%
 <b>SMOKE</b>	For outdoor applications where sunlight and glare cause eye strain and fatigue. Not for use when infrared protection is required.	11% ± 1%	0.05%
 <b>I/O MIRROR</b>	For indoor/outdoor applications. Reduces glare from scattered light or low energy visible light.	54% ± 1%	0.05%
 <b>MIRROR</b>	For outdoor applications. Reduces glare from scattered high energy visible light.	12% ± 1%	0.05%
 <b>POLARIZED SMOKE</b>	For outdoor applications. Reduces extreme glare from excessive scattered high energy visible light.	12% ± 1%	0.05%
 <b>POLARIZED COPPER</b>	When facing high energy sunlight producing high levels of glare while driving vehicles or mobile equipment. Also reduces blue light to increase contrast.	13% ± 1%	0.05%
 <b>POLARIZED BLUE MIRROR</b>	For outdoor applications. Reduces extreme glare from highly reflective surfaces such as lakes, rivers, snow.	11% ± 1%	0.05%



Scan it

# Quality Eyewear

SUPERIOR SAFETY AND ENHANCED FEATURES



Dyna-Sun™



ANTI-FOG



ANTI-SCRATCH



ANTI-UV



ANTI-STATIC

CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EPDS12A



EPDS12B



EPDS12C

## HIGH PERFORMANCE SUNGLASSES

### FEATURES & BENEFITS

- ▶ Lightweight contemporary design with soft foam on the nosepiece for added comfort and stability
- ▶ Double lens system with 8.0 base curve for superior optical quality
- ▶ Co-injected non-slip TPR temples for added comfort
- ▶ Offers great protection against dangerous UV rays
- ▶ Filters out blue light that causes eye fatigue
- ▶ Microfiber cleaning pouch supplied with each spectacle
- ▶ 4A coating: anti-scratch, anti-UV, anti-static, and anti-fog

PART NO	LENS COLOR	FRAME COLOR	ACCESSORIES
EPDS12A	SMOKE	BLACK FRAME / GREY NOSEPIECE	MICROFIBER CLEANING POUCH
EPDS12B	COPPER	TRANSLUCENT BROWN FRAME / BLACK NOSEPIECE	MICROFIBER CLEANING POUCH
EPDS12C	BLUE MIRROR	TRANSLUCENT GREY FRAME / BLACK TPR NOSEPIECE	MICROFIBER CLEANING POUCH



## Dyna-Sun™ Signature



ANTI-FOG ANTI-SCRATCH ANTI-UV ANTI-STATIC

CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EPDSM15



EPDSW14

### HIGH PERFORMANCE SUNGLASSES

#### FEATURES & BENEFITS

- ▶ Stylish and robust design with unique graphics on temples
- ▶ Double lens system with 8.0 base curve for superior optical quality
- ▶ Cushions on nose bridge for extra comfort and increased stability
- ▶ Offers great protection against dangerous UV rays
- ▶ Filters out blue light that causes eye fatigue
- ▶ Microfiber cleaning pouch supplied with each spectacle
- ▶ 4A coating: anti-scratch, anti-UV, anti-static, and anti-fog

PART NO	LENS COLOR	FRAME COLOR	ACCESSORIES
EPDSM15	SMOKE	BLACK FRONT / DIAMOND PLATE GRAPHIC TEMPLE	MICROFIBER CLEANING POUCH
EPDSW14	SMOKE	WHITE FRONT / ANTIQUE MAYA GRAPHIC TEMPLE	MICROFIBER CLEANING POUCH

## Dyna-Ray™ Polarized



ANTI-FOG ANTI-SCRATCH ANTI-UV ANTI-STATIC

CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EPDP11A



EPDP11B

### EXTREME GLARE POLARIZED SUNGLASSES

#### FEATURES & BENEFITS

- ▶ Lightweight semi-frameless design with polarized lenses that eliminate glare and eye fatigue
- ▶ Increases visual acuity and contrast of objects and surroundings
- ▶ Dual-injection TPR temples for maximum comfort and stability
- ▶ Soft Brownguard foam for extra protection
- ▶ Omni-Fit bridge for more comfort and better fit
- ▶ Filters out blue light that causes eye fatigue
- ▶ Microfiber cleaning pouch supplied with each spectacle
- ▶ 4A coating: anti-scratch, anti-UV, anti-static, and anti-fog

PART NO	LENS COLOR	FRAME COLOR	ACCESSORIES
EPDP11A	POLARIZED SMOKE	BLACK FRAME / GREY TPR	MICROFIBER CLEANING POUCH
EPDP11B	POLARIZED COPPER	TRANSLUCENT BROWN FRAME / BLACK TPR	MICROFIBER CLEANING POUCH





# Falcon™


**Dyna Shield™**



**CS** CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



**EP810C**



**EP810A**

## EXCLUSIVE 3-POSITION ADJUSTMENT FLEXI-FIT SOFT NOSEPIECE SYSTEM

### FEATURES & BENEFITS

- ▶ Semi-frameless design
- ▶ Lightweight wraparound 9.0 base lens
- ▶ Ratchet temples, dual-shot temples
- ▶ Ultra soft silicone nose pad for more comfort and better fit
- ▶ Dyna-Shield premium coating: anti-scratch, anti-UV, anti-static, and anti-fog

PART NO	LENS COLOR	FRAME COLOR
<b>EP810C</b>	CLEAR	RED & BLACK
<b>EP810S</b>	SMOKE	RED & BLACK
<b>EP810A</b>	AMBER	RED & BLACK
<b>EP810IO*</b>	I/O MIRROR	RED & BLACK

\* Indoor/Outdoor Mirror lenses are not anti-fog

# Hawk™

**Dyna Shield™**



**CS** CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



**EP825C**



**EP825IO**

## FLEXI-FIT SOFT NOSEPIECE SYSTEM

### FEATURES & BENEFITS

- ▶ Lightweight 9.0 base lens
- ▶ Flexi-fit adjustable nose bridge system
- ▶ Dual-shot temples for comfort and stability
- ▶ Dyna-Shield premium coating: anti-scratch, anti-UV, anti-static, and anti-fog

PART NO	LENS COLOR	FRAME COLOR
<b>EP825C</b>	CLEAR	RED & BLACK
<b>EP825S</b>	SMOKE	RED & BLACK
<b>EP825IO*</b>	I/O MIRROR	RED & BLACK

\* Indoor/Outdoor Mirror lenses are not anti-fog



## Spider™

**Dyna Shield™**



ANTI-FOG ANTI-SCRATCH ANTI-UV ANTI-STATIC

**CS** CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EP875C



EP875A

### FLEXI-FIT SOFT NOSEPIECE SYSTEM

#### FEATURES & BENEFITS

- ▶ Popular EZ-ON™ temple system
- ▶ Lightweight 9.0 base lens with black & red frame
- ▶ Flexi-fit adjustable nose bridge system
- ▶ Dyna-Shield premium coating: anti-scratch, anti-UV, anti-static, and anti-fog

PART NO	LENS COLOR	FRAME COLOR
EP875C	CLEAR	RED & BLACK
EP875S	SMOKE	RED & BLACK
EP875A	AMBER	RED & BLACK

## Hummingbird™

**Dyna Shield™**



ANTI-FOG ANTI-SCRATCH ANTI-UV ANTI-STATIC

**CS** CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EP895C



EP895IO

### ULTRA LIGHTWEIGHT SOFT NOSEPIECE SYSTEM

#### FEATURES & BENEFITS

- ▶ Ultra lightweight 9.5 base curve wraparound lens
- ▶ Contemporary dual-lens design
- ▶ Double injection temple arms and soft nosepiece to prevent slipping
- ▶ Fits a wide variety of different faces
- ▶ Dyna-Shield premium coating: anti-scratch, anti-UV, anti-static, and anti-fog

PART NO	LENS COLOR	FRAME COLOR
EP895C	CLEAR	BLACK & WHITE
EP895S	SMOKE	BLACK & WHITE
EP895A	AMBER	BLACK & WHITE
EP895IO*	I/O MIRROR	BLACK & WHITE

\* Indoor/Outdoor Mirror lenses are not anti-fog



## Warrior™

## Shooting Star™



**SP** CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS

**SP** CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



**EP100BC**



**EP100MGS**



**EP150C**



**EP150S**

### FLEXI-FIT ADJUSTABLE SOFT NOSEPIECE SYSTEM

#### FEATURES & BENEFITS

- ▶ Adjustable swivel nose pads provide incomparable fit on all faces
- ▶ Modern ergonomic design for maximum comfort
- ▶ Frame made of Elasto LT, a chemical resistant material
- ▶ Comfortable curved temple ends
- ▶ 4A coating: anti-scratch, anti-UV, anti-static, and anti-fog

LENS COLOR	METALLIC GREY FRAME	BLACK FRAME
CLEAR	<b>EP100MGC</b>	<b>EP100BC</b>
SMOKE	<b>EP100MGS</b>	<b>EP100BS</b>
AMBER	<b>EP100MGA</b>	<b>EP100BA</b>
I/O MIRROR	<b>EP100MGIO*</b>	<b>EP100BIO*</b>

\* Indoor/Outdoor Mirror lenses are not anti-fog

### FLEXI-FIT ADJUSTABLE SOFT NOSEPIECE SYSTEM

#### FEATURES & BENEFITS

- ▶ Frame and lens made of ultra-resistant polycarbonate
- ▶ Modern ergonomic design for maximum comfort
- ▶ Easy lens replacement system
- ▶ 4A coating: anti-scratch, anti-UV, anti-static, and anti-fog

PART NO	LENS COLOR	FRAME COLOR
<b>EP150C</b>	CLEAR	SMOKE
<b>EP150S</b>	SMOKE	SMOKE





## Thunder™



CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EP250BA



EP250BIO

### FLEXI-FIT SOFT NOSEPIECE SYSTEM

#### FEATURES & BENEFITS

- ▶ Originally engineered for safety officers
- ▶ 9 base curve panoramic lens for a wide and unobstructed field of view
- ▶ Frame made of Elasto LT, a chemical resistant material
- ▶ Soft-touch comfort pads on temples that ensure a comfortable fit
- ▶ 4A coating: anti-scratch, anti-UV, anti-static, and anti-fog

PART NO	LENS COLOR	FRAME COLOR
EP250BC	CLEAR	BLACK
EP250BS	SMOKE	BLACK
EP250BA	AMBER	BLACK
EP250BIO*	I/O MIRROR	BLACK

\* Indoor/Outdoor Mirror lenses are not anti-fog

## Cyclone II™



CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EP310BIO



EP310BLC

### UNIVERSAL COMFORT BRIDGE SYSTEM

#### FEATURES & BENEFITS

- ▶ Unique dual lens styling in a single-piece design
- ▶ Frames are available in either blue or black
- ▶ Straight temples with soft rubber surface for extra comfort
- ▶ 4A coating: anti-scratch, anti-UV, anti-static, and anti-fog

LENS COLOR	BLACK FRAME	BLUE FRAME
CLEAR	EP310BC	EP310BLC
SMOKE	EP310BS	
AMBER	EP310BA	



## Techno™



**SP** CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



**EP850S**



**EP850BT**

### FLEXI-FIT SOFT NOSEPIECE SYSTEM

#### FEATURES & BENEFITS

- ▶ Wraparound lightweight, frameless spectacles
- ▶ One piece lens with soft rubber temple ends
- ▶ Soft non-slip silicone nosepiece
- ▶ 4A coating: anti-scratch, anti-UV, anti-static, and anti-fog

PART NO	LENS COLOR	TEMPLE COLOR
EP850C	CLEAR	CLEAR
EP850S	SMOKE	SMOKE
EP850A	AMBER	AMBER
EP850IO*	I/O MIRROR	INDOOR/OUTDOOR
EP850BT	BLUE TINT	BLUE TINT

\* Indoor/Outdoor Mirror lenses are not anti-fog

## Mini-Tech™



**SP** CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



**EP855A**



**EP855IO**

### FLEXI-FIT SOFT NOSEPIECE SYSTEM FOR SMALL/NARROW FACES

#### FEATURES & BENEFITS

- ▶ Designed for smaller and more narrow faces
- ▶ Wraparound lightweight, frameless spectacles
- ▶ One piece lens with soft rubber temple ends
- ▶ Soft non-slip silicone nosepiece
- ▶ 4A coating: anti-scratch, anti-UV, anti-static, and anti-fog

PART NO	LENS COLOR	TEMPLE COLOR
EP855C	CLEAR	CLEAR
EP855S	SMOKE	SMOKE
EP855A	AMBER	AMBER
EP855IO*	I/O MIRROR	INDOOR/OUTDOOR

\* Indoor/Outdoor Mirror lenses are not anti-fog




## Curve™



SP CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EP505C



SP CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EP500IO

### UNIVERSAL COMFORT BRIDGE SYSTEM

#### FEATURES & BENEFITS

- ▶ Popular low-profile design
- ▶ High 9.0 base curve for wider coverage and field of view
- ▶ Made of lightweight non-conductive high impact polycarbonate
- ▶ Absorbs more than 99.9% of harmful UV light

PART NO	LENS COLOR	TEMPLE COLOR
<b>EP505 SERIES</b>	<b>4A COATING</b>	
EP505C	CLEAR	CLEAR
<b>EP500 SERIES</b>	<b>3A COATING</b>	
EP500C	CLEAR	SMOKE
EP500S	SMOKE	SMOKE
EP500A	AMBER	AMBER
EP500IO*	I/O MIRROR	SMOKE

\* Indoor/Outdoor Mirror lenses are not anti-fog

## Solus™



SP CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EP550S



EP550C

### UNIVERSAL COMFORT BRIDGE SYSTEM

#### FEATURES & BENEFITS

- ▶ Wide field single lens design offering unobstructed vision
- ▶ Made of lightweight high impact polycarbonate
- ▶ 3A coating: anti-scratch, anti-UV, and anti-static


PART NO	LENS COLOR	TEMPLE COLOR
EP550C	CLEAR	SMOKE
EP550S	SMOKE	SMOKE
EP550A	AMBER	AMBER
EP550IO*	I/O MIRROR	SMOKE

\* Indoor/Outdoor Mirror lenses are not anti-fog





## Defender™



CS CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EP600BC



EP600BS


### UNIVERSAL COMFORT BRIDGE SYSTEM

#### FEATURES & BENEFITS

- ▶ Lightweight materials for more comfort
- ▶ Made of lightweight high impact polycarbonate, offering a wide field of view
- ▶ 3A coating: anti-scratch, anti-UV, and anti-static

PART NO	LENS COLOR	TEMPLE COLOR
EP600BC	CLEAR	CLEAR
EP600BS	SMOKE	SMOKE

## Firebird™



CS CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EP800BT



EP800A

### UNIVERSAL COMFORT BRIDGE SYSTEM

#### FEATURES & BENEFITS


- ▶ Wraparound lightweight, frameless spectacles
- ▶ One piece lens with soft rubber temple ends
- ▶ Hard nosepiece
- ▶ 3A coating: anti-scratch, anti-UV, and anti-static

PART NO	LENS COLOR	TEMPLE COLOR
EP800C	CLEAR	CLEAR
EP800S	SMOKE	SMOKE
EP800A	AMBER	AMBER
EP800IO*	I/O MIRROR	INDOOR/OUTDOOR
EP800BT	BLUE TINT	BLUE TINT

\* Indoor/Outdoor Mirror lenses are not anti-fog



## Ladies Mini™



CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EP325OC



EP325PC



EP325GC


### UNIVERSAL COMFORT BRIDGE SYSTEM

#### FEATURES & BENEFITS

- ▶ Women's specific spectacle, designed for narrower and smaller faces
- ▶ Contemporary frames are available in three vivid colors
- ▶ 3A coating: anti-scratch, anti-UV, and anti-static

LENS COLOR	PINK TEMPLE	GREEN TEMPLE	ORANGE TEMPLE
CLEAR	EP325PC	EP325GC	EP325OC

## Renegade Readers™



CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EP400TGC1.5



EP400TGC2.5

### FLEXI-FIT SOFT NOSEPIECE SYSTEM

#### FEATURES & BENEFITS

- ▶ European inspired eyewear
- ▶ 8.5 base curve dual-lens design for wraparound coverage
- ▶ Adjustable soft nosepiece for increased comfort
- ▶ Adjustable length temple arms
- ▶ 3A coating: anti-scratch, anti-UV, and anti-static

PART NO	LENS COLOR	FRAME COLOR	DIOPTR
EP400TGC1.5	CLEAR	TRANSLUCENT GREY	1.5
EP400TGC2.0	CLEAR	TRANSLUCENT GREY	2.0
EP400TGC2.5	CLEAR	TRANSLUCENT GREY	2.5



# OTG Extra™



SP CERTIFIED Z94.3-20

MEETS AND/OR EXCEEDS  
ANSI Z87.1 REQUIREMENTS



EP75010



Exclusive and unique  
EZ-ON™ temple system

## FLEXI-FIT SOFT NOSEPIECE SYSTEM

### FEATURES & BENEFITS

- ▶ Premium over-the-glass (OTG) spectacles
- ▶ Extra-large size to fit over most types of prescription eyewear
- ▶ Ultra soft nosepiece accommodates all nose types
- ▶ Adjustable temples allow the possibility to adjust the lens up and down for better vision
- ▶ Unique EZ-ON™ temple system for exceptional comfort
- ▶ 4A coating: anti-scratch, anti-UV, anti-static and anti-fog

PART NO	LENS COLOR	TEMPLE COLOR
EP750C	CLEAR	BLACK
EP750S	SMOKE	BLACK
EP750A	AMBER	BLACK
EP75010*	I/O MIRROR	BLACK

\* Indoor/Outdoor Mirror lenses are not anti-fog

# Visitor™



SP CERTIFIED Z94.3-20

MEETS AND/OR EXCEEDS  
ANSI Z87.1 REQUIREMENTS



EP700C

## UNIVERSAL COMFORT BRIDGE SYSTEM

### FEATURES & BENEFITS

- ▶ These OTG spectacles offer premium protection to plant visitors
- ▶ Large lens that provides a wide viewing field
- ▶ Fits over most prescription eyewear
- ▶ Exclusive interlocking sideshield offers all-around protection from flying particles
- ▶ 3A coating: anti-scratch, anti-UV, and anti-static

PART NO	LENS COLOR	SIDESHIELDS COLOR
EP700C	CLEAR	CLEAR





Scan it

# Sealed Safety Glasses

PROTECTS AGAINST DEBRIS AND AIRBORNE PARTICLES

## Opti-Seal™



ANTI-FOG

ANTI-SCRATCH

ANTI-UV

ANTI-STATIC

CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



EPD6C17



EPD6S17

### MULTI-FIT ADJUSTABLE NOSEPIECE

#### FEATURES & BENEFITS

- ▶ Cushioned foam sealing gasket for increased protection and comfort
- ▶ Adjustable nosepiece accommodates all facial types and provides a perfect fit
- ▶ Dual injection temples with non-slip soft TPR for optimal comfort
- ▶ Comfortable TPR on nose bridge for increased stability
- ▶ 4A coating: anti-scratch, anti-UV, anti-static and anti-fog

PART NO	LENS COLOR	DESCRIPTION
EPD6C17	CLEAR	TRANSLUCENT BLUE FRAME, BLACK TPR MATERIAL FRONT GASKET, TEMPLE ENDS AND CLEAR ANTI-FOG LENS
EPD6S17	SMOKE	TRANSLUCENT BLUE FRAME, BLACK TPR MATERIAL FRONT GASKET, TEMPLE ENDS AND SMOKE ANTI-FOG LENS
EPD6A17	AMBER	TRANSLUCENT BLUE FRAME, BLACK TPR MATERIAL FRONT GASKET, TEMPLE ENDS AND AMBER ANTI-FOG LENS
EPD6I017*	I/O MIRROR	TRANSLUCENT BLUE FRAME, BLACK TPR MATERIAL FRONT GASKET, TEMPLE ENDS AND MIRROR/I/O LENS

\* Indoor/Outdoor Mirror lenses are not anti-fog

## Bushman™

NOT CERTIFIED BY CSA



EP775W

### WIRE MESH SPECTACLES

#### FEATURES & BENEFITS

- ▶ Wraparound nylon frame offering very good fit and comfort
- ▶ Wire mesh screen protects against large flying debris and does not fog

PART NO	LENS	FRAME COLOR
EP775W	BLACK WIRE MESH	BLACK



# Dyna-Seal™



**CS** CERTIFIED Z94.3-20 | MEETS AND/OR EXCEEDS ANSI Z87.1 REQUIREMENTS



**EPDGC18S**



**EPDGC18C & EPDGC18STR**



**EPDGC18IO & EPDGC18STR**

## INDIRECT VENTED GOGGLE CAPABILITY

### FEATURES & BENEFITS

- ▶ Fully sealed eyewear with soft rubber gasket
- ▶ Modern lens geometry for superior optical quality
- ▶ Designed to block out dust, particles, and chemicals
- ▶ Removable/adjustable length stability strap clips on to the temples
- ▶ Converts into an indirect vented goggle with elastic Neoprene strap (sold separately)
- ▶ Front angle adjustment for a precise and secure fit
- ▶ Angle clip made of strong polycarbonate
- ▶ Dyna-Shield premium coating: anti-scratch, anti-UV, anti-static, and anti-fog

PART NO	LENS COLOR	DESCRIPTION
<b>EPDGC18C</b>	CLEAR	BLACK/GREY FRAME WITH BLACK RUBBER GASKET, QUICK CHANGE ADJUSTABLE ELASTIC STRAP, CLEAR ANTI-FOG "N"
<b>EPDGC18S</b>	SMOKE	BLACK/GREY FRAME WITH BLACK RUBBER GASKET, QUICK CHANGE ADJUSTABLE ELASTIC STRAP, SMOKE ANTI-FOG "N"
<b>EPDGC18STR</b>		EPDGC18 ADJUSTABLE BLACK FR HEADBAND



# Fusion Plus™



ANTI-FOG

ANTI-SCRATCH

ANTI-UV

ANTI-STATIC

 CERTIFIED Z94.3-20

MEETS AND/OR EXCEEDS  
ANSI Z87.1 REQUIREMENTS



**EP650GC**



**EP650GA**







Exclusive and unique  
**EZ-ON™** temple system

## FLEXI-FIT SOFT NOSEPIECE SYSTEM

### FEATURES & BENEFITS

- ▶ Specialty spectacles with unique EZ-ON™ temples apply minimal pressure for maximum comfort
- ▶ Large 9.0 base curve with double lens design molded in one piece
- ▶ Full coverage protection and an extra wide viewing field
- ▶ High impact resistant polycarbonate lens material
- ▶ 4A Coating: anti-scratch, anti-UV, anti-static and anti-fog
- ▶ Features a foam padding for better protection against dust and debris

PART NO	LENS COLOR	TEMPLE COLOR
EP650GC	 CLEAR	BLACK
EP650GS	 SMOKE	BLACK
EP650GA	 AMBER	BLACK
EP650GIO*	 I/O MIRROR	BLACK

\* Indoor/Outdoor Mirror lenses are not anti-fog





# Volcano™ & Volcano Plus™



SP CERTIFIED Z94.3-20

MEETS AND/OR EXCEEDS  
ANSI Z87.1 REQUIREMENTS



EP675C



EP675GS



EP675GA

## UNIVERSAL COMFORT BRIDGE

### FEATURES & BENEFITS

- ▶ Popular sleek frameless design
- ▶ One single lens provides a wide field of vision
- ▶ Dual injection, wide temple arms for improved comfort and fit
- ▶ 4A coating: anti-scratch, anti-UV, anti-static and anti-fog
- ▶ Plus™ version available with removeable foam padding for better protection against dust and debris

PART NO WITHOUT FOAM PADDING	LENS COLOR	TEMPLE COLOR
EP675C	CLEAR	BLACK & RED
EP675S	SMOKE	BLACK & RED
EP675I0*	I/O MIRROR	BLACK & RED
PART NO WITH FOAM PADDING	LENS COLOR	TEMPLE COLOR
EP675GC	CLEAR	BLACK & RED
EP675GS	SMOKE	BLACK & RED
EP675GA	AMBER	BLACK & RED
EP675GI0*	I/O MIRROR	BLACK & RED

\* Indoor/Outdoor Mirror lenses are not anti-fog



# Spectagoggle™



CERTIFIED Z94.3-20

MEETS AND/OR EXCEEDS  
ANSI Z87.1 REQUIREMENTS



EP900S



Interchangeable temple

## HEAVY DUTY PERFORMANCE

### FEATURES & BENEFITS

- ▶ FR foam padding forms a seal to keep out dust and airborne particles
- ▶ Interchangeable temple/strap included with each pair
- ▶ Strap has quick fit retainer for easy on/off
- ▶ Designed to allow air to flow freely to reduce heat
- ▶ 4A coating: anti-scratch, anti-UV, anti-static and anti-fog

PART NO	LENS COLOR	FRAME COLOR
EP900C	CLEAR	BLACK
EP900S	SMOKE	BLACK
EP900A	AMBER	BLACK

# Spectagoggle™ Mini



CERTIFIED Z94.3-20

MEETS AND/OR EXCEEDS  
ANSI Z87.1 REQUIREMENTS



EP950A



Interchangeable temple

## LIGHT & MEDIUM DUTY PERFORMANCE

### FEATURES & BENEFITS

- ▶ Removable foam padding forms a seal to keep out dust and airborne particles
- ▶ Interchangeable temple/strap included with each pair
- ▶ 4A coating: anti-scratch, anti-UV, anti-static and anti-fog

PART NO	LENS COLOR	FRAME COLOR
EP950C	CLEAR	CLEAR
EP950S	SMOKE	SMOKE
EP950A	AMBER	AMBER
EP950I0*	I/O MIRROR	SMOKE

\* Indoor/Outdoor Mirror lenses are not anti-fog



# Safety Goggles

ADDED PROTECTION FROM MULTIPLE HAZARDS LIKE LIQUID SPLASH, IMPACT, DUST AND AIRBORNE PARTICLES.



Scan it





# Phantom OTG™



ANTI-FOG

ANTI-SCRATCH

ANTI-UV

ANTI-STATIC



CERTIFIED Z94.3-20

MEETS AND/OR EXCEEDS  
ANSI Z87.1 REQUIREMENTS



EPMK01C



EPMK01O



EPMK01SHIELD

## MAXIMUM COMFORT AND PROTECTION

### FEATURES & BENEFITS

- ▶ Wide one-piece OTG polycarbonate lens can be used over prescription eyewear
- ▶ Hidden indirect ventilation holes for protection against chemical splashes
- ▶ Soft TPR shroud in a nylon outer frame for maximum comfort
- ▶ Fabric strap made of FR material
- ▶ 4A coating: anti-scratch, anti-UV, anti-static and anti-fog
- ▶ Available shield attachment for added splash protection against dust and debris

PART NO	LENS COLOR	FRAME COLOR
EPMK01C	CLEAR	BLACK
EPMK01S	SMOKE	BLACK
EPMK01O*	I/O MIRROR	BLACK

### COMBO AND REPLACEMENT SHIELD

PART NO	DESCRIPTION
EPMK01SHIELD	PHANTOM OTG CLEAR GOGGLE WITH CLEAR SHIELD AND FR FABRIC HEADBAND
EPMK01RS	REPLACEMENT SHIELD, CLEAR FOR EPMK01SHIELD COMBO

\* Indoor/Outdoor Mirror lenses are not anti-fog



EPMK01SHIELD  
shown with EPMK01C



# Chem Pro™ & Ultra Tek™



ANTI-FOG

ANTI-SCRATCH

ANTI-UV

ANTI-STATIC

CERTIFIED Z94.3-20

MEETS AND/OR EXCEEDS  
ANSI Z87.1 REQUIREMENTS



EP30



EP40

## CHEMICAL SPLASH & SOLVENT PROTECTION

### FEATURES & BENEFITS

#### Chem Pro™

- ▶ Soft, lightweight PVC frame design
- ▶ Four cap vents provide indirect ventilation for protection against chemical splashes
- ▶ Neoprene strap for better resistance to solvents and chemicals
- ▶ 4A coating: anti-scratch, anti-UV, anti-static and anti-fog

#### Ultra Tek™

- ▶ Same as Chem Pro™ series, plus:
- ▶ Maximum panoramic and peripheral field of vision
- ▶ Large OTG frame designed to fit over prescription eyewear

PART NO	LENS COLOR	FRAME COLOR
EP30	CLEAR	GREEN
EP40	CLEAR	GREEN

# Chem Splash™



ANTI-SCRATCH

ANTI-UV

ANTI-STATIC

CERTIFIED Z94.3-20

MEETS AND/OR EXCEEDS  
ANSI Z87.1 REQUIREMENTS



EP20

## CHEMICAL SPLASH PROTECTION

### FEATURES & BENEFITS

- ▶ Large and comfortable soft frame design
- ▶ Indirect ventilation for protection against chemical splashes
- ▶ Wide one-piece clear lens
- ▶ 3A coating: anti-scratch, anti-UV and anti-static

PART NO	LENS COLOR	FRAME COLOR
EP20	CLEAR	GREEN



Scan it

# Accessories

## COUNTER DISPLAY



EPRACK2

Eyewear display carefully designed and manufactured to address the needs of our distributors and clients. Featuring a multi-frame capacity with integrated mirror.

### FEATURES & BENEFITS

- ▶ Holds 24 pairs of safety glasses
- ▶ Revolves for easy selection
- ▶ Mirror on top for viewing
- ▶ Lightweight

PART NO	DESCRIPTION
EPRACK2	24 PAIR REVOLVING EYEWEAR DISPLAY

## STORAGE




EP11



EP12

PART NO	DESCRIPTION
EP11	VINYL CASE WITH SPRING POCKET CLIP AND FASTENING SNAP
EP12	LARGE NYLON CASE WITH DOUBLE BELT LOOP AND ZIPPER

## SPECTACLES CORD



EP14

PART NO	DESCRIPTION
EP14	SPECTACLES CORD HOLDER

## EYEWEAR CLIP



PART NO	DESCRIPTION
EPCLIP	EYEWEAR CLIP FOR DYNAMIC® HARD HATS





Scan it

# Lens Cleaning Products

## COMPLETE LENS CLEANING STATIONS



EP16



EP17



EP18

ANTI-FOG | ANTI-STATIC | SILICONE FREE | FAST DRYING

PART NO	DESCRIPTION
EP16	METAL LENS CLEANING STATION - COMPLETE WITH 2 BOTTLES OF 16 OZ (500 ML) EP2216 OF ANTI-FOG CLEANING LIQUID AND 2 BOXES OF CLEANING TISSUES EP21
EP17	DISPOSABLE LENS CLEANING STATION - COMPLETE WITH 1 BOTTLE OF 16 OZ (500 ML) EP2216 OF ANTI-FOG LIQUID CLEANING LIQUID AND 4 BOXES OF CLEANING TISSUES EP21
EP18	DISPOSABLE LENS CLEANING STATION - COMPLETE WITH 1 BOTTLE OF 8 OZ (250 ML) EP228 OF ANTI-FOG CLEANING LIQUID AND 2 BOXES OF CLEANING TISSUES EP21

## LENS CLEANING SOLUTIONS, TOWELETTES & TISSUES



EP19



EP21



EP22/8



EP22/16



EP22/160

ANTI-FOG | ANTI-STATIC | SILICONE FREE | FAST DRYING

PART NO	DESCRIPTION
EP19	CLEANING TOWELETTES - 100 PER DISPOSABLE BOX
EP21	LENS CLEANING TISSUES - 300 PER BOX
EP22/8	FOG-A-WAY LENS CLEANING SOLUTION 8 OZ (250 ML) BOTTLE
EP22/16	FOG-A-WAY LENS CLEANING SOLUTION 16 OZ (500 ML) BOTTLE
EP22/160	FOG-A-WAY LENS CLEANING SOLUTION 1 GALLON (4 L) BOTTLE



Scan it

# Headgears, Brackets & Face Shields

PROTECT THE FACE FROM DEBRIS

## High Performance Headgears



EPHG300



EPHG300R



EPHG400R



EPHG700R

### TO USE WITHOUT PROTECTIVE CAPS

#### FEATURES & BENEFITS

- ▶ Accepts a wide range of faceshield styles
- ▶ Large sparkguard provides excellent protection
- ▶ Cross strap adjusts to allow an exceptional fit
- ▶ Full floating mount sparkguard provides comfortable wear even with heavy faceshield and continuous use
- ▶ Comes with pinlock or ratchet adjustment for quick, easy and perfect fit
- ▶ Noryl is a very tough material which is resistant to sparks and heat
- ▶ The EPHG300 and EPHG300R are not compatible with the EP919 faceshield series

PART NO	ADJUSTMENT	MATERIAL	USE	FACE SHIELD CROWN
EPHG300	PINLOCK	HDPE	REGULAR	3"
EPHG300R	RATCHET	HDPE	REGULAR	3"
EPHG400R	RATCHET	NORYL	SPARKS / HIGH HEAT	4"
EPHG700R	RATCHET	NORYL	SPARKS / HIGH HEAT	7"

## Full Face Protection Kit

Dynamic® High Performance Headgear  
(EPHG300R)

Dynamic® Clear PETG Visor  
(EP81540)



PART NO	HEADGEAR ADJUSTMENT	FACE SHIELD CROWN	HEADGEAR TYPE	VISOR TYPE	USE
EPHG300RKIT	RATCHET	3"	EPHG300R	EP81540	REGULAR



## High Performance Cap Mounted Headgears



**EPHG401R**



**EPHGC500** shown  
with **EPHG401R** headgear  
and **EP919PFT40** visor



**EPHG701R**



**EPHGC500**

### TO USE WITH PROTECTIVE CAPS

#### FEATURES & BENEFITS

- ▶ Accepts a wide range of faceshield styles
- ▶ Large sparkguard provides excellent protection
- ▶ Includes 1 EPHC01 Cap Lock kit complete with blades for slotted cap
- ▶ Full floating mount sparkguard provides comfortable wear even with heavy faceshield and continuous use
- ▶ Noryl is a very tough material which is resistant to sparks and heat

PART NO	MATERIAL	USE	FACE SHIELD CROWN
<b>EPHG301</b>	NORYL	SPARKS / HIGH HEAT	3"
<b>EPHG401R</b>	NORYL	SPARKS / HIGH HEAT	4"
<b>EPHG701R</b>	NORYL	SPARKS / HIGH HEAT	7"

#### CHIN PROTECTOR - TO USE WITH ALL TYPES OF HEADGEARS

PART NO	MATERIAL	USE	FACE SHIELD CROWN
<b>EPHGC500</b>	NORYL	SPARKS / HIGH HEAT	-

### HEADGEAR WITH MINER'S LAMP BRACKET

PART NO	MATERIAL	USE	OPTION	FACE SHIELD CROWN
<b>EPHG401RMLB</b>	NORYL	SPARKS / HIGH HEAT	MINER LAMP BRACKET	4"





## High Performance Faceshield Brackets



EPB101



EPB101EB



EPB101EBD



EPB101VD



EPB102



EPB103



EPB201



EPB201VD



EPB301



EPB940

### TO USE WITH PROTECTIVE CAPS

#### FEATURES & BENEFITS

- ▶ Accept a wide range of faceshield styles
- ▶ Attachment system designed to accommodate many competitors' faceshields
- ▶ Swivel system to raise or lower faceshield

PART NO	DESCRIPTION
EPB101	PLASTIC BRACKET, DIELECTRIC WITH BLADES FOR SLOTTED HARD HATS
EPB101EB	UNIVERSAL BRACKET, FITS MOST HARD HATS AND VISORS
EPB101EBD	UNIVERSAL BRACKET WITH INTEGRATED GASKET FOR APPLICATIONS THAT GENERATE AIRBORNE, DUST AND DEBRIS
EPB101VD	PLASTIC BRACKET, DIELECTRIC WITH BLADES FOR SLOTTED HARD HATS, WITH DEBRIS CONTROL RUBBER COVER
EPB102	HIGH PERFORMANCE DIELECTRIC FACESHIELD BRACKET IN PLASTIC, TO BE USED WITH FULL BRIM HARD HATS
EPB103	HIGH PERFORMANCE FACESHIELD BRACKET, TO BE USED WITH DYNAMIC® ROCKY™ SAFETY HELMETS

### HEAT RESISTANT BRACKETS

PART NO	DESCRIPTION
EPB201	ALUMINUM BRACKET, HEAT RESISTANT, WITH CAM-LOCK SYSTEM
EPB201VD	ALUMINUM BRACKET, HEAT RESISTANT, WITH CAM-LOCK SYSTEM WITH DEBRIS CONTROL RUBBER COVER
EPB301	HIGH PERFORMANCE HEAT RESISTANT ALUMINUM FACESHIELD BRACKET, WITH CAM-LOCK SYSTEM, FITS MOST WIDE BRIM HARD HATS

### BUMP CAP BRACKET

PART NO	DESCRIPTION
EPB940	FACESHIELD BRACKET COMPATIBLE WITH DYNAMIC® BUMP CAPS HP940



## Cap Lock Adapter Kit



EPHC01



EPHC02

### TO USE WITH HEADGEAR, BRACKETS & WELDING HELMETS

#### FEATURES & BENEFITS

- ▶ To attach welding helmets, headgears or brackets to a hard hat
- ▶ Fits easily on to most hard hats with slots
- ▶ Quick and easy snap on and off feature
- ▶ Will accommodate narrow welding helmet if used with the extension

PART NO	DESCRIPTION
EPHC01	CAP LOCK ADAPTOR KIT WITH EXTENSION PIECES
EPHC02	CAP LOCK BLADES ONLY

## High Performance Faceshield Visors



EP815PF



EP816PFG



EP919PF

### FORMED WINDOWS


#### FEATURES & BENEFITS

- ▶ Multi-fit attachment pattern (or universal fit) that consists of 5 slots strategically located to fit a wide variety of headgear and brackets
- ▶ PETG material is suitable for general grinding and liquid splash applications
- ▶ Polycarbonate material is suitable for high heat, impact resistance, and general grinding
- ▶ Available in green tint to help lessen eyestrain

PART NO	SIZE	MATERIAL	COLOR	THICKNESS
EP815PF/40	8" x 15.5"	POLYCARBONATE	CLEAR	0.040 in /1.0 mm
EP815PFG/40	8" x 15.5"	POLYCARBONATE	GREEN	0.040 in /1.0 mm
EP815PF/60	8" x 15.5"	POLYCARBONATE	CLEAR	0.060 in /1.5 mm
EP815F/60	8" x 15.5"	PETG	CLEAR	0.060 in /1.5 mm
EP816PF/40	8" x 16.5"	POLYCARBONATE	CLEAR	0.040 in /1.0 mm
EP816PFG/40	8" x 16.5"	POLYCARBONATE	GREEN	0.040 in /1.0 mm
EP816PF/60	8" x 16.5"	POLYCARBONATE	CLEAR	0.060 in /1.5 mm
EP919PF/40	9.5" x 20"	POLYCARBONATE	CLEAR	0.040 in /1.0 mm
EP919PFG/40	9.5" x 20"	POLYCARBONATE	GREEN	0.040 in /1.0 mm
EP919PF/60	9.5" x 20"	POLYCARBONATE	CLEAR	0.060 in /1.5 mm
EP919F/60	9.5" x 20"	PETG	CLEAR	0.060 in /1.5 mm
EP919PFG/60	9.5" x 20"	POLYCARBONATE	GREEN	0.060 in /1.5 mm



## High Performance Faceshield Visors



EP815PFGT

### FORMED WINDOWS (SPECIALTY)

#### FEATURES & BENEFITS

- ▶ Multi-fit attachment pattern (or universal fit) that consists of 5 slots strategically located to fit a wide variety of headgear and brackets
- ▶ Polycarbonate material is suitable for high heat, impact resistance, and general grinding
- ▶ Available in green tint to help lessen eyestrain
- ▶ Include chin guard attachment points for EPHGC500

PART NO	SIZE	MATERIAL	COLOR	THICKNESS
EP815PFT/40	8" x 15.5"	POLYCARBONATE	CLEAR	0.040 in /1.0 mm
EP815PFGT/60	8" x 15.5"	POLYCARBONATE	GREEN	0.060 in /1.5 mm

## High Performance Faceshield Visors



EP815PM



EP919MG5



EP919MG



EP919M

### MOLDED WINDOWS

#### FEATURES & BENEFITS


- ▶ Multi-fit attachment pattern (or universal fit) that consists of 5 slots strategically located to fit a wide variety of headgear and brackets
- ▶ PETG material is suitable for general grinding and liquid splash applications
- ▶ Polycarbonate material is suitable for high heat, impact resistance, and general grinding
- ▶ Available in green tint to help lessen eyestrain

PART NO	SIZE	MATERIAL	COLOR	THICKNESS
EP815PM/60	8" x 15"	POLYCARBONATE	CLEAR	0.060 in /1.5 mm
EP815PMG/60	8" x 15"	POLYCARBONATE	GREEN	0.060 in /1.5 mm
EP815PMG3/60	8" x 15"	POLYCARBONATE	GREEN SHADE 3	0.060 in /1.5 mm
EP815PMG5/60	8" x 15"	POLYCARBONATE	GREEN SHADE 5	0.060 in /1.5 mm
EP919M/60	9.5" x 20"	PETG	CLEAR	0.060 in /1.5 mm
EP919MG/60	9.5" x 20"	PETG	GREEN	0.060 in /1.5 mm
EP919MG3/60	9.5" x 20"	PETG	GREEN SHADE 3	0.060 in /1.5 mm
EP919MG5/60	9.5" x 20"	PETG	GREEN SHADE 5	0.060 in /1.5 mm







# High Performance Faceshield Visors



**EP615**



**EP815**



**EP1015PG**



**EP816**



**EP919PG**

## FLAT DIE-CUT WINDOWS

### FEATURES & BENEFITS

- ▶ Multi-fit attachment pattern (or universal fit) that consists of 5 slots strategically located to fit a wide variety of headgear and brackets
- ▶ PETG material is suitable for general grinding and liquid splash applications
- ▶ Polycarbonate material is suitable for high heat, impact resistance, and general grinding
- ▶ Available in green tint to help lessen eyestrain

PART NO	SIZE	MATERIAL	COLOR	THICKNESS
<b>EP615/40</b>	6" x 15.5"	PETG	CLEAR	0.040 in /1.0 mm
<b>EP815/40</b>	8" x 15.5"	PETG	CLEAR	0.040 in /1.0 mm
<b>EP815/60</b>	8" x 15.5"	PETG	CLEAR	0.060 in /1.5 mm
<b>EP815P/40</b>	8" x 15.5"	POLYCARBONATE	CLEAR	0.040 in /1.0 mm
<b>EP815PG/40</b>	8" x 15.5"	POLYCARBONATE	GREEN	0.040 in /1.0 mm
<b>EP815P/60</b>	8" x 15.5"	POLYCARBONATE	CLEAR	0.060 in /1.5 mm
<b>EP1015/40</b>	10" x 15.5"	PETG	CLEAR	0.040 in /1.0 mm
<b>EP1015/60</b>	10" x 15.5"	PETG	CLEAR	0.060 in /1.5 mm
<b>EP1015P/40</b>	10" x 15.5"	POLYCARBONATE	CLEAR	0.040 in /1.0 mm
<b>EP1015PG/40</b>	10" x 15.5"	POLYCARBONATE	GREEN	0.040 in /1.0 mm
<b>EP1015P/60</b>	10" x 15.5"	POLYCARBONATE	CLEAR	0.060 in /1.5 mm
<b>EP816/40</b>	8" x 16.5"	PETG	CLEAR	0.040 in /1.0 mm
<b>EP816/60</b>	8" x 16.5"	PETG	CLEAR	0.060 in /1.5 mm
<b>EP816P/40</b>	8" x 16.5"	POLYCARBONATE	CLEAR	0.040 in /1.0 mm
<b>EP816P/60</b>	8" x 16.5"	POLYCARBONATE	CLEAR	0.060 in /1.5 mm
<b>EP919/40</b>	9.5" x 20"	PETG	CLEAR	0.040 in /1.0 mm
<b>EP919/60</b>	9.5" x 20"	PETG	CLEAR	0.060 in /1.5 mm
<b>EP919P/40</b>	9.5" x 20"	POLYCARBONATE	CLEAR	0.040 in /1.0 mm
<b>EP919PG/40</b>	9.5" x 20"	POLYCARBONATE	GREEN	0.040 in /1.0 mm
<b>EP919P/60</b>	9.5" x 20"	POLYCARBONATE	CLEAR	0.060 in /1.5 mm



## Arc Flash Visors



EP919MGAF/60



EPAFK01


Electric arcs are produced by the electrical breakdown of a gas, producing a prolonged discharge, and can cause serious wounds. These arc flash windows provide protection against the glares of light from an arc flash.

### FEATURES & BENEFITS

- ▶ 12 Cal/Cm<sup>2</sup>
- ▶ Molded full coverage faceshield that offers a clear panoramic vision without any distortion
- ▶ Special formulation, providing a perfect definition of colors
- ▶ Made of PETG that is highly resistant to impacts and chemical splashes
- ▶ Meets CSA Z94.3-15 standards and ANSI Z87.1 requirements
- ▶ Meets ASTM F-2178-6 and NFPA 70E Standards

PART NO	SIZE	MATERIAL	COLOR	THICKNESS
EP919MGAF/60	9.5" x 20"	PETG	GREEN	0.060 in / 1.5 mm 12 CAL
PART NO	DESCRIPTION			
EPAFK01	ARC FLASH KIT INCLUDING: 1 HEADGEAR EPHG700R AND 1 VISOR EP919MGAF/60 12 CAL			

## Wire Mesh Visor



EPWM815

Faceshield for landscaping, forestry workers, pruners etc. Can be worn with any brackets or in combination with our hearing protectors.

PART NO	DESCRIPTION
EPWM815	WIRE MESH VISOR OF 8" x 15.5"




# Welding Helmets

TAILORED FOR DIFFERENT TYPES OF WELDERS



Scan it



## Dyna-Star™ Full Graphic Auto Darkening



EP209G10AD/C

### TO USE WITHOUT PROTECTIVE CAPS

#### FEATURES & BENEFITS

- ▶ Thermoplastic welding helmet
- ▶ Wide vision impulse auto darkening filter plus cover plate
- ▶ Sure-Lock ratchet headgear suspension

PART NO	FRONT	LENS SHADE	LENS SIZE
EP209G913AD	FIXED	VARIABLE SHADE 9 TO 13	5.25" x 4.5"

### TO USE WITH PROTECTIVE CAPS

#### FEATURES & BENEFITS

- ▶ Replaces ratchet headgear with EPHC01 Cap Lock kit

PART NO	FRONT	LENS SHADE	LENS SIZE
EP4209G913AD	FIXED	VARIABLE SHADE 9 TO 13	5.25" x 4.5"





## Classic Auto Darkening



EP209B10AD



EP4209S10AD

### TO USE WITHOUT PROTECTIVE CAPS

#### FEATURES & BENEFITS

- ▶ Thermoplastic welding helmet
- ▶ Wide vision impulse auto darkening filter plus cover plate
- ▶ Sure-Lock ratchet headgear suspension

PART NO	FRONT	LENS SHADE	LENS SIZE	HELMET COLOR
EP209B913AD	FIXED	VARIABLE SHADE 9 TO 13	5.25" x 4.5"	BLACK

### TO USE WITH PROTECTIVE CAPS

#### FEATURES & BENEFITS

- ▶ Replaces ratchet headgear with EPHC01 Cap Lock kit

PART NO	FRONT	LENS SHADE	LENS SIZE	HELMET COLOR
EP4209B913AD	FIXED	VARIABLE SHADE 9 TO 13	5.25" x 4.5"	BLACK
EP4209S913AD	FIXED	VARIABLE SHADE 9 TO 13	5.25" x 4.5"	SILVER

## SuperTuff™ Passive Type



EP101



EP4106

### TO USE WITHOUT PROTECTIVE CAPS

#### FEATURES & BENEFITS

- ▶ Thermoplastic welding helmet
- ▶ Sure-Lock ratchet headgear suspension
- ▶ Available in black

PART NO	FRONT	LENS SHADE	LENS SIZE
EP101	FIXED	POLYCARBONATE SHADE 10	2" x 4.25"
EP106	LIFT	POLYCARBONATE SHADE 10	2" x 4.25"

### TO USE WITH PROTECTIVE CAPS

#### FEATURES & BENEFITS

- ▶ Replaces ratchet headgear with EPHC01 Cap Lock kit

PART NO	FRONT	LENS SHADE	LENS SIZE
EP4101	FIXED	POLYCARBONATE SHADE 10	2" x 4.25"
EP4106	LIFT	POLYCARBONATE SHADE 10	2" x 4.25"



## Dyna-Weld™ Class 2 Passive Type



EP509


### TO USE WITHOUT PROTECTIVE CAPS

#### FEATURES & BENEFITS

- ▶ The only class 2 welding helmet on the market
- ▶ Made of black thermoplastic
- ▶ Sure-Lock ratchet headgear suspension

PART NO	FRONT	LENS SHADE	LENS SIZE
EP506	LIFT	POLYCARBONATE SHADE 10	2" x 4.25"
EP509	FIXED	POLYCARBONATE SHADE 10	4.5" x 5.25"

## Welding Filter Lens & Cover Plates



EP45P50



EP24P100



EP45CP50



EP24CP100



EP190

### REPLACEMENT POLYCARBONATE FILTER PLATES

PART NO	SIZE	SHADE
EP24P100	2" x 4.25"	10
EP45P50	4.5" x 5.25"	9, 11 OR 12

### SAFETY COVER PLATES

PART NO	SIZE	MATERIAL
EP24CP100	2" x 4.25"	POLYCARBONATE
EP45CP50	4.5" x 5.25"	POLYCARBONATE

### AUTO DARKENING FILTER (ADF) CASSETTE

PART NO	SIZE	SHADE
EP190	4.5" x 5.25"	VARIABLE, SHADE 9 TO 13



## Headgear & Faceshield Compatibility Chart

<p><b>HEADGEAR</b></p> <p><b>EPHG300, EPHG300R, EPHG400R, EPHG700R, EPHG401R &amp; EPHG701R</b></p>	<p>EP81540, EP81560, EP815F60, EP815P40, EP815P60, EP815PF40, EP815PF60, EP815PFG40, EP815PFT40, EP815PG40, EP815T40, EP815PM60, EP815PMG60, EP815PMG360, EP815PMG560, EP81640, EP81660, EP816F40, EP816P40, EP816P60, EP816PF40, EP816PF60, EP816PFG40, EP101540, EP101560, EP1015P40, EP1015P60, EP1015PG40, EP91940, EP91960, EP919F40, EP919F60, EP919M60, EP919MG60, EP919MG360, EP919MG560, EP919MGAF60, EP919P40, EP919P60, EP919PF40, EP919PF60, EP919PFG40 &amp; EP919PG40</p>
---	---

## Bracket & Faceshield Compatibility Chart

<p><b>PLASTIC BRACKET</b></p> <p><b>EPB101, EPB101EB, EPB101EBD, EPB101VD, EPB102 &amp; EPB103</b></p>	<p>EP81540, EP81560, EP815F60, EP815P40, EP815P60, EP815PF40, EP815PF60, EP815PFG40, EP815PFT40, EP815PG40, EP815T40, EP815PM60, EP815PMG60, EP815PMG360, EP815PMG560, EP81640, EP81660, EP816F40, EP816P40, EP816P60, EP816PF40, EP816PF60, EP816PFG40, EP101540, EP101560, EP1015P40, EP1015P60, EP1015PG40, EP91940, EP91960, EP919F40, EP919F60, EP919M60, EP919MG60, EP919MG360, EP919MG560, EP919MGAF60, EP919P40, EP919P60, EP919PF40, EP919PF60, EP919PFG40 &amp; EP919PG40</p>
<p><b>ALUMINUM BRACKET</b></p> <p><b>EPB201, EPB201VD &amp; EPB301</b></p>	<p>EP81540, EP81560, EP815F60, EP815P40, EP815P60, EP815PF40, EP815PF60, EP815PFG40, EP815PFT40, EP815PG40, EP815T40, EP81640, EP81660, EP816F40, EP816P40, EP816P60, EP816PF40, EP816PF60, EP816PFG40, EP101540, EP101560, EP1015P40, EP1015P60, EP1015PG40, EP91940, EP91960, EP919F40, EP919F60, EP919P40, EP919P60, EP919PF40, EP919PF60, EP919PFG40 &amp; EP919PG40</p>
<p><b>BRACKET WITH EARMUFF</b></p> <p><b>EPB101, EPB102 &amp; EPB103</b></p>	<p>EP81540, EP81560, EP815F60, EP815P40, EP815P60, EP815PF40, EP815PF60, EP815PFG40, EP815PFT40, EP815PG40, EP815T40, EP815PM60, EP815PMG60, EP815PMG360, EP815PMG560, EP81640, EP81660, EP816F40, EP816P40, EP816P60, EP816PF40, EP816PF60, EP816PFG40, EP101540, EP101560, EP1015P40, EP1015P60 &amp; EP1015PG40</p>



# Body PROTECTION

Environmental and workplace hazards determine the type and level of body protection needed to mitigate on-the-job risks. PIP® protective clothing is designed to help prevent injury caused by:



VISIBILITY



INCLEMENT  
WEATHER



CHEMICAL &  
LIQUID SPLASH



FLAME AND  
EXCESSIVE HEAT



ARC  
FLASH



VIRAL AND  
BLOODBORNE  
PATHOGENS



DUST AND  
PARTICULATES



DIRT AND GENERAL  
DEBRIS

126

**HI-VIS APPAREL** reduces the risk associated with poor visibility and is categorized under CSA Z96:22, which specifies minimum amounts of retro-reflective materials, together with color and requirements for placement of materials, for HVSA used to enhance the visibility and safety of workers.

132

**COLD STRESS** hazards are not only caused by weather but also by refrigeration of cold storage facilities. In these environments, workers must wear proper protective equipment to regulate body temperature and to remain productive. Cold stress can inhibit the functions of vital organs such as the heart, leading to exhaustion, memory loss and fumbling hands, all of which increase the risk level of any job site. Through innovative design and technology, PIP® offers cold climate protection that keeps workers warm, safe and able to perform at their best.

133

**HEAT STRESS** is a hazard that millions of workers are exposed to. You can effectively manage heat stress and its associated risks with PPE technology that's designed to cool and evaporate moisture away from skin, as well as provide sun protection. Workers experiencing heat stress can present a range of responses, from cramps to dizziness and even death. Therefore, it is essential that workers stay hydrated and stay cool.

136

**FOOT PROTECTION** offers multiple levels of defense for a variety of work conditions, ranging from sprays and splashes during light-duty or recreational use, to increased coverage during inclement weather and heavy-duty impact with compression protection when the threat of injury is present.

SECTION:

# Hi-Visibility Apparel

This section features high visibility clothing that is essential to not only protect workers in high traffic and situations with complex backgrounds, but also when the easy identification of emergency personnel is needed. That is why PIP® offers hi-vis apparel that meets the CSA Z96:22 standard from CSA compliant materials. Multiple fabrics, coverage options and features ensure that PIP's full-body PPE keeps workers both comfortable and protected from common hazards.



LOW  
VISIBILITY



HARSH WEATHER  
CONDITIONS



HIGH TRAFFIC  
SITUATIONS



COMPLEX BACKGROUNDS



UV  
EXPOSURE

## CSA Z96:22 - HIGH-VISIBILITY SAFETY APPAREL

**CSA Z96:22** is a standard that specifies the minimum requirements for apparel used for high-visibility purposes in the work environment. The clothing must be able to signal the presence of the user visually. It is also intended to provide conspicuity in hazardous situations specially in low-light conditions. The performance requirements of the garment include the color of the clothing, its retro-reflectivity, the minimum area it covers on the body, and its configuration.

**CSA Z96:22** puts high-visibility safety apparel into three classes that are specified according to the body coverage that is provided.

### CLASS 1

Is a basic harness with stripes of retroreflective material (or combination of retroreflective stripes with background material) coming over the shoulders forming two parallel lines in the front and a symmetric X shape in the back and encircling the waist (360°).

### CLASS 2

Has a background material that covers the full upper torso (front, back, sides and over the shoulders). It must have retroreflective stripes coming over the shoulders forming two parallel lines in the front and a symmetric X shape in the back and encircling the waist (360°).

### CLASS 3

Is a Class 2 apparel with the addition of retroreflective stripes encircling both arms and both legs (at/or below the knees).

In addition to specifying the performance for both background material and retroreflective stripes, **CSA Z96:22** confirms that:

- > Background material must be made of bright or fluorescent colors (yellow/green, orange/red or only red).
- > Retroreflective stripes must:
  - Be 5 cm wide minimum
  - Have a contrasting color to that of the background material
  - Be placed at least 5 cm from the edge or from another stripe

**CSA Z96:22** allows the addition of optional patches and lettering for identification or personalization purposes:

- > If non-retroreflective patches or lettering are used, they must not cover more than 105 cm<sup>2</sup>.
  - A maximum of 25 cm<sup>2</sup> on the front of the garment
  - Must not cover the retroreflective stripes on the back
- > If retroreflective patches or lettering are used, they must not cover more than 500 cm<sup>2</sup>.
  - Additionally, they must not affect the recognizable pattern of the garment's retroreflective stripes





# Surveyor's Vests

CSA compliant Tear-Away  
Surveyor's Vest



Scan it



TSSVOG27

Upper and lower pockets  
keep equipment and devices  
accessible and secure

STYLE NUMBER	HI-VIS COLOR	CSA 296:22	FABRIC	CLOSURE	POCKETS	REFLECTIVE	SIZE
TSSVOG27	Hi-Vis Orange	Class 2, Level 2	Solid	Snaps	7	2" (50 mm) Two-Tone	S-5XL





# CSA Traffic Vests

Made with CSA compliant high-visibility tough wear polyester material



Scan it



POCKETS  
3

PC3020210LY



POCKETS  
4

PC3020211LY



## X-back styles meet CAN/CSA Z96

### Five-Point Breakaway X-Back Vests

STYLE NUMBER	HI-VIS COLOR	CSA Z96:22	FABRIC	CLOSURE	POCKETS	REFLECTIVE	SIZE
PC3020210LY	Hi-Vis Yellow	Class 2, Level 2	Mesh	Hook & Loop	3	2" (50 mm) Silver Sewn-On	S - 5XL
PC3020210OR	Hi-Vis Orange						
PC3020211LY	Hi-Vis Yellow	Class 2, Level 2	Mesh	Hook & Loop	4	2" (50 mm) Two-Tone Sewn-On	S - 6XL
PC3020211OR	Hi-Vis Orange						



TSV20G18



TSV2YG19



TSV20G23



TSV2YG24





## VEST WITH HOOK & LOOP AT THE BELT

### TSV20G18U

- Our popular TSV20G18 model, with hook & loop at the belt
- Possibility of enlarging the vest up to 12 inches
- Universal size



STYLE NUMBER	HI-VIS COLOR	CSA 296.22	D-RING ACCESS	FABRIC	CLOSURE	POCKETS	REFLECTIVE	SIZE
 TSV20G18 TSV2YG19	Hi-Vis Orange Hi-Vis Yellow	Class 2, Level 2	Yes	Solid	Snap	4	2" (50 mm) Two-Tone	S-5XL
TSV20G23 TSV2YG24	Hi-Vis Orange Hi-Vis Yellow	Class 2, Level 2	No	Mesh	Snap	4	2" (50 mm) Two-Tone	S-5XL
 TSV20G18U	Hi-Vis Orange	Class 2, Level 2	Yes	Solid	Snap	4	2" (50 mm) Two-Tone	One Size





Scan it



# Jackets & Coats

Versatile, durable outerwear to protect workers from cold stress and serious weather conditions



POCKETS  
8



PC3311745XBK



POCKETS  
8



PC3331747XLY



POCKETS  
8



PC3331747XOR

Coats and jackets that adapt to the work environment, activity and duration

### Coats - Fixed Insulation

STYLE NUMBER	COLOR	FEATURE	CSA Z96:22	FABRIC	CLOSURE	POCKETS	REFLECTIVE	SIZE
PC3311745XBK	Black	X-Back, Black Bottom	Class 1, Level 2	300 D. Polyester Shell	Zipper	8	2" (50 mm) Two-Tone	S - 4XL
PC3331747XLY PC3331747XOR	Hi-Vis Yellow Hi-Vis Orange	X-Back, Black Bottom	Class 2, Level 2	300 D. Polyester Shell	Zipper	8	2" (50 mm) Two-Tone	S - 4XL





Scan it

# Daytime Traffic Vests & Sash Belts



TSHG32



TSVOXT11



TSHG33

Ideal for additional levels of safety for low risk activities where CSA compliance is not required

## Sash Belts

STYLE NUMBER	COLOR	FEATURE	CSA Z96-22	FABRIC	CLOSURE	REFLECTIVE	SIZE
TSHG32	Hi-Vis Yellow	2 Vertical Front, X-Back, 360° Around Torso	-	Elasticized	Buckle	0.78" (20 mm) Silver	L
TSHG33	Hi-Vis Orange	2 Vertical Front, X-Back, 360° Around Torso	-	Elasticized	Buckle	0.78" (20 mm) Silver	L
<b>Daytime Traffic Vests</b>							
TSVOXT11	Hi-Vis Orange	5 Point Breakaway / X-Back	-	Mesh, Polyester	Hook & Loop	2" (50 mm) Prismatic	L- XL



# Heating Technology

Designed to provide long-lasting relief from cold weather conditions, the Boss® Therm™ heated product line has three easily adjustable heat settings, for effective warmth even in the harshest of conditions.



Scan it



## Revolutionary heating technology at the press of a button

- Utilizes innovative flexible heating panels built into the chest and back
- Three individual temperature settings - low, medium, and high range



Powerful 5-volt rechargeable power bank with an integrated USB plug in cord, provides up to 7 hours of heat on the low setting.



Includes a convenient remote control allowing the wearer to quickly adjust the temperature settings and continue working without removing clothing layers.



PC300HV100U

STYLE NUMBER	MATERIAL	BATTERY	ACTIVATION TIME	COLOR	SIZE
PC300HV100U	Nylon	USB Rechargeable 5V/2A Mini Power Bank	90-120 Seconds	Black	OS

## HEATED GLOVE LINER

- Enhance the warmth of any glove
- Extended cuff eliminates draft or snow from entering the glove
- Low, Medium, High temperature ranges
- Includes two USB rechargeable Li-ION Poly batteries that provide up to 2.5 hours of heat on the low setting

STYLE NUMBER	MATERIAL	BATTERY	COLOR	SIZE
PC399HG20	72% Nylon / 28% Elastane	USB Rechargeable Li-ION Poly	Black	OS



PC399HG20

SECTION:

# Heat Stress



## From Discomfort to Danger in Minutes

This section contains important PPE related to heat stress. Workers experiencing heat stress can present a range of responses, from cramps to dizziness and even death. To avoid the danger, it is essential that workers stay hydrated and stay cool.

Risk of heat stress increases as the Heat Index increases. This measure reflects both heat and relative humidity, which impact our body's ability to regulate temperature since perspiration or sweat is less able to evaporate and cool us off. Small variations in our body temperature can affect our performance and health greatly. Just a two-degree rise in body temperature may affect mental acuity, and a five-degree increase can result in serious injuries related to heat stroke.



HEAT & HUMIDITY



PHYSICAL EXERTION



DEHYDRATION



HEAT CRAMPS



HEAT EXHAUSTION



HEAT STROKE



## EVAPORATIVE COOLING TECHNOLOGY

Cooling products use **Evaporative Technology**, where water is absorbed by the product's cooling fibers, and cooling occurs as the moisture within the unit evaporates.



## SUN PROTECTION COOLING TECHNOLOGY

**Sun Protection** is provided by hats and neck shades that use lightweight fabrics to shade the head and neck and help to keep the head ventilated and cool.





# Cooling Towels

Long-lasting cooling and  
moisture wicking



Scan it



EVAPORATIVE  
COOLING TECHNOLOGY



UV PROTECTION

### EZ-COOL<sup>®</sup> MAX COOLING TOWEL HP396E900

- Microfiber Cooling Towel - Container with Clip included
- Naturally absorbs sweat and provides UV protection



### EZ-COOL<sup>®</sup> PVA COOLING TOWEL HP396602

- Advanced Poly Vinyl Alcohol (PVA) material absorbs water and sweat efficiently and remains active for hours

## Super absorbent and super cool

#### EZ-COOL<sup>®</sup> Max Cooling Towel

STYLE	COOLING TYPE	ACTIVATION TIME	OUTER FABRIC	COLOR	SIZE
HP396E900NV	Evaporative Cooling	30 seconds	Polyester Hollow Fiber Blend / Nylon	Navy	12" X 36"
HP396E900LY	Evaporative Cooling	30 seconds	Polyester Hollow Fiber Blend / Nylon	Hi-Vis Lime	12" X 36"

#### EZ-COOL<sup>®</sup> PVA Cooling Towel

STYLE	COOLING TYPE	ACTIVATION TIME	OUTER FABRIC	COLOR	SIZE
HP396602B	Evaporative Cooling	30 seconds	PVA Cooling Towel	Blue	13" x 31"
HP396602L	Evaporative Cooling	30 seconds	PVA Cooling Towel	Hi-Vis Lime	13" x 31"



# Neck Shades and Pads



Fast activating cooling fabric

**HP396405BLU**

- Polyester and cotton blend fabric with cooling crystals at crown, securely attaches into hard hats

**HP396400BLU**

- Extended cooling last several hours depending upon ambient conditions

**Neck Shades and Cooling Hard Hat Pads**

STYLE	COOLING TYPE	ACTIVATION TIME	OUTER FABRIC	INNER FABRIC	CLOSURE	COLOR	SIZE
HP396405BLU	Evaporative Cooling	20-30 Minutes	Poly / Cotton	Cooling Crystals	Hook & Loop	Blue	OS
HP396400BLU	Evaporative Cooling	20-30 Minutes	Poly / Cotton	Cooling Crystals	Hook & Loop	Blue	OS

# Block Harmful Sun Rays



**FR TREATED HI-VIS VISOR**  
HP396801FRYEL

- FR treated up to 25 washes  
- Fits most cap style and full brim hard hats



**FR TREATED HI-VIS NECK SHADE**  
HP396700FRYEL

- FR treated up to 25 washes  
- Elastic at back for secure fit  
- Fits most cap style and full brim hard hats

Lightweight shade with mesh crown keeps head ventilated and cool

**Hard Hat Visors/Neck Shades**

STYLE	COOLING TYPE	OUTER FABRIC	MATERIAL TYPE	CLOSURE	COLOR	SIZE
HP396801FRYEL	Shading	ANSI Compliant Polyester FR Treated Hi-Vis with Reflective Tape	Mesh / Solid	Elastic	Hi-Vis Yellow	OS
HP396700FRYEL	Shading	ANSI Compliant Polyester FR Treated	Mesh / Solid	Elastic	Hi-Vis Yellow	OS



Scan it

# PVC Boots

**LIGHTWEIGHT, MODERN  
DESIGN UP TO 25% LIGHTER  
THAN CLASSIC PVC BOOTS**



**FULL SAFETY  
STEEL TOE  
& MIDSOLE**

**PC383820**







**ENHANCED DURABILITY,  
PROTECTION AND COMFORT**

## 16" PVC Full Safety Steel Toe and Midsole Boot

**PC383820**

- Flexible steel puncture resistant midsole reduces risks from sharp objects and meets ASTM F2413 PR
- Energy absorbing tread adds all-day comfort
- Less toe spring allows for more surface contact for improved channeling of water for better traction, slip resistance and comfort
- Tough outsole for good abrasion resistance
- Flexible upper material stays supple in cold temperatures to make walking easier
- Midsole is designed to utilize additional material in the standard area of the shank providing increased support and comfort
- Lower profile "kick off" ledge on back of boots for ease of removal
- Meets ASTM F2413-18 M/I/C Impact and Compression
- CSA certified

### APPLICATIONS

-  CONSTRUCTION
-  REMEDIATION
-  ENVIRONMENTAL CLEAN UP
-  FORESTRY
-  CONCRETE WORK
-  MUNICIPAL



## INCREASED SUPPORT AND COMFORT

STYLE	MATERIAL	COLOR	LENGTH	TOE TYPE	STEEL SHANK	STEEL MIDSOLE	TREAD PATTERN	ASTM F2413 COMPLIANT	CSA CERTIFIED	SIZES
PC383820	PVC	Black	16"	Steel	No	Yes	Cleated	Yes	Yes	6-14



# First Aid & Safety

When working in a high-risk environment, workers need to be able to react quickly to treat workplace injuries and potential emergencies. First aid focuses on providing care immediately to injured patients until professional medical help arrives, helping to prevent injuries from worsening, and to help relieve pain.



FIRST AID KITS



WOUND CARE



EYE WASH & EMERGENCY STATIONS



MEDICAL INSTRUMENTS & EQUIPMENT



BARRICADE TAPE AND TRAFFIC FLAGS

138

**FIRST AID KITS** are classified based on the assortment and quantity of first aid supplies intended to deal with most types of injuries that may be encountered in the workplace. These may include major and minor wounds, minor burns, sprains and strains and eye injuries. As each work environment is unique, it is expected that the contents of each kit will be supplemented as needed.

162

**WOUND CARE PRODUCTS**, such as adhesive bandages, have as their main objective to help prevent infection and other complications, in addition to helping accelerate the healing process while promoting a reduction in scarring.

177

**MEDICAL INSTRUMENTS** include a wide array of tools and equipment, from materials that aid in the application of first aid to emergency room supplies and EMS products.

180

**EYE WASH & EMERGENCY STATIONS** are designed for the cleansing of the eye from small impurities or to reduce injury severity while travelling to a plumbed eye wash station and/or a medical professional for assistance. The need for emergency eye wash stations is based on the types of chemicals being used and the tasks being done in the workplace.

186

**BARRICADE TAPES AND TRAFFIC FLAGS** serve as both a visible and physical barrier, which are intended to alert workers and limit access to a jobsite or a particular area. The two most common barricade tapes used on industrial jobsites are the yellow caution tape and the red danger tape.

FIRST AID KIT  
TROUSSE DE PREMIERS SECOURS  
KIT DE PRIMEROS AUXILIOS



# CSA Z1220-17 First Aid Kits Requirements Guide

## PROVINCES REQUIRING CSA KITS

- ▶ **Alberta**, Effective March 31, 2023 [Learn More](#)
- ▶ **Manitoba**, Effective November 23, 2018 [Learn More](#)
- ▶ **New Brunswick**, Effective May 29, 2020 [Learn More](#)
- ▶ **Newfoundland & Labrador**, Effective January 1, 2022 [Learn More](#)
- ▶ **Northwest Territories**, Effective January 1, 2022 [Learn More](#)
- ▶ **Nunavut**, Effective January 1, 2022 [Learn More](#)
- ▶ **Ontario**, Accepts either current WSIB kits or CSA kits [Learn More](#)
- ▶ **Prince Edward Island**, Effective February 23, 2021 [Learn More](#)
- ▶ **Quebec**, Effective March 17, 2021 [Learn More](#)
- ▶ **Saskatchewan**, Effective April 1, 2021 [Learn More](#)
- ▶ **Nova Scotia**, Effective June 13, 2022 [Learn More](#)

\* Federal entities including Postal, Ports, Naval, Aviation and Railways remain under Federal guidelines.

WORKPLACE FIRST AID KIT CLASSIFICATION	1 EMPLOYEE OR WORK IN ISOLATION	2-25 WORKERS PER SHIFT	26-50 WORKERS PER SHIFT	51-100 WORKERS PER SHIFT
<b>Type 1</b> Personal	▶ 1 Personal	n/a	n/a	n/a
<b>Type 2</b> Basic	n/a	▶ 1 Small	▶ 2 Small; or ▶ 1 Medium	▶ 4 Small; or ▶ 2 Medium; or ▶ 2 Small and 1 Medium; or ▶ 1 Large
<b>Type 3</b> Intermediate	n/a	▶ 1 Small	▶ 2 Small; or ▶ 1 Medium	▶ 4 Small; or ▶ 2 Medium; or ▶ 2 Small and 1 Medium; or ▶ 1 Large

## DETERMINING KIT TYPE

LIKELIHOOD OF HARM OCCURRING IN THE WORKING ENVIRONMENT	SEVERITY OF HARM WORKERS ARE EXPOSED TO		
	LOW	MODERATE	HIGH
VERY UNLIKELY	Type 2	Type 2	Type 3
UNLIKELY	Type 2	Type 2	Type 3
MODERATE	Type 2	Type 3	Type 3
LIKELY	Type 2	Type 3	Type 3
VERY LIKELY	Type 2	Type 3	Type 3

## SELECTING KIT FORMAT



TYPE	METAL BOX	NYLON POUCH	PLASTIC BOX	REFILL
<b>1: PERSONAL</b>	FAKCSAT1BM	FAKCSAT1BN	FAKCSAT1BP	FAKCSAT1BR
<b>2: SMALL</b>	FAKCSAT2SBM	FAKCSAT2SBN	FAKCSAT2SBP	FAKCSAT2SBR
<b>2: MEDIUM</b>	FAKCSAT2MBM	FAKCSAT2MBN	FAKCSAT2MBP	FAKCSAT2MBR
<b>2: LARGE</b>	FAKCSAT2LBM	FAKCSAT2LBN	FAKCSAT2LBP	FAKCSAT2LBR
<b>3: SMALL</b>	FAKCSAT3SBM	FAKCSAT3SBN	FAKCSAT3SBP	FAKCSAT3SBR
<b>3: MEDIUM</b>	FAKCSAT3MBM	FAKCSAT3MBN	FAKCSAT3MBP	FAKCSAT3MBR
<b>3: LARGE</b>	FAKCSAT3LBM	FAKCSAT3LBN	FAKCSAT3LBP	FAKCSAT3LBR

\*See next page for detailed contents.

## Contents of the CSA Kits

PART NO	CONTENTS	FAKCSAT1BM	FAKCSAT2SBN	FAKCSAT2MBM	FAKCSAT2LBM	FAKCSAT3SBM	FAKCSAT3MBM	FAKCSAT3LBM
		FAKCSAT1BN	FAKCSAT2SBM	FAKCSAT2MBN	FAKCSAT2LBN	FAKCSAT3SBN	FAKCSAT3MBN	FAKCSAT3LBN
		FAKCSAT1BP	FAKCSAT2SBP	FAKCSAT2MBP	FAKCSAT2LBP	FAKCSAT3SBP	FAKCSAT3MBP	FAKCSAT3LBP
FAFS1X3	ADHESIVE PLASTIC STRIPS 1" X 3"	12	18	43	82	18	43	82
FAFS007	ADHESIVE FINGER TIPS DRESSING, LARGE	1	2	2	6	2	2	6
FAFS005	ADHESIVE KNUCKLE TIPS DRESSING	1	2	2	6	2	2	6
FAFS2X3	ADHESIVE FABRIC SQUARES 2" X 3"	2	3	3	6	3	3	6
FAGP3X3	GAUZE PAD 3" X 3" STERILE	6	12	24	48	12	24	48
FAGP4X4	GAUZE PAD 4" X 4" STERILE	—	—	—	—	6	12	24
FATF2X3	TELFA PAD 2" X 3"	—	—	—	—	4	8	16
FAAP5X9	ABDOMINAL PAD 5" X 9" STERILE	—	1	2	2	1	2	4
FACFB02	CONFORM BANDAGE 2" X 5 YARDS	1	1	2	4	1	2	4
FACFB03	CONFORM BANDAGE 3" X 5 YARDS	—	1	2	4	1	2	4
FACB004	COMPRESS BANDAGE 4" STERILE	2	2	4	8	1	2	4
FACB006	COMPRESS BANDAGE 6" STERILE	—	—	—	—	1	2	4
FATB001	TRIANGULAR BANDAGE	1	2	4	8	2	4	8
FAAT125	ADHESIVE TAPE 1" X 2.5 YARDS	—	—	—	—	—	—	—
FAAT015	ADHESIVE TAPE 1" X 5 YARDS	1	1	1	—	1	1	—
FAAT0110	ADHESIVE TAPE 1" X 10 YARDS	—	—	—	1	—	—	1
FATNB03	TENSOR 3" X 5 YARDS	—	—	—	—	1	2	2
FAEP01	EYE PAD STERILE	—	—	—	—	2	2	4
FAES	EYE SHIELD	—	—	—	—	2	2	4
FACP4X6	INSTANT COLD PACK	—	—	—	—	1	2	4
FAZINC09	ANTIBIOTIC CREAM	2	6	12	24	6	12	24
FABZ002	BENZALKONIUM ANTISEPTIC WIPES	6	25	50	100	25	50	100
FAHCMT	HAND CLEANING WIPES	4	6	12	24	6	12	24
FARB	RESCUE BREATHER	—	1	1	1	1	1	1
FADVG01	DISPOSABLE GLOVES (1 PAIR)	2	4	8	16	4	8	16
FATW045	TWEEZERS 4-½"	1	1	1	1	1	1	1
FA211008	BIOHAZARD BAGS	1	1	2	2	2	4	8
FASC55G	SCISSORS	—	1	1	1	1	1	1
FAAB001	MYLAR BLANKET	—	1	1	1	1	2	2
FASAM24	ALUMINUM/FOAM SPLINT 4" X 24"	—	—	—	—	1	1	2
FA006314V	GLUCOSE	—	—	—	—	1	2	2
FAWGT01	ARTERIAL TOURNIQUET	—	—	—	—	1	1	1





PROVINCIAL | FEDERAL | SPECIALTY

# First Aid Kits



Scan it



# Ontario WSIB Regulations First Aid Kits\*



PART NO	DESCRIPTION
<b>UNITIZED FIRST AID KITS</b>	
<b>FAKONTAUP</b>	UNITIZED FIRST AID KIT #A WSIB IN PLASTIC BOX - FAKT010
<b>FAKONTAUM</b>	UNITIZED FIRST AID KIT #A WSIB IN METAL BOX - FAKT10M
<b>FAKONTIUP</b>	UNITIZED FIRST AID KIT #1 WSIB IN PLASTIC BOX - FAKT036
<b>FAKONTIUM</b>	UNITIZED FIRST AID KIT #1 WSIB IN METAL BOX - FAKT36M
<b>FAKONT2UM</b>	UNITIZED FIRST AID KIT #2 WSIB IN METAL BOX - FAKTXF7
<b>FAKONTTFBUP</b>	UNITIZED FIRST AID KIT #TFB - FOR TRANSPORT, FARM BUSH IN PLASTIC BOX - FAKT016
<b>FAKONTTFBUM</b>	UNITIZED FIRST AID KIT #TFB - FOR TRANSPORT, FARM BUSH IN METAL BOX - FAKT16M
<b>UNITIZED FIRST AID KIT REFILLS</b>	
<b>FAKONTAUR</b>	REFILL FOR WSIB UNITIZED FIRST AID KIT #A
<b>FAKONTIUR</b>	REFILL FOR WSIB UNITIZED FIRST AID KIT #1
<b>FAKONT2UR</b>	REFILL FOR WSIB UNITIZED FIRST AID KIT #2
<b>FAKONTTFBRU</b>	REFILL FOR WSIB TFB UNITIZED FIRST AID KIT
<b>BULK FIRST AID KITS</b>	
<b>FAKONTABP</b>	BULK FIRST AID KIT #A WSIB IN PLASTIC BOX - FAKT010
<b>FAKONTABM</b>	BULK FIRST AID KIT #A WSIB IN METAL BOX - FAKT10M
<b>FAKONTABN</b>	BULK FIRST AID KIT #A WSIB IN NYLON POUCH - FANP5X4
<b>FAKONT1BP</b>	BULK FIRST AID KIT #1 WSIB IN PLASTIC BOX - FAKT036
<b>FAKONT1BM</b>	BULK FIRST AID KIT #1 WSIB IN METAL BOX - FAKT36M
<b>FAKONT1BN</b>	BULK FIRST AID KIT #1 WSIB IN NYLON POUCH - FANP5X10
<b>FAKONT2BP</b>	BULK FIRST AID KIT #2 WSIB IN PLASTIC BOX - FAKT040
<b>FAKONT2BM</b>	BULK FIRST AID KIT #2 WSIB IN METAL BOX - FAK14MB
<b>FAKONT2BN</b>	BULK FIRST AID KIT #2 WSIB IN NYLON POUCH - FANP13X9
<b>FAKONTTFBPP</b>	BULK FIRST AID KIT #TFB - FOR TRANSPORT, FARM BUSH IN PLASTIC BOX - FAKT010
<b>FAKONTTFBMM</b>	BULK FIRST AID KIT #TFB - FOR TRANSPORT, FARM BUSH IN METAL BOX - FAKT10M
<b>FAKONTTFBNN</b>	BULK FIRST AID KIT #TFB - FOR TRANSPORT, FARM BUSH IN NYLON POUCH - FANP9X4
<b>BULK FIRST AID KIT REFILLS</b>	
<b>FAKONTAR</b>	REFILL FOR WSIB BULK FIRST AID KIT #A
<b>FAKONT1R</b>	REFILL FOR WSIB BULK FIRST AID KIT #1
<b>FAKONT2R</b>	REFILL FOR WSIB BULK FIRST AID KIT #2
<b>FAKONTTFBR</b>	REFILL FOR WSIB TFB BULK FIRST AID KIT

\*Ontario also accepts CSA Z1220

PART NO	CONTENTS	KIT A (1-5 EMP.)	KIT #1 (6-15 EMP.)	KIT #2 (16-200 EMP.)	SPECIAL KIT (TFB)	PART NO	CONTENTS	KIT A (1-5 EMP.)	KIT #1 (6-15 EMP.)	KIT #2 (16-200 EMP.)	SPECIAL KIT (TFB)
<b>FAFM002</b>	FIRST AID MANUAL	1	1	1	1	<b>FATB001</b>	TRIANGULAR BANDAGE	1	6	12	4
<b>FAPS343</b>	PLASTIC ADHESIVE STRIPS 3/4" X 3" STERILE	12	24	48	16	<b>FASP002</b>	SPLINT PADDING	—	2	2	—
<b>FACB004</b>	COMPRESS BANDAGE 4" STERILE	2	4	6	2	<b>FAMW001</b>	WIRE SPLINT 3-3/4" X 12"	—	1	—	—
<b>FAGB015</b>	GAUZE BANDAGE ROLL 1" X 5 YDS	—	—	12	—	<b>FAWS</b>	WOOD SPLINTS (SET OF 6)	—	—	1	—
<b>FAGB025</b>	GAUZE BANDAGE ROLL 2" X 5 YDS	2	4	8	—	<b>FASP012</b>	SAFETY PINS (PACK OF 12)	1	1	2	1
<b>FAGB035</b>	GAUZE BANDAGE ROLL 3" X 5 YDS	—	—	—	4	<b>FAAT015</b>	ADHESIVE TAPE 1" X 5 YDS	—	—	2	—
<b>FAGB045</b>	GAUZE BANDAGE ROLL 4" X 5 YDS	—	4	8	—	<b>FAEB001</b>	EMESIS BASIN	—	—	1	—
<b>FAGP3X3</b>	GAUZE PAD 3" X 3" STERILE	4	12	48	6						



## British Columbia First Aid Kits



PART NO	DESCRIPTION
<i>PERSONAL FIRST AID KITS</i>	
<b>FAKBCNPERBN</b>	FIRST AID KIT PERSONAL BULK IN NYLON POUCH - FANP6X4
<b>FAKBCNPERBZ</b>	FIRST AID KIT PERSONAL BULK IN ZIPLOCK BAG
<i>BULK FIRST AID KITS</i>	
<b>FAKBCNBABP</b>	BULK FIRST AID KIT BASIC IN PLASTIC BOX - FAKT016
<b>FAKBCNBABM</b>	BULK FIRST AID KIT BASIC IN METAL BOX - FAKT16M
<b>FAKBCNBABN</b>	BULK FIRST AID KIT BASIC IN NYLON POUCH
<b>FAKBCN1BP</b>	BULK FIRST AID KIT LEVEL # 1 W/RESCUE BREATHER IN PLASTIC BOX - FAKT040
<b>FAKBCN1BM</b>	BULK FIRST AID KIT LEVEL # 1 W/RESCUE BREATHER IN METAL BOX - FAKTXF7
<b>FAKBCN1BN</b>	BULK FIRST AID KIT LEVEL # 1 W/RESCUE BREATHER IN NYLON POUCH
<b>FAKBCN2BP</b>	BULK FIRST AID KIT LEVEL # 2 W/RESCUE BREATHER IN PLASTIC BOX - FAKT040
<b>FAKBCN2BM</b>	BULK FIRST AID KIT LEVEL # 2 W/RESCUE BREATHER IN METAL BOX - FAKTXF7
<b>FAKBCN2BN</b>	BULK FIRST AID KIT LEVEL # 2 W/RESCUE BREATHER IN NYLON POUCH
<b>FAKBCN3BN</b>	BULK FIRST AID KIT LEVEL # 3 W/RESCUE BREATHER IN NYLON POUCH
<i>BULK FIRST AID KIT REFILLS</i>	
<b>FAKBCNBR</b>	REFILL FOR FIRST AID KIT BASIC
<b>FAKBCN1R</b>	REFILL FOR FIRST AID KIT LEVEL # 1 W/RESCUE BREATHER
<b>FAKBCN2R</b>	REFILL FOR FIRST AID KIT LEVEL # 2 W/RESCUE BREATHER
<b>FAKBCN3R</b>	REFILL FOR FIRST AID KIT LEVEL # 3 W/RESCUE BREATHER

PART NO	CONTENTS	FAKBCNPERBZ FAKBCNPERBN	FAKBCNBABP FAKBCNBABM FAKBCNBABN	FAKBCN1BP FAKBCN1BM FAKBCN1BN	FAKBCN2BP FAKBCN2BM FAKBCN2BN	FAKBCN3BN
<b>FAARB</b>	ACCIDENT RECORD BOOK	—	—	1	1	1
<b>FACAP</b>	PATIENT CHART	—	—	—	—	1
<b>FAPS343</b>	PLASTIC STRIPS ¾" X 3"	3	4	20	20	20
<b>FAPSIX3</b>	PLASTIC STRIPS 1" X 3"	3	4	20	20	20
<b>FAFS005</b>	FABRIC KNUCKLE STRIPS	—	1	5	5	5
<b>FAFS006</b>	FABRIC FINGER STRIPS	—	1	5	5	5
<b>FAGP4X4</b>	GAUZE PAD 4" X 4" STERILE	—	6	10	20	20
<b>FACB4565</b>	COMPRESS BANDAGE 4-½" X 6-½"	1	1	4	4	4
<b>FACFB03</b>	CONFORM BANDAGES 3"	—	—	2	2	4
<b>FATNB03</b>	TENSOR BANDAGE 3" X 5 YDS	—	1	2	2	4
<b>FATB001</b>	TRIANGULAR BANDAGE	—	1	2	4	6
<b>FAAT015</b>	ADHESIVE TAPE 1" X 5 YDS	—	1	1	2	2
<b>FABZ002</b>	BENZALKONIUM ANTISEPTIC WIPES	6	6	24	24	24
<b>FAAB001</b>	ALUMINUM BLANKET	—	—	1	1	1
<b>FAWGT01</b>	TOURNIQUET WINDLASS	—	—	1	1	1
<b>FAFAST01</b>	FAST STRAP	—	—	2	2	4
<b>FASC55G</b>	PARAMEDIC SCISSORS 5"	—	1	1	1	1
<b>FATW045</b>	SPLINTER FORCEPS, STRAIGHT 4-½"	—	—	1	1	1
<b>FAAP8X10</b>	ABDOMINAL PAD 8" X 10"	—	—	—	4	4
<b>FACPRM</b>	C.P.R. MASK W/ONE WAY VALVE	—	—	1	1	1
<b>FAPENLIGHT</b>	PEN LIGHT	—	—	—	—	1
<b>FADV001</b>	DISPOSABLE GLOVES (1 PAIR)	—	3	6	6	6
<b>FAZL8X10</b>	ZIPLOCK 8" X 10"	1	1	1	1	1
<b>FAPROGLASS</b>	PROTECTIVE GLASSES	—	1	2	2	2
<b>RPD4000</b>	DISPOSABLE MASK (SINGLE MASK)	—	3	6	6	6



# British Columbia Specialty First Aid Stations & Equipment

## SPECIALTY FIRST AID STATIONS

PART NO	DESCRIPTION
FABCLEV4DS	BC DRESSING STATION, LEVEL 4

\*Roll-a-way bed, chair and blanket sold separately.



FAWS



FASABL



FABBL3



FAAIR

## EQUIPMENT FOR SPECIALTY FIRST AID STATIONS

PART NO	DESCRIPTION
FAWS	ASSORTED WOOD SPLINTS SET
FASABL	BLANKET BAG
FABBL3	BLANKET BAG WITH THREE (3) BLANKETS IN NYLON BAG
FAAIR	AIRWAY KIT WITH "ZIPLOCK" BAG

PART NO	CONTENTS	FAKBCLEV4DS	FAKBC02ROOM
FAUSBG	BLANKETS "GREY" 60" X 82"	3	3
FAPILLOWP	PILLOW	—	2
FABCD12	DISPOSABLE SHEETS	—	4
FAEB	EYE CUP	1	1
FASP012	SAFETY PINS ASSORTMENT	1	2
FASB5	SAND BAGS	—	2
FATW045	SPLINTER FORCEPS 4-½"	1	1
FATWP442	NOSED PLIER FORCEPS	—	1
FASC55L	PARAMEDIC SCISSORS 5"	1	1
FASC75B	PARAMEDIC SCISSORS 7"	—	1
FA356060	ORAL DIGITAL THERMOMETER	1	1
FABRN	NAIL BRUSH	1	1
FAPENLIGHT	PENLIGHT DISPOSABLE	—	1
FACAP	PATIENT ASSESSMENT CHART	20	50
FAARB	ACCIDENT RECORD BOOK	1	1
FABZ002	BENZALKONIUM ANTISEPTIC WIPES (25/BOX)	—	2
FAGS250	SOAP 8 OZ	—	1
FAGS50	SOAP 2 OZ	1	—
FACP4X6	INSTANT COLD PACK	4	6
FAMW002	WIRE SPLINT 3-¾" X 24"	6	12
FATD01IW	TONGUE DEPRESSORS	20	100
FACA003	COTTON TIP APPLICATORS 3"	1	1
FAPEG065	P.E.G. LOTION 65G	1	1
FAAIBAR	TAPE REMOVER 100 ML	1	1
FAPS343	ADHESIVE STRIPS ¾"	50	100
FAPS1X3	ADHESIVE STRIPS 1"	50	100
FABFM	BUTTERFLY CLOSURE	24	100

PART NO	CONTENTS	FAKBCLEV4DS	FAKBC02ROOM
FAAP8X10	ABDOMINAL PAD STERILE 8" X 10"	6	6
FAEP01	EYE PADS (50/PKG)	4	1
FAPENCIL	GOLF PENCIL	1	1
FAAP10X12	ABDOMINAL PAD STERILE 10" X 12"	3	6
FAGC36	GAUZE COMPRESS STERILE 36" X 36"	3	10
FAGS3X3	GAUZE SPONGES 3" X 3" (200/PKG)	1	1
FAGP3X3	GAUZE PADS 3" X 3"	25	100
FAGP4X4	GAUZE PADS 4" X 4"	25	100
FACB4565	COMPRESS BANDAGE 4-½" X 6-½"	2	6
FACOB1X5	ADHESIVE CREPE BANDAGE 1" X 5 YDS	—	2
FAAT015	ADHESIVE TAPE 1" X 5 YDS	2	4
FAAT025	ADHESIVE TAPE 2" X 5 YDS	2	3
FATNB03	TENSOR BANDAGE 3" X 5 YDS	4	6
FAESM3X5	ESMARCH BANDAGE 3" X 5 YDS	1	1
FACFB02B	CONFORM BANDAGES 2"	2	4
FACFB03B	CONFORM BANDAGES 3"	2	4
FATB001	TRIANGULAR BANDAGES COTTON	12	24
FATG	TUBULAR DRESSING WITH APPLICATOR	1	2
FAIR500ML	NORMAL SALINE 500 ML	1	2
FAIS36	COLD INSTRUMENT STERILIZER	1	1
FAHP225	PEROXIDE 8 OZ / 225 ML	1	—
FAITWC	INSTRUMENT TRAY AND COVER	1	—
FACTREAT	TREATMENT CHAIR	1*	1*
FAKB2000	KIDNEY BASIN	1	1*
FAWB123	WASH BASIN	1	1*
FAROLACOT	BED (ROLL AWAY COT)	—	1*
FAMF107	MAGNIFIER ILLUMINATED LAMP	—	1*

\*Item not included in kit but might be requested and ordered separately.



# Alberta First Aid Kits



\* Note that as of March 31st, 2023 Alberta will be moving to the CAN/CSA Z1220-17 standard for first aid kits.

PART NO	DESCRIPTION
<b>UNITIZED FIRST AID KITS</b>	
FAKALT1UP	UNITIZED FIRST AID KIT #1 IN PLASTIC BOX - FAKT016
FAKALT1UM	UNITIZED FIRST AID KIT #1 IN METAL BOX - FAKT16M
FAKALT2UP	UNITIZED FIRST AID KIT #2 IN PLASTIC BOX - FAKT024
FAKALT2UM	UNITIZED FIRST AID KIT #2 IN METAL BOX - FAKT24M
FAKALT3UM	UNITIZED FIRST AID KIT #3 IN METAL CABINET - FAKTXF7
<b>UNITIZED FIRST AID KIT REFILLS</b>	
FAKALT1UR	REFILL FOR UNITIZED FIRST AID KIT #1
FAKALT2UR	REFILL FOR UNITIZED FIRST AID KIT #2
FAKALT3UR	REFILL FOR UNITIZED FIRST AID KIT #3
<b>PERSONAL FIRST AID KITS</b>	
FAKALTPBN	PERSONAL FIRST AID KIT-BULK IN NYLON POUCH - FANP5X4
FAKALTPBP	PERSONAL FIRST AID KIT-BULK IN PLASTIC BOX - FAKT010
FAKALTPBZ	PERSONAL FIRST AID KIT-BULK IN ZIPLOCK BAG
<b>BULK FIRST AID KITS</b>	
FAKALT1BP	BULK FIRST AID KIT #1 IN PLASTIC BOX - FAKT016
FAKALT1BM	BULK FIRST AID KIT #1 IN METAL BOX - FAKT16M
FAKALT1BN	BULK FIRST AID KIT #1 IN NYLON POUCH - FANP5X10
FAKALT2BP	BULK FIRST AID KIT #2 IN PLASTIC BOX - FAKT024
FAKALT2BM	BULK FIRST AID KIT #2 IN METAL BOX - FAKT24M
FAKALT2BN	BULK FIRST AID KIT #2 IN NYLON POUCH - FANP13X9
FAKALT3BM	BULK FIRST AID KIT #3 IN METAL CABINET - FAKTXF7
FAKALT3BN	BULK FIRST AID KIT #3 IN NYLON POUCH - FANP13X11
FAKALT3BP	BULK FIRST AID KIT #3 IN PLASTIC BOX - FAKT040
<b>BULK FIRST AID KIT REFILLS</b>	
FAKALT1R	REFILL FOR BULK FIRST AID KIT #1
FAKALT2R	REFILL FOR BULK FIRST AID KIT #2
FAKALT3R	REFILL FOR BULK FIRST AID KIT #3

PART NO	CONTENTS	KIT #1 (2-10 EMP.)	KIT #2 (11-49 EMP.)	KIT #3 (50-99 EMP.)	PERSONAL (1 EMP.)	PART NO	CONTENTS	KIT #1 (2-10 EMP.)	KIT #2 (11-49 EMP.)	KIT #3 (50-99 EMP.)	PERSONAL (1 EMP.)
FAFM001	FIRST AID MANUAL	1	1	1	—	FAAP8X10	ABDOMINAL PAD STERILE 8" X 10"	—	1	4	—
FASP012	SAFETY PINS (PACK OF 12)	1	1	1	—	FATNB03	TENSOR BANDAGE 3" X 5 YDS	1	2	4	—
FATW001	TWEEZERS	1	1	1	—	FACFB03	CONFORM BANDAGE 3" X 5 YDS	2	2	6	—
FASC001	SCISSORS	1	1	1	—	FATB001	TRIANGULAR BANDAGE	3	4	12	1
FAPS343	PLASTIC ADHESIVE STRIP ¾" X 3" STERILE	25	50	100	5	FATG	TUBULAR GAUZE / APPLICATOR	—	—	1	—
FAPSIX3	PLASTIC ADHESIVE STRIP 1" X 3" STERILE	—	—	—	5	FAEP01	EYE PAD OVAL STERILE	—	1	2	—
FACB004	COMPRESS BANDAGE 4" STERILE	2	3	6	1	FARB	CPR MASK WITH ONE WAY VALVE	1	1	1	—
FACB006	COMPRESS BANDAGE 6" STERILE	2	3	6	—	FAZL8X10	ZIPLOCK BAG	1	1	2	1
FAGP4X4	GAUZE PAD 4" X 4" STERILE	10	20	50	5	FABZ002	BENZALKONIUM ANTISEPTIC WIPES	10	10	24	5
FAAT015	ADHESIVE TAPE 1" X 5 YDS	1	1	2	—	FADVG01	PAIR OF DISPOSABLE GLOVES	4	6	12	1

## Federal Labour Board First Aid Kits



PART NO	DESCRIPTION
<i>FIRST AID KITS</i>	
<b>FAKFEDABP</b>	FIRST AID KIT FAKT010 - PLASTIC BOX (A)
<b>FAKFEDABM</b>	FIRST AID KIT FAKT10M - METAL BOX (A)
<b>FAKFEDBBP</b>	FIRST AID KIT FAKT024 - PLASTIC BOX (B)
<b>FAKFEDBBM</b>	FIRST AID KIT FAKT24M - METAL BOX (B)
<b>FAKFEDCBP</b>	FIRST AID KIT FAKT040 - PLASTIC BOX (C)
<b>FAKFEDCBM</b>	FIRST AID KIT FAK14MB - METAL BOX (C)
<b>FAKFEDCBN</b>	FIRST AID KIT FANP16X12 - NYLON POUCH (C)
<b>FAKFEDDBP</b>	FIRST AID KIT FAKT010 - PLASTIC BOX (D)
<i>FIRST AID KIT REFILLS</i>	
<b>FAKFEDAR</b>	REFILL FOR FAKFEDABP & FAKFEDABM (A)
<b>FAKFEDBR</b>	REFILL FOR FAKFEDBBP & FAKFEDBBM (B)
<b>FAKFEDCR</b>	REFILL FOR FAKFEDCBP & FAKFEDCBM (C)
<b>FAKFEDDR</b>	REFILL FOR FAKFEDDBP (D)

PART NO	CONTENTS	FAKFEDABP FAKFEDABM (A)	FAKFEDBBP FAKFEDBBM (B)	FAKFEDCBP FAKFEDCBM FAKFEDCBN (C)	FAKFEDDBP (D)
<b>FAARB</b>	ACCIDENT RECORD BOOK	1	1	1	1
<b>FATW001</b>	TWEEZERS ECONOMY KIT	1	1	1	—
<b>FASC75B</b>	PARAMEDIC SCISSORS 7"	—	—	1	—
<b>FASC55G</b>	PARAMEDIC SCISSORS 5"	1	1	—	—
<b>FACB004</b>	COMPRESS BANDAGE, 4" STERILE	1	2	—	—
<b>FAPS34X3</b>	PLASTIC STRIPS, ¾" X 3" STERILE	12	48	100	6
<b>FAGP4X4</b>	GAUZE PAD STERILE, 4" X 4"	4	12	24	2
<b>FAGS4X4</b>	GAUZE SPONGE 4" X 4"	10	40	200	—
<b>FACFB03B</b>	CONFORM BANDAGE 3" X 5"	2	6	24	—
<b>FAAP5X9</b>	ABDOMINAL PAD 5" X 9"	—	—	6	—
<b>FATB001</b>	TRIANGULAR BANDAGE	2	6	8	1
<b>FAAT055</b>	ADHESIVE TAPE ½" X 5 YDS	—	—	—	1
<b>FATS015</b>	ADHESIVE TAPE 1" X 5 YDS	1	2	4	3"
<b>FABZ002</b>	BENZALKONIUM ANTISEPTIC WIPES	10	10	40	10
<b>FARB</b>	CPR MASK WITH ONE WAY VALVE	1	1	1	—
<b>FAAB001</b>	ALUMINUM BLANKET	1	—	—	—
<b>SAC02</b>	ZIPLOCK BAG	—	—	2	—
<b>FADG001</b>	DISPOSABLE GLOVES (1 PAIR)	2	4	20	—





## Sports & Activities First Aid Kits



PART NO	DESCRIPTION
<b>FAKSPORTBN</b>	FIRST AID KIT FOR SPORTS: GOLF, SKI, BIKE, HIKE, JOGGING IN NYLON POUCH - FANP9X4
<b>FAKGOLFBN</b>	FIRST AID KIT FOR GOLF IN NYLON POUCH - FANP6X4
<b>FAKSAWBN</b>	FIRST AID KIT FOR FORESTRY IN NYLON POUCH - FANP6X4
<b>FAKSAW02</b>	FIRST AID KIT FOR FORESTRY CHAIN SAW OPERATOR IN NYLON POUCH - FANPSAW

PART NO	CONTENTS	FAKSPORTBN	FAKGOLFBN	FAKSAWBN	FAKSAW02	PART NO	CONTENTS	FAKSPORTBN	FAKGOLFBN	FAKSAWBN	FAKSAW02
<b>FAFM001</b>	FIRST AID MANUAL	1	—	—	—	<b>FAAT015</b>	ADHESIVE TAPE ½" X 2.5 YDS	—	1	—	—
<b>FAFP012</b>	SAFETY PINS (PACK OF 12)	1	—	—	—	<b>FAGP2X2</b>	GAUZE PAD 2" X 2" STERILE	—	2	—	—
<b>FATB001</b>	TRIANGULAR BANDAGE	1	—	1	—	<b>FAGP3X3</b>	GAUZE PAD 3" X 3" STERILE	3	—	—	—
<b>FATNB02</b>	TENSOR BANDAGE 2" X 5 YDS	1	—	—	—	<b>FACB006</b>	COMPRESS BANDAGE 6"	—	—	1	—
<b>FACP4X6</b>	INSTANT COLD PACK	1	—	—	—	<b>FACB004</b>	COMPRESS BANDAGE 4"	1	—	—	—
<b>FAPS34X3</b>	PLASTIC STRIPS ¾" X 3" STERILE	50	8	6	—	<b>FAEP01</b>	EYE PAD STERILE	1	—	—	—
<b>FAPS78X3</b>	PLASTIC STRIPS ¾" X 3" STERILE	—	2	—	—	<b>FABSR</b>	STING RELIEF SACHET	—	5	—	—
<b>FAFS005</b>	FABRIC KNUCKLE STRIPS STERILE	—	2	—	—	<b>FACM025</b>	CETRIMIDE OINTMENT 15 G	1	—	—	—
<b>FAFS007</b>	FABRIC FINGER STRIPS STERILE	—	2	—	—	<b>FASC001</b>	SCISSORS	1	1	—	—
<b>FAFS2X3</b>	FABRIC STRIPS 2" X 3" STERILE	—	2	—	—	<b>FATW001</b>	TWEEZERS	1	1	—	—
<b>FABZ002</b>	BENZALKONIUM ANTISEPTIC WIPES	5	5	—	—	<b>FADG001</b>	DISPOSABLE GLOVES (1 PAIR)	1	—	—	—
<b>FABIP</b>	POVIDONE SACHET	—	2	—	—	<b>FAWP</b>	WHISTLE	—	—	1	—
<b>FAASA100</b>	ACETAMINOPHEN (2)	—	1	—	—	<b>FASUN30</b>	SUN SCREEN	—	3	—	—
<b>FAAT055</b>	ADHESIVE TAPE ½" X 5 YDS	1	—	—	—	<b>FAGS50</b>	GREEN SOAP 50 ML	—	—	1	—
<b>FADS3535</b>	TRAUMA DRESSING DYNA STOPPER	—	—	—	1	<b>FANPSAW</b>	YELLOW POUCH WITH CROSS	—	—	—	1

## Welders & Burns First Aid Kits



PART NO	DESCRIPTION
<b>FAKWELDBP</b>	BURN FIRST AID KIT FOR WELDERS IN PLASTIC BOX - FAKT010
<b>FAKWELDXBP</b>	DELUXE BURN FIRST AID KIT FOR WELDERS IN PLASTIC BOX - FAKT024
<b>FAKWELD05BP</b>	ULTRA BURN FIRST AID KIT FOR WELDERS IN PLASTIC BOX - FAKT024

PART NO	CONTENTS	FAKWELDBP	FAKWELDXBP	FAKWELD05BP	PART NO	CONTENTS	FAKWELDBP	FAKWELDXBP	FAKWELD05BP
<b>FAFM001</b>	FIRST AID MANUAL	1	1	1	<b>FACB004</b>	COMPRESS BANDAGE 4"	—	2	—
<b>FAPEG065</b>	PEG OINTMENT 65 G	1	1	1	<b>FATB001</b>	TRIANGULAR BANDAGE	—	2	—
<b>FAEW004</b>	ISOTONIC SOLUTION 118 ML / 4 OZ	—	4	3	<b>FASC001</b>	SCISSORS	1	1	—
<b>FAPSIX3</b>	PLASTIC STRIPS 1" X 3" STERILE	24	25	25	<b>FAEW001</b>	EYE WASH 1 OZ STERILE	2	2	—
<b>FAGP2X2</b>	GAUZE PAD 2" X 2" STERILE	6	4	4	<b>FAEP01</b>	EYE PAD OVAL STERILE	2	—	—
<b>FAGP4X4</b>	GAUZE PAD 4" X 4" STERILE	—	4	4	<b>FAPSEPSW</b>	STRIP OF ADHESIVE TAPE ON SHEET	2	—	—
<b>FAAT055</b>	ADHESIVE TAPE ½" X 5 YDS	1	2	—	<b>FATW001</b>	TWEEZERS	1	—	—
<b>FAKT024</b>	24 UNIT PLASTIC BOX	—	—	1	<b>FABF35</b>	BURN-EZE™ 3.5 G	—	—	6
<b>FABF2X6</b>	BURN-EZE™ BURN DRESSING 2" X 6"	—	—	2	<b>FAES</b>	EYE CUP - PLASTIC	—	—	1
<b>FABF4X4</b>	BURN-EZE™ BURN DRESSING 4" X 4"	—	—	2	<b>FADV001</b>	VINYL GLOVES - 1 PAIR - LARGE	—	—	2

# Special Purpose First Aid Kits



## HOUSE | OFFICE | DAYCARE | POOL | RESTAURANT

PART NO	DESCRIPTION	CONTENTS
<b>FAKDC36BP</b>	DAYCARE KIT IN PLASTIC BOX - FAKT036	A
<b>FAKDC36BN</b>	DAYCARE KIT IN NYLON POUCH - FANP13X9	G
<b>FAKDC36BM</b>	DAYCARE KIT IN METAL BOX - FAKT36M	A
<b>FAKPOOL36BP</b>	SWIMMING POOL KIT IN PLASTIC BOX - FAKT036	B
<b>FAKOFFICEBP</b>	OFFICE KIT IN PLASTIC BOX - FAKT016	C
<b>FAKHOUSEBN</b>	HOUSE KIT IN NYLON POUCH - FANP8X12	D
<b>FAKHOUSEXBN</b>	DELUXE HOUSE KIT IN NYLON POUCH - FANP8X12	E
<b>FAKRESTBP</b>	RESTAURANT KIT IN PLASTIC BOX - FAKT036	F

PART NO	CONTENTS	A	B	C	D	E	F	G
<b>FAFM001</b>	FIRST AID MANUAL	1	1	—	1	1	1	1
<b>FAPSIX3</b>	PLASTIC ADHESIVE STRIPS 1" X 3" STERILE	25	—	—	—	—	48	—
<b>FAPS343</b>	PLASTIC ADHESIVE STRIPS 3/4" X 3" STERILE	10	24	16	125	48	4	10
<b>FAPS78X3</b>	PLASTIC ADHESIVE STRIPS 3/8" X 3" STERILE	5	—	12	15	—	48	—
<b>FAFS2X3</b>	FABRIC ADHESIVE STRIPS 2" X 3"	—	—	—	—	2	—	—
<b>FAFS005</b>	FABRIC KNUCKLE STRIPS	5	—	—	3	3	1	5
<b>FAFS006</b>	FABRIC FINGER STRIPS - SMALL	—	—	—	—	—	1	5
<b>FAFS007</b>	FABRIC FINGER STRIPS - LARGE	5	—	12	3	3	—	—
<b>FAGP2X2</b>	GAUZE PAD 2" X 2" STERILE	—	—	—	—	5	25	—
<b>FAGP3X3</b>	GAUZE PAD 3" X 3" STERILE	—	12	4	—	—	—	—
<b>FAGP4X4</b>	GAUZE PAD 4" X 4" STERILE	25	—	—	—	2	—	—
<b>FABZ002</b>	BENZALKONIUM ANTISEPTIC WIPES	25	—	25	10	25	25	25
<b>FATB001</b>	TRIANGULAR BANDAGE	6	6	—	1	1	4	6
<b>FASP012V</b>	SAFETY PINS (PACK OF 12)	1	2	—	—	—	1	1
<b>FATW001</b>	TWEEZERS	1	1	1	1	1	1	1
<b>FASC001</b>	SCISSORS	1	1	1	1	1	1	—
<b>FAGB045</b>	GAUZE BANDAGE ROLL 4" X 5 YDS	—	4	—	—	—	4	—
<b>FAGB210</b>	GAUZE BANDAGE ROLL 2" X 10 YDS	4	—	—	—	—	—	4
<b>FAGB410</b>	GAUZE BANDAGE ROLL 4" X 10 YDS	4	—	—	—	—	—	4
<b>FATF2X3</b>	TELFA PAD 2" X 3"	—	—	—	5	2	—	—
<b>FATF3X4</b>	TELFA PAD 3" X 4"	—	—	—	5	—	—	—
<b>FACOT10Z</b>	ABSORBENT COTTON 1 OZ	—	4	—	—	—	—	—
<b>FAAP5X9</b>	ABDOMINAL PAD 5" X 9"	—	—	—	1	1	—	—
<b>FABFM</b>	BUTTERFLY CLOSURE	—	—	—	5	5	—	—
<b>FAAT0525</b>	ADHESIVE TAPE 1/2" X 2-1/2 YDS	—	1	1	1	1	1	—
<b>FAAT015</b>	ADHESIVE TAPE 1" X 5 YDS	2	—	—	—	—	—	2
<b>FAAT025</b>	ADHESIVE TAPE 2" X 5 YDS	—	1	—	—	—	—	—
<b>FAEP01</b>	EYE PAD OVAL STERILE	4	—	—	2	1	—	4
<b>FAGP4X4</b>	GAUZE PAD 4" X 4" STERILE	—	—	—	—	—	—	25
<b>FAPSIX3</b>	PLASTIC STRIPS 1" X 3" BULK	—	—	—	—	—	—	25
<b>FAPC01</b>	PROBE COVER	—	—	—	—	—	—	20

PART NO	CONTENTS	A	B	C	D	E	F	G
<b>FACB002</b>	COMPRESS BANDAGE 2" STERILE	—	2	2	—	—	—	—
<b>FACB004</b>	COMPRESS BANDAGE 4" STERILE	4	2	—	1	1	4	4
<b>FACFB02</b>	CONFORM BANDAGE 2" X 5"	—	—	1	2	—	—	—
<b>FACFB03</b>	CONFORM BANDAGE 3" X 5"	—	—	—	—	1	—	—
<b>FA356060</b>	ORAL DIGITAL THERMOMETER	1	—	—	—	—	—	1
<b>FATRI150</b>	RECTAL THERMOMETER	1	—	—	—	—	—	—
<b>FADG001</b>	DISPOSABLE GLOVES (1 PAIR)	1	1	—	1	2	—	2
<b>FAHCMT</b>	HAND CLEANING WIPES	—	—	8	—	—	—	—
<b>FAHSG20Z</b>	HAND SANITIZER 2 OZ / 60 ML	—	—	1	—	—	—	—
<b>FASP002</b>	SPLINT PADDING	—	2	—	—	—	2	—
<b>FAMW001</b>	WIRE SPLINT 3-3/4" X 12"	—	1	—	—	—	1	—
<b>FAMW002</b>	WIRE SPLINT 3-5/8" X 24"	—	1	—	—	—	—	—
<b>FACP4X6</b>	INSTANT COLD PACK	—	—	1	1	1	—	—
<b>FACM025</b>	CETRIMIDE OINTMENT 25 G	—	—	—	1	1	—	—
<b>FABIP</b>	POVIDONE SACHET	—	—	—	—	2	—	—
<b>FATNB02</b>	TENSOR BANDAGE 2" X 5 YDS	—	—	—	1	—	—	—
<b>FATNB03</b>	TENSOR BANDAGE 3" X 5 YDS	—	—	—	—	1	—	—
<b>FABF35</b>	BURN-EZE 3.5 G	—	—	—	2	1	12	—
<b>FABF2X6</b>	BURN-EZE DRESSING 2" X 6"	—	—	—	—	—	2	—
<b>FABF4X4</b>	BURN-EZE DRESSING 4" X 4"	—	—	—	—	—	2	—
<b>FABF118</b>	BURN-EZE GEL 118 ML	—	—	—	—	—	1	—
<b>FAHP115</b>	PEROXIDE 115 ML	—	1	—	—	1	—	—
<b>FATD100</b>	TONGUE DEPRESSOR	—	—	—	2	3	—	—
<b>FABSR</b>	STING RELIEF SACHET	—	—	—	5	10	—	—
<b>FACA003</b>	COTTON TIP APPLICATORS 3"	—	—	1	—	1	—	—
<b>FAAB001</b>	ALUMINUM BLANKET	—	—	—	1	—	—	—
<b>FAEWB001</b>	EYE WASH 1 OZ	—	—	—	—	—	1	—
<b>FAAW100</b>	ALCOHOL WIPES BULK	—	—	—	—	—	—	25
<b>FAFS783</b>	FABRIC STRIPS 3/8" X 3" BULK	—	—	—	—	—	—	5
<b>FASC55G</b>	GREY HANDLE SCISSORS 5-1/2"	—	—	—	—	—	1	1



## General Purpose Industrial First Aid Kits



PART NO	DESCRIPTION
<i>FIRST AID KITS</i>	
<b>FAK25</b>	FOR 25 EMPLOYEES OR LESS - METAL BOX FAK14MB
<b>FAK50</b>	FOR 25 EMPLOYEES OR MORE - METAL BOX FAK16MB
<b>FAK33</b>	FOR 200 EMPLOYEES OR MORE - METAL BOX FAK16MB
<b>FAK40</b>	MAXI KIT - METAL BOX FAK16MB
<i>FIRST AID KIT REFILLS</i>	
<b>FAK25R</b>	REFILL FOR FAK25
<b>FAK50R</b>	REFILL FOR FAK50
<b>FAK33R</b>	REFILL FOR FAK33
<b>FAK40R</b>	REFILL FOR FAK40

PART NO	CONTENTS	FAK25 (25 EMP. OR LESS)	FAK50 (25 EMP. OR MORE)	FAK33 (200 EMP. OR MORE)	FAK40	PART NO	CONTENTS	FAK25 (25 EMP. OR LESS)	FAK50 (25 EMP. OR MORE)	FAK33 (200 EMP. OR MORE)	FAK40
<b>FAFM001</b>	FIRST AID MANUAL	1	1	1	1	<b>FABF35</b>	BURN-EZE	1	1	1	6
<b>FACOT10Z</b>	ABSORBENT COTTON 1 OZ	1	2	6	—	<b>FAFAS100</b>	FIRST AID SPRAY	—	—	—	1
<b>FACA003</b>	COTTON TIP APPLICATORS 6" (100)	1	1	2	—	<b>FABSR</b>	STING RELIEF SACHET	—	—	—	20
<b>FAAT055</b>	ADHESIVE TAPE 1/2" X 5 YDS	1	1	1	—	<b>FACP4X6</b>	INSTANT COLD PACK	—	—	—	2
<b>FAAT015</b>	ADHESIVE TAPE 1" X 5 YDS	—	1	—	1	<b>FAHP6X10</b>	INSTANT HOT PACK	—	—	—	1
<b>FAAT025</b>	ADHESIVE TAPE 2" X 5 YDS	—	—	1	1	<b>FACM025</b>	CETRIMIDE OINTMENT 25 G	1	1	1	—
<b>FAA1BAR</b>	ADHESIVE TAPE REMOVER	10	10	10	—	<b>FAAKS2</b>	ALKA SELTZER SACHET	1	1	—	—
<b>FATNB02</b>	TENSOR BANDAGE 2" X 5 YDS	—	1	2	1	<b>FAEW001</b>	EYE WASH 1 OZ STERILE	1	1	1	3
<b>FATNB03</b>	TENSOR BANDAGE 3" X 5 YDS	—	—	—	1	<b>FAEW008</b>	EYE WASH 8 OZ STERILE	1	1	1	—
<b>FAGB015</b>	GAUZE BANDAGE ROLL 1" X 5 YDS	3	3	12	—	<b>FAEB</b>	EYE BATH PLASTIC	1	1	1	—
<b>FAGB025</b>	GAUZE BANDAGE ROLL 2" X 5 YDS	3	3	8	4	<b>FAEP01</b>	EYE PAD OVAL STERILE	2	2	6	3
<b>FAGB035</b>	GAUZE BANDAGE ROLL 3" X 5 YDS	2	2	8	—	<b>FAPSEPSW</b>	STRIP OF ADHESIVE TAPE ON SHEET	2	2	6	—
<b>FAGP2X2</b>	GAUZE PAD 2" X 2" STERILE	25	25	50	—	<b>FAASA100</b>	ACETAMINOPHEN 325 MG	1	1	1	1
<b>FAGP3X3</b>	GAUZE PAD 3" X 3" STERILE	25	25	50	24	<b>FASC55G</b>	SCISSORS 5-1/2"	1	1	1	—
<b>FAGP4X4</b>	GAUZE PAD 4" X 4" STERILE	25	25	50	—	<b>FASC75B</b>	SCISSORS 7-1/2"	—	—	—	1
<b>FATF2X3</b>	TELFA PAD 2" X 3"	—	—	—	2	<b>FASP012</b>	SAFETY PINS (PACK OF 12)	1	1	2	—
<b>FATF3X4</b>	TELFA PAD 3" X 4"	—	—	—	2	<b>FAWS</b>	WOOD SPLINTS (SET OF 6)	—	1	1	—
<b>FACB004</b>	COMPRESS BANDAGE 4" STERILE	1	2	6	3	<b>FASP001</b>	SPLINT PADDING	—	3	3	—
<b>FATB001</b>	TRIANGULAR BANDAGE	1	2	8	2	<b>FATW001</b>	TWEEZERS	1	1	1	—
<b>FABFM</b>	BUTTERFLY CLOSURE	—	—	—	20	<b>FATD01IW</b>	TONGUE DEPRESSORS	25	25	25	—
<b>FAPS34X3</b>	PLASTIC ADHESIVE STRIPS 3/4" X 3" STERILE	100	200	200	100	<b>FASB</b>	SOAP BAR	—	—	1	—
<b>FAFS006</b>	FINGER FABRIC STRIPS STERILE	10	25	50	100	<b>FAHSG20Z</b>	HAND SANITIZER 2 OZ / 60 ML	—	—	—	1
<b>FAFS005</b>	KNUCKLE FABRIC STRIPS STERILE	25	50	100	100	<b>FATW045</b>	SPLINTER FORCEPS, STRAIGHT 4-1/2"	—	—	1	1
<b>FAAMONIAP01</b>	AMMONIA INHALANTS SACHET	—	—	10	—	<b>FARB</b>	CPR MASK WITH ONE WAY VALVE	—	—	—	1
<b>FAHP115</b>	PEROXIDE 115 ML	1	1	1	—	<b>FADG001</b>	DISPOSABLE GLOVES (1 PAIR)	1	1	1	—
<b>FABZ002</b>	BENZALKONIUM ANTISEPTIC WIPES	50	100	100	100						



# Vehicle First Aid Kits



PART NO	DESCRIPTION	CONTENTS
FAKSB36BP	SCHOOL BUS KIT IN PLASTIC BOX - FAKT036	A
FAKSB36BM	SCHOOL BUS KIT IN METAL BOX - FAKT36M	A
FAKTBP	TRUCK KIT IN PLASTIC BOX - FAKT016	B
FAKTBM	TRUCK KIT IN METAL BOX - FAKT16M	B
FAKCARBP	CAR KIT IN PLASTIC BOX - FAKT010	C
FAKCARBM	CAR KIT IN METAL BOX - FAKT10M	C
FAKCARBN	CAR KIT IN NYLON POUCH - FANP9X4	C
FAKCARBC	CAR KIT IN NYLON POUCH - FANP9X4	D
FAKROADBN	ROAD HAZARD KIT IN NYLON POUCH - FANP9X4	E
FAKERH	EXTREME ROAD HAZARD KIT IN NYLON POUCH - FANP13X9ERK	F
FAKSOSRHK	S.O.S. EMERGENCY KIT IN NYLON POUCH - FANP13X9ERK	G
FAKRHK02	ROAD HAZARD KIT IN LARGE NYLON POUCH - FANP13X9ERK	H
FAKROADFL	ROAD SIDE ASSISTANCE KIT - PLASTIC WITH FLASHLIGHT	I

PART NO	CONTENTS	A	B	C	E	F	G	H	I
FAFM001	FIRST AID MANUAL	—	1	1	—	1	—	—	—
FAHCMT	HAND CLEANING WIPES	16	—	—	—	—	—	—	—
FACB002	COMPRESS BANDAGE 2" X 2" STERILE	8	—	1	—	1	—	—	—
FACB004	COMPRESS BANDAGE 4" STERILE	6	2	—	—	—	—	—	—
FAEP01	EYE PADS OVAL STERILE	2	—	—	—	—	—	—	—
FAGP2X2	GAUZE PADS 2" X 2" STERILE	—	—	4	5	4	1	—	—
FAAW100	ALCOHOL WIPES	—	2	2	—	2	—	—	—
FAES	EYE SHIELD	1	—	—	—	—	—	—	—
FAGC36	GAUZE COMPRESS 36" X 36" STERILE	3	—	—	—	—	—	—	—
FAGB015	GAUZE BANDAGE ROLL 1" X 5 YDS	—	—	1	—	—	—	—	—
FAGB025	GAUZE BANDAGE ROLL 2" X 5 YDS	2	1	—	—	—	—	—	—
FAGB035	GAUZE BANDAGE ROLL 3" X 5 YDS	—	—	1	—	—	—	—	—
FAGB045	GAUZE BANDAGE ROLL 4" X 5 YDS	—	1	—	—	—	—	—	—
FACFB03	CONFORM GAUZE 3" X 5 YDS	—	1	—	—	—	—	—	—
FAAT0525	ADHESIVE TAPE 1/2" X 2.5 YDS	—	1	1	—	1	1	—	—
FAAT015	ADHESIVE TAPE 1" X 5 YDS	1	—	—	—	—	—	—	—
FATB001	TRIANGULAR BANDAGE	6	2	1	—	1	—	—	—
FAMW001	WIRE SPLINT 3-3/4" X 12"	1	—	—	—	—	—	—	—
FATW001	TWEEZERS	1	1	1	—	1	—	—	—
FASC001	SCISSORS	1	1	1	—	1	—	—	—
FASP012	SAFETY PINS (PACK OF 12)	1	1	1	—	1	—	—	—
FAPS343	PLASTIC ADH. STRIPS 3/4" X 3" STERILE	—	24	10	10	20	5	6	—
FAPS1X3	PLASTIC ADH. STRIPS 1" X 3" STERILE	150	—	—	—	—	—	—	1
FAPS2X3	PLASTIC ADH. STRIPS 2" X 3" STERILE	—	—	—	—	—	1	—	—
FABZ002	BENZALKONIUM ANTISEPTIC WIPES	—	100	10	10	—	2	6	6
FAAMONIAPO1	AMMONIA INHALANTS SACHETS	—	2	—	—	—	—	—	—
FABIP	POVIDONE OINTMENT SACHET	—	2	—	—	—	—	—	—
FACM025	CETRIMIDE OINTMENT 15 G	—	—	—	—	—	1	—	—
FABL41X72	GREY BLANKET 41" X 72"	—	—	—	—	—	—	1	—
FAFLAS12077	ECONOMICAL FLASHLIGHT	—	—	—	—	—	—	1	—
FAWPM45	WATERPROOF MATCHES 30/PKG	—	—	—	—	—	—	1	—
FAAT525	ADHESIVE TAPE 1/2" X 2-1/2 YD - NO SPOOL	—	—	—	—	—	—	1	—
FAGP2X2	GAUZE PAD 2" X 2" STERILE	—	—	—	—	—	—	2	—
FAMATCHB	MATCHES 20/PKG	—	—	—	—	—	—	—	2

PART NO	CONTENTS	A	B	C	E	F	G	H	I
FAFS006	FABRIC FINGER STRIP STERILE	—	1	—	—	—	1	1	1
FAFS005	FABRIC KNUCKLE STRIP STERILE	—	1	—	—	—	1	1	1
FABSR	STING RELIEF SACHET	—	2	—	—	—	—	—	—
FAPOLICE	S.O.S. PLASTIC FLAG (CALL POLICE)	—	—	1	1	1	1	1	1
FABOS727908	BOOSTER CABLES	—	—	—	—	—	1	1	—
FALS030	12 HOUR EMERGENCY LITE STICK	—	—	—	—	1	—	—	—
FAMATCH1	WATERPROOF REUSABLE MATCH	—	—	—	1	1	1	—	—
FACANDLE	EMERGENCY CANDLES	—	—	—	1	2	2	1	1
FACP4X6	INSTANT COLD PACK	—	—	—	—	1	—	—	—
FAAB001	ALUMINUM BLANKET	—	—	—	1	1	1	—	1
FAGLOV01	WORK GLOVES (PAIR)	—	—	—	1	—	1	—	1
FAFLHC01	FLASHLIGHT WITH HAND CRANK	—	—	—	1	—	1	—	—
FAPK8068PKF	MULTI-FUNCTION KNIFE	—	—	—	1	—	—	—	1
FAFIST0150	FIRE STARTER STICKS	—	—	—	2	—	—	—	—
FAINSC	CPR INSTRUCTION CARD	—	—	—	1	—	—	—	—
FAEK030	KNEE PADS	—	—	—	1	—	—	—	—
FAWF090405A	WARNING AUTO FLASHERS	—	—	—	—	—	1	2	—
FATOW739061	TOW ROPE	—	—	—	—	—	1	—	—
FATRIA087	REFLECTIVE TRIANGLE	—	—	—	—	—	1	—	—
FAVEST060	TRAFFIC VEST	—	—	—	—	—	1	—	1
FASYPH025	SYPHON PUMP	—	—	—	—	—	1	—	—
FAEK041	MULTI-BIT SCREWDRIVER	—	—	—	—	1	—	—	—
FATIE04	TIE WRAPS	—	—	—	—	—	—	—	—
FAEK014RED	ELASTIC STRAP WITH HOOKS	—	—	—	—	—	—	—	—
FAPENLIGHT	PENLIGHT	—	—	—	—	1	—	—	—
FA96WPDW	EMERGENCY DRINKING WATER	—	—	—	—	1	—	—	—
FAMIEB400KC	MILLENNIUM ENERGY BAR	—	—	—	—	1	—	—	—
SAC02	ZIPLOCK BAG	—	—	—	—	—	1	—	—
FAEK057	HAND WARMER	—	—	—	—	—	—	—	1
FASBCD	DISPOSABLE SEAT BELT CUTTER	—	—	—	—	—	—	—	6
FAFS2X3	FABRIC STRIP 2" X 3" BULK	—	—	—	—	—	—	1	—
FACFB02	CONFORM BANDAGE 2 BULK	—	—	—	—	—	—	—	2
FASC55G	GREY HANDLE SCISSORS 5-1/2"	—	—	—	—	—	—	—	1



## First Aid Kits for Various Usages



PART NO	DESCRIPTION
<b>FAKPKBN</b>	PERSONAL FIRST AID KIT IN NYLON POUCH - FANP5X4
<b>FAK10BP</b>	UTILITY FIRST AID KIT IN BULK IN PLASTIC BOX - FAKT010
<b>FAKNH</b>	HANDY FIRST AID KIT IN NYLON POUCH - FANP6X4
<b>FAKUT10P</b>	UTILITY FIRST AID KIT IN BULK IN PLASTIC BOX - FAKT010

PART NO	CONTENTS	FAKPKBN	FAK10BP	FAKNH	FAKUT10P
<b>FAFM001</b>	FIRST AID MANUAL	1	1	—	1
<b>FAPS343</b>	PLASTIC STRIPS ¾" X 3" STERILE	20	20	12	20
<b>FAFS007</b>	FABRIC FINGER TIPS STERILE	—	2	—	2
<b>FAFS005</b>	FABRIC KNUCKLE STRIPS STERILE	3	2	—	2
<b>FAAW100</b>	ALCOHOL WIPES	5	6	4	6
<b>FAPIB</b>	IODINE WIPES	2	—	—	—
<b>FAAT0525</b>	ADHESIVE TAPE ½" X 2.5 YDS	1	1	—	1
<b>FACA003</b>	COTTON TIP APPLICATORS 3"	12	—	—	—
<b>FACB004</b>	PRESSURE BANDAGE 4" STERILE	1	—	1	—
<b>FAGP2X2</b>	GAUZE PAD 2" X 2"	4	—	2	—
<b>FAGP3X3</b>	GAUZE PAD 3" X 3"	—	2	—	2
<b>FAAP5X9</b>	ABDOMINAL PAD 5" X 9"	1	1	—	1
<b>FAAT525</b>	ADHESIVE TAPE ½" X 2-½ YDS - NO SPOOL	—	—	1	—
<b>FASP012</b>	SAFETY PINS 12/PKG	—	—	1	—

PART NO	CONTENTS	FAKPKBN	FAK10BP	FAKNH	FAKUT10P
<b>FACFB02</b>	CONFORM BANDAGE 2" X 5 YDS	1	1	—	1
<b>FATNB02</b>	TENSOR BANDAGE 2" X 5 YDS	1	1	—	1
<b>FATB001</b>	TRIANGULAR BANDAGE	—	1	1	1
<b>FATF2X3</b>	TELFA PAD 2" X 3"	—	2	—	2
<b>FABFM</b>	BUTTERFLY CLOSURE	—	5	—	5
<b>FABZ002</b>	BENZALKONIUM ANTISEPTIC WIPES	10	10	10	10
<b>FACM025</b>	CETRIMIDE OINTMENT 15 G	—	1	—	1
<b>FAAMONIAPO1</b>	AMONIA INHALANTS SACHETS	—	1	—	1
<b>FAASA100</b>	ACETAMINOPHEN	—	2	—	—
<b>FASC001</b>	SCISSORS	—	1	1	1
<b>FATW001</b>	TWEEZERS	1	1	—	1
<b>FADG001</b>	DISPOSABLE GLOVES (1 PAIR)	1	1	2	1
<b>FABIP</b>	POVIDONE PREP PADS BULK	—	—	3	—

## Infection Control & Snake Bite First Aid Kits



PART NO	DESCRIPTION
<b>FAKIFCBP</b>	INFECTION CONTROL FIRST AID KIT IN PLASTIC BOX - FAKT010
<b>FAKSBP</b>	SNAKE BITE FIRST AID KIT IN PLASTIC BOX - FAKT010

PART NO	FAKIFCBP CONTENTS	QUANTITY
<b>FADISAPRON</b>	DISPOSABLE APRON	1
<b>FADG001</b>	DISPOSABLE GLOVES (PAIR)	5
<b>FABZ002</b>	BENZALKONIUM ANTISEPTIC WIPES	10
<b>FARB</b>	CPR DEVICE WITH ONE WAY VALVE	1
<b>EP10</b>	SAFETY SPECTACLES	1
<b>FAMASK01</b>	SURGICAL FACE MASK	2

FAKSBP CONTENTS (AS IS, NO PART NUMBER REPLACEMENT)	QUANTITY
LARGE HIGH SUCTION CUP	1
SMALL HIGH SUCTION CUP	1
LYMPH CONSTRICTOR	1
SCALPEL	1
ANTISEPTIC SWAB	1
INSTRUCTION SHEET	1

## Tick Removal Kits



PART NO	DESCRIPTION
<b>FAKTICK</b>	POCKET SIZE TICK REMOVAL KIT IN VINYL POUCH
<b>FAKTICK03</b>	DELUXE TICK REMOVAL KIT IN PLASTIC BOX
<b>FAKTICN04</b>	DELUXE TICK REMOVAL KIT IN NYLON POUCH

PART NO	CONTENTS	FAKTICK	FAKTICK03	FAKTICN04
<b>FABZ002</b>	BENZALKONIUM ANTISEPTIC WIPES	2	1	1
<b>FAPSIX3</b>	PLASTIC STRIPS, 1" X 3" STERILE	2	2	2
<b>FAPSIX38</b>	MINI PLASTIC STRIPS, 1" X 3.8 CM	—	2	2
<b>FATW3M</b>	SPLINTER FORCEPS 3" WITH MAGNIFIER	1	1	1

PART NO	CONTENTS	FAKTICK	FAKTICK03	FAKTICN04
<b>FAAW100</b>	ALCOHOL WIPES	—	1	1
<b>FADVG01</b>	DISPOSABLE GLOVES (1 PAIR)	1	1	1
<b>FATTWIST</b>	TICK TWISTER, SET OF 2	—	1	1
<b>FAINSCTICK</b>	INSTRUCTION FOR TICK REMOVAL	1	1	1

## Boat & Liferaft First Aid Kits



PART NO	DESCRIPTION
<b>FAKLB</b>	LIFERAFT FIRST AID KIT IN A CLEAR VINYL WATERPROOF POUCH (A)
<b>FAKMARINE1</b>	FISHING VESSEL FIRST AID KIT IN PLASTIC BOX - FAKT010 (B)
<b>FAKMARINE2</b>	FISHING VESSEL FIRST AID KIT IN PLASTIC BOX - FAKT016 (C)
<b>FAKMOHSABP</b>	VESSEL FIRST AID KIT - PLASTIC BOX FAKT016 TYPE A FOR 2 TO 5 EMPLOYEES (D)
<b>FAKMOHSABM</b>	VESSEL FIRST AID KIT - METAL BOX FAKT16M TYPE A FOR 2 TO 5 EMPLOYEES (D)
<b>FAKMOHSBBP</b>	VESSEL FIRST AID KIT - PLASTIC BOX FAKT024 TYPE B FOR 6 TO 19 EMPLOYEES (E)
<b>FAKMOHSBBM</b>	VESSEL FIRST AID KIT - METAL BOX FAKT24M TYPE B FOR 6 TO 19 EMPLOYEES (E)
<b>FAKMOHSBCP</b>	VESSEL FIRST AID KIT - PLASTIC BOX FAKT040 TYPE C FOR 20 TO 49 EMPLOYEES (F)
<b>FAKMOHSBCM</b>	VESSEL FIRST AID KIT - METAL BOX FAKTXF7 TYPE C FOR 20 TO 49 EMPLOYEES (F)
<b>FAKMOHSDBP</b>	VESSEL FIRST AID KIT - PLASTIC BOX FAKT040 TYPE D FOR 50 EMPLOYEES AND MORE (G)
<b>FAKMOHSDBM</b>	VESSEL FIRST AID KIT - METAL BOX FAK16MB TYPE D FOR 50 EMPLOYEES AND MORE (G)
<b>FAKMOHSER</b>	VESSEL FIRST AID KIT - ZIPLOCK BAG TYPE E FOR ISOLATED WORK PLACE (H)

PART NO	CONTENTS	A	B	C	D	E	F	G	H
<b>FAFM001</b>	FIRST AID MANUAL	1	1	1	1	1	1	1	—
<b>FAARB</b>	ACCIDENT RECORD BOOK	—	1	1	1	1	1	1	1
<b>FABZ002</b>	BENZALKONIUM ANTISEPTIC WIPES	—	12	12	10	20	30	60	10
<b>FATB001</b>	TRIANGULAR BANDAGES	2	2	4	2	4	6	8	1
<b>FAHCMT</b>	HAND CLEANING WIPES	10	10	20	10	10	10	10	—
<b>FAEP01</b>	EYE PADS	10	2	2	1	1	2	4	1
<b>FAPSEPSW</b>	STRIP OF ADHESIVE TAPE ON SHEET	—	—	—	3	3	6	12	3
<b>FAEW004</b>	EYE WASH 4 OZ	1	—	—	—	—	—	—	—
<b>FAEB</b>	EYE BATH	1	—	—	—	—	—	—	—
<b>FAAT0525</b>	ADHESIVE TAPE ½" X 2.5 YDS	—	2	2	1	1	2	3	—
<b>FAAT015</b>	ADHESIVE TAPE 1" X 5 YDS	1	—	—	—	—	—	—	—
<b>FABI0BAG</b>	BIOHAZARD BAGS	—	1	2	—	—	—	—	—
<b>FAAW100B</b>	ALCOHOL WIPES	—	10	10	—	—	—	—	—
<b>FASC001</b>	SCISSORS	1	—	1	1	1	1	1	1
<b>FATW001</b>	TWEEZERS	1	1	1	1	1	1	1	—
<b>FABF118</b>	BURN-EZE 3.5 G	—	1	1	1	—	—	—	—
<b>FABF4X4</b>	BURN-EZE DRESSING 4" X 4"	—	—	—	1	1	2	2	—
<b>FABF8X8</b>	BURN-EZE DRESSING 8" X 8"	—	—	—	—	—	1	1	—
<b>FAPS343</b>	PLASTIC ADHESIVE STRIPS ¾" X 3"	16	12	100	12	100	200	400	6
<b>FAGP3X3</b>	GAUZE PADS 3" X 3"	—	4	8	—	—	—	—	—

PART NO	CONTENTS	A	B	C	D	E	F	G	H
<b>FAGP4X4</b>	GAUZE PADS 4" X 4"	—	—	—	4	8	12	18	2
<b>FACB004</b>	COMPRESS BANDAGE 4"	4	2	4	2	4	8	12	—
<b>FAGB025</b>	GAUZE BANDAGE ROLL 2" X 5 YDS	2	—	—	—	—	—	—	—
<b>FAGB110</b>	GAUZE BANDAGE ROLL 1" X 10 YDS	—	—	—	2	6	8	12	—
<b>FAAP8X10</b>	ABDOMINAL PAD 8" X 10"	2	—	—	—	—	—	—	—
<b>FADG001</b>	DISPOSABLE GLOVES (1 PR)	—	1	—	15	10	20	30	5
<b>FADNG01</b>	DISPOSABLE NITRILE GLOVES (1 PR)	—	—	1	—	—	—	—	—
<b>FAWS</b>	WOOD SPLINTS (SET OF 6)	—	—	1	—	—	—	—	—
<b>FAMW001</b>	WIRE SPLINT 3-¾" X 12"	1	—	—	1	1	1	—	—
<b>FASP001</b>	SPLINT PADDING	1	—	2	1	1	1	—	—
<b>FAAMONIAP01</b>	AMMONIA INHALANTS SACHETS	1	—	—	—	—	—	—	—
<b>FASP012</b>	SAFETY PINS (PACK OF 12)	1	—	—	—	—	—	—	—
<b>FABIP</b>	POVIDONE SACHET	10	—	—	—	—	—	—	—
<b>FABEM9X12</b>	WATERPROOF BIOHAZARD BAG	—	—	—	1	2	2	4	—
<b>FABSR</b>	STING RELIEF SACHET	—	—	—	10	10	10	20	—
<b>FARB</b>	CPR MASK WITH ONE WAY VALVE	—	—	—	1	1	2	3	1
<b>FATD011W</b>	TONGUE DEPRESSORS	—	—	—	5	5	10	10	—
<b>FAPENLIGHT</b>	PENLIGHT	—	—	—	—	—	1	1	—
<b>FATNB03</b>	SENSOR BANDAGE 3" X 5 YDS	—	—	—	—	—	1	2	—
<b>FAAB001</b>	ALUMINUM BLANKET	—	—	—	—	—	—	1	1





## First Responder First Aid Kits



PART NO	DESCRIPTION
<b>FAKFR1BN</b>	FIRST RESPONDER FIRST AID KIT IN NYLON BAG - FAN13X9 (A)
<b>FAKTRAUN</b>	TRAUMA FIRST RESPONDER FIRST AID KIT - NYLON POUCH FANPTRAUMA (B)

PART NO	CONTENTS	A	B	PART NO	CONTENTS	A	B	PART NO	CONTENTS	A	B
<b>FAFM001</b>	FIRST AID MANUAL	—	1	<b>FABZ002</b>	BENZALKONIUM ANTISEPTIC WIPES	25	24	<b>FACA003</b>	COTTON TIP APPLICATORS 3"	—	100
<b>FAARB</b>	ACCIDENT RECORD BOOK	—	1	<b>FAAW100</b>	ALCOHOL WIPES	—	24	<b>FATNB02</b>	TENSOR BANDAGE 2" X 5 YDS	—	2
<b>FACB006</b>	COMPRESS BANDAGE 6"	—	2	<b>FAHCMT</b>	HAND CLEANING WIPES	—	10	<b>FATNB03</b>	TENSOR BANDAGE 3" X 5 YDS	—	1
<b>FACB004</b>	COMPRESS BANDAGE 4"	4	2	<b>FAHSG20Z</b>	HAND SANITIZER 2 OZ / 60 ML	—	1	<b>FATNB04</b>	TENSOR BANDAGE 4" X 5 YDS	—	1
<b>FACB002</b>	COMPRESS BANDAGE 2"	4	—	<b>FAAMONIAP01</b>	AMMONIA INHALANTS SACHETS	10	—	<b>FAEB</b>	EMESIS BASIN	—	1
<b>FAAP5X9</b>	ABDOMINAL PAD 5" X 9"	1	2	<b>FAAB001</b>	ALUMINUM BLANKET	2	2	<b>FAMASK01</b>	DUST MASK	—	2
<b>FAAP8X10</b>	ABDOMINAL PAD 8" X 10"	—	2	<b>FARB</b>	CPR MASK WITH ONE WAY VALVE	1	1	<b>FA066337T</b>	INSTA GLUCOSE 25 G	—	1
<b>FAPS343</b>	PLASTIC ADHESIVE STRIPS ¾" X 3"	—	100	<b>FACP4X6</b>	INSTANT COLD PACK	1	4	<b>FABI0BAG</b>	BIOHAZARD BAG	—	2
<b>FAPS783</b>	FABRIC ADHESIVE STRIPS ¾" X 3"	48	48	<b>FAHP6X10</b>	INSTANT HOT PACK	—	2	<b>FAPENLIGHT</b>	PENLIGHT	—	1
<b>FAFS2X3</b>	FABRIC STRIPS 2" X 3"	—	12	<b>FASC75B</b>	PARAMEDIC SCISSORS 7"	1	1	<b>FABEM9X12</b>	WATERPROOF BIOHAZARD BAG	—	2
<b>FAFS006</b>	FABRIC FINGER STRIPS	12	24	<b>FATW001</b>	TWEEZERS	1	—	<b>FASAM</b>	ALUMINUM SPLINT (SAM)	—	1
<b>FAFS005</b>	FABRIC KNUCKLE STRIPS	12	12	<b>FASP012</b>	SAFETY PINS (PACK OF 12)	1	1	<b>FASBCD</b>	SEAT BELT CUTTER	—	1
<b>FACF002</b>	CONFORM BANDAGE 2" X 5 YDS	2	2	<b>FAMW001</b>	WIRE SPLINT 3-¾" X 12"	1	—	<b>FATW045</b>	SPLINTER FORCEPS	—	1
<b>FACF004</b>	CONFORM BANDAGE 4" X 5 YDS	2	2	<b>FAAT015</b>	ADHESIVE TAPE 1" X 5 YDS	1	1	<b>FATWP442</b>	CURVED FORCEPS	—	1
<b>FATB001</b>	TRIANGULAR BANDAGE	6	3	<b>FAAT025</b>	ADHESIVE TAPE 2" X 5 YDS	—	1	<b>FABFM</b>	BUTTERFLY CLOSURE	—	10
<b>FAGP2X2</b>	GAUZE PAD 2" X 2"	—	20	<b>FASTIX10</b>	SURGICAL TAPE KOSMAPORE	—	1	<b>FA356060</b>	ORAL DIGITAL THERMOMETER	—	1
<b>FAGP3X3</b>	GAUZE PAD 3" X 3"	15	10	<b>FAIR500ML</b>	SALINE SOLUTION 500 ML	1	2	<b>FATD100</b>	TONGUE DEPRESSOR	—	6
<b>FAGP4X4</b>	GAUZE PAD 4" X 4"	—	10	<b>FADG001</b>	DISPOSABLE GLOVES	5	10	<b>FAESM3X5</b>	ESMARCH BANDAGE 3" X 5 YDS	—	1
<b>FATF2X3</b>	TELFA PAD 2" X 3"	10	6	<b>FABS60X96</b>	BURN SHEET 60"	—	1	<b>FANPTRAUMA</b>	TRAUMA PAD 10" X 30" STERILE	—	1
<b>FATF3X4</b>	TELFA PAD 3" X 4"	—	6	<b>FACOB1X5</b>	SELF ADHERENT WRAP BDG 1" X 5 YDS	—	1	<b>FAPEG065</b>	PEG OINTMENT 65 G	—	1
<b>FAFW001</b>	EYE WASH 1 OZ	2	2	<b>FACB55X15</b>	COMPRESS BANDAGE 5-½" X 1 YDS	—	1	<b>FASFK35</b>	SECOND SKIN	—	4
<b>FAEDP</b>	EYE DRESSING PACKET	2	2	<b>FACB4565</b>	COMPRESS BANDAGE 4-½" X 6-½" YDS	—	1	<b>FACM025</b>	CETRIMIDE OINTMENT 25 G	—	1
<b>FAES</b>	PLASTIC EYESHIELD	3	2	<b>FACFB06</b>	GAUZE BANDAGE 6" X 5 YDS	—	2				

## Biohazard Spill Clean-Up First Aid Kits



PART NO	DESCRIPTION
<b>FAKPB01</b>	EASY PERSONNEL PROTECTION KIT IN ZIPLOCK BAG
<b>FAKPB02</b>	EASY CLEAN ALL KIT IN ZIPLOCK BAG
<b>FAKPB03</b>	EASY COMPLETE PRECAUTION COMPLIANCE KIT IN PLASTIC BOX - 10 UNITS

PART NO	CONTENTS	FAKPB01	FAKPB02	FAKPB03	PART NO	CONTENTS	FAKPB01	FAKPB02	FAKPB03
<b>FAINSTBIO</b>	INSTRUCTION CARD	1	1	1	<b>FABZ002</b>	BENZALKONIUM ANTISEPTIC WIPES	1	1	1
<b>FA41117</b>	RED 2" SOLIDIFIER	—	1	1	<b>FA8289BD</b>	PAPER TOWEL	—	1	—
<b>FA17170</b>	SCOOP / SCRAPER	—	1	1	<b>FA211008</b>	RED BIOHAZARD BAG	1	1	1
<b>FA35926</b>	SANIZIDE PRO™ SURFACE DESINFECTANT WIPE	—	1	1	<b>FADISAPRON</b>	PROTECTIVE APRON	—	—	1
<b>FADGD8009</b>	FLUID RESISTANT GOWN	1	—	—	<b>FADV001</b>	DISPOSABLE GLOVES (1 PAIR)	1	1	1
<b>FACMS01</b>	COMBO MASK/SAFETY SHIELD	1	—	1					



# Emergency Preparedness Kits

## Emergency Preparedness First Aid Kits in Buckets



PART NO	DESCRIPTION
<b>FAKSURBK23</b>	DISASTER SURVIVAL KIT FOR 2 PERSONS FOR 3 DAYS
<b>FAKSURBK33</b>	DISASTER SURVIVAL KIT FOR 3 PERSONS FOR 3 DAYS
<b>FAKSURBK43</b>	DISASTER SURVIVAL KIT FOR 4 PERSONS FOR 3 DAYS
<b>FAKSURBK53</b>	DISASTER SURVIVAL KIT FOR 5 PERSONS FOR 3 DAYS

PART NO	CONTENTS	FAKSURBK23	FAKSURBK33	FAKSURBK43	FAKSURBK53
<b>FA96WPDW</b>	EMERGENCY WATER RATIONS	12	18	24	30
<b>FAEMF2400KC</b>	EMERGENCY FOOD RATIONS	12	18	24	30
<b>FALS030</b>	12 HOUR EMERGENCY LITESTICKS	2	3	4	5
<b>FAMASK01</b>	DUST MASK	2	3	4	5
<b>FASAN01</b>	SANITARY PADS	4	6	8	10
<b>FATP001</b>	TOILET PAPER ROLLS	2	2	3	3
<b>FAWP</b>	EMERGENCY WHISTLE	1	1	2	2
<b>FAEMCANDLE</b>	36 HOUR CANDLES	2	2	2	2
<b>FAFLHC01</b>	FLASHLIGHT WITH HAND CRANK	1	1	1	1
<b>FAAB001</b>	ALUMINUM BLANKET	2	3	4	5
<b>FAKCSATIBN</b>	FIRST AID KIT	1	1	1	1



# Emergency Preparedness First Aid Kits in Nylon Bags



PART NO	DESCRIPTION
FASURV13	DISASTER SURVIVAL FIRST AID KIT FOR 1 PERSON - 3 DAYS
FASURV23	DISASTER SURVIVAL FIRST AID KIT FOR 2 PERSONS - 3 DAYS
FAKSURD43	DELUXE DISASTER SURVIVAL FIRST AID KIT FOR 4 PERSONS - 3 DAYS

PART NO	CONTENTS	FASURV13	FASURV23	FAKSURD43	PART NO	CONTENTS	FASURV13	FASURV23	FAKSURD43
FA96WPDW	EMERGENCY WATER RATIONS	8	18	40	FATOOTHBR	TOOTHBRUSH	—	—	2
FAEMF2400KC	EMERGENCY FOOD RATIONS	6	12	24	FATOOTHPA	TUBE OF TOOTHPASTE	—	—	2
FALS030	12 HOUR EMERGENCY LITESTICKS	1	2	4	FAFS005	FABRIC KNUCKLE STRIPS	1	2	2
FAMASK01	DUST MASK	1	2	4	FAFS006	FABRIC FINGER STRIPS	1	2	2
FASAN01	SANITARY PADS	2	4	6	FACB004	COMPRESS BANDAGE 4"	1	—	—
FATP001	TOILET PAPER ROLLS	1	2	2	FAPS343	PLASTIC STRIPS ¾" X 3"	10	10	10
FAWP	EMERGENCY WHISTLE	1	1	2	FABZ002	BENZALKONIUM ANTISEPTIC WIPES	10	10	10
FAEMCANDLE	36 HOUR SURVIVAL CANDLES	2	2	—	FABF35	BURN-EZE 3.5 OZ SACHET	1	2	2
FAFLHC01	FLASHLIGHT WITH HAND CRANK	1	1	—	FATF2X3	TELFA PAD 2" X 3"	—	—	2
FAAM001	ALUMINUM BLANKETS	1	2	4	FATF3X4	TELFA PAD 3" X 4"	—	—	2
FAWC5L	5 LITRE WATER CONTAINER (EMPTY)	—	—	2	FAAP5X9	ABDOMINAL PAD 5" X 9"	—	—	1
FAKPEERS	FIRST AID KIT	—	1	—	FATN02	TENSOR BANDAGE 2" X 5 YDS	—	—	1
FAEK057	12 HOUR HAND / BODY WARMER	—	—	8	FACFB02B	CONFORM BANDAGE 2" X 5 YDS	—	—	2
FAPONCHOS	EMERGENCY RAIN PONCHOS	—	—	4	FACFB04B	COMPRESS BANDAGE 4"	—	2	1
FAPLAYCARDS	DECK OF PLAYING CARDS	—	—	1	FACM025	CETRIMIDE OINTMENT 25 G	—	—	1
FADUCTTAPE	DUCT TAPE	—	—	1	FABSR	STING RELIEF SACHET	—	—	5
FAPK8068PKF	MULTI-FUNCTION KNIFE	—	—	1	FADG001	DISPOSABLE GLOVES (1 PAIR)	—	—	1
FAMATCH1	WATERPROOF REUSABLE MATCH	—	—	1	FAFM001	FIRST AID MANUAL	—	—	1
FAGLOV01	PAIR OF WORK GLOVES	—	—	2	FASC001	SCISSORS	—	—	1
FAGRTARP	GROUND TARP	—	—	1	FATW001	TWEEZERS	—	—	1
FAPRYBAR	CROW BAR	—	—	1	FAAKS2	ALKA SELTZER SACHET	—	—	1
FAEK440	WIND-UP FLASHLIGHT / RADIO / ALARM	—	—	1	FAASA100	ACETAMINOPHEN	—	—	2
FAROPE	NYLON ROPE	—	—	1	FATD01IW	TONGUE DEPRESSOR	—	—	2
FACOLBOOK	COLOURING BOOK	—	—	1	FAEP01	EYE PAD	—	—	2
FACOLPEN	PACK OF CRAYONS	—	—	1	FATB001	TRIANGULAR BANDAGE	—	—	1
FAHCMT	WET WIPES	—	—	12	FAAT525	ADHESIVE TAPE ½" X 2-½ YDS	—	—	1
FABI0BAG	BIOHAZARD WASTE BAGS	—	—	2	FACP4X6	INSTANT COLD PACK	—	—	1
FAZL8X10	ZIPLOCK BAGS	—	—	10					





# Containers & Pouches



## Metal Cases for Industrial First Aid Kits (Empty)



**FAK13MB**



**FAK15MB**



**FAK16MB**

### FEATURES

- ▶ Durable and rugged folded metal design
- ▶ Baked-on white enamel finish
- ▶ Include wall mount brackets
- ▶ Squared corners with positive closure clips

PART NO	DESCRIPTION
<b>FAK13MB</b>	EMPTY FIRST AID KIT BOX - 9" X 12" X 4" (22.5 CM X 30 CM X 10 CM)
<b>FAK15MB</b>	EMPTY FIRST AID KIT BOX - 16" X 13.5" X 5.5" (40.5 CM X 34.25 CM X 14 CM)
<b>FAK16MB</b>	EMPTY FIRST AID KIT BOX - 16" X 15.5" X 5.5" (40.5 CM X 39 CM X 14 CM)
<b>FAK20MB</b>	EMPTY FIRST AID KIT BOX - 22" X 15" X 5.5" (56 CM X 38 CM X 14 CM)

## Metal Cases for Unitized or Bulk First Aid Kits (Empty)



**FAKT36M**



**FAKT24M**



**FAKT16M**



**FAKT10M**


### FEATURES

- ▶ Durable and rugged metal design
- ▶ Baked-on white enamel finish
- ▶ Include wall mount brackets
- ▶ Rounded corners with positive closure clips
- ▶ Gasket models are moisture and dust-proof


PART NO	DESCRIPTION
<b>FAKT10M</b>	EMPTY FIRST AID KIT BOX - 7.5" X 5" X 3" (19 CM X 12.7 CM X 7.6 CM)
<b>FAKT16M</b>	EMPTY FIRST AID KIT BOX - 10" X 7" X 3" (25.4 CM X 17.8 CM X 7.6 CM)
<b>FAKT24M</b>	EMPTY FIRST AID KIT BOX - 10" X 10" X 3" (25.4 CM X 25.4 CM X 7.6 CM)
<b>FAKTXF7</b>	EMPTY INDUSTRIAL FIRST AID KIT BOX - 15" X 10.5" X 5" (38 CM X 27 CM X 13 CM)




## Plastic Cases for Unitized or Bulk First Aid Kits (Empty)




**FAKT040**




**FAKT024**



**FAKT016**



**FAKT036**




**FAKT010**

### FEATURES


- ▶ Durable and economical
- ▶ Non-rusting and scratch resistant
- ▶ Strong and lightweight
- ▶ Carry handle and wall mount brackets

PART NO	DESCRIPTION
<b>FAKT010</b>	EMPTY FIRST AID KIT BOX, PLASTIC - 7.5" X 5" X 3.5" (19 CM X 12.7 CM X 8.9 CM)
<b>FAKT016</b>	EMPTY FIRST AID KIT BOX, PLASTIC - 10" X 7" X 3" (25.4 CM X 17.8 CM X 7.6 CM)
<b>FAKT024</b>	EMPTY FIRST AID KIT BOX, PLASTIC - 10" X 10" X 3" (25.4 CM X 25.4 CM X 7.6 CM)
<b>FAKT036</b>	EMPTY FIRST AID KIT BOX, PLASTIC - 13.5" X 9.5" X 3" (34.3 CM X 24 CM X 7.6 CM)
<b>FAKT040</b>	EMPTY FIRST AID KIT BOX, PLASTIC - 16" X 12" X 5" (40 CM X 30 CM X 12.5 CM)
<b>FAKTP</b>	EMPTY FIRST AID CONTAINER - PLASTIC - POCKET SIZE


## Bags and Pouches for First Aid Kits (Empty)




**FANP13X11**




**FANPSURVBL**




**FANP13X9**




**FANP8X12**



**FANP9X4**



**FANP6X4**



**FANP5X4**

### FEATURES

- ▶ Strong and rugged
- ▶ Lightweight and flexible

PART NO	DESCRIPTION
<b>FANPPF</b>	SMALL FANNY POUCH WITH BELT
<b>FANP6X4</b>	SMALL FLAT NYLON BAG WITH ZIPPER CLOSURE AND BELT LOOP
<b>FANP5X4</b>	SMALL SQUARE NYLON BAG WITH ZIPPER CLOSURE AND BELT LOOP
<b>FANP9X4</b>	CYLINDRICAL NYLON BAG - 9" X 4" WITH HANDLES
<b>FANP5X10</b>	CYLINDRICAL NYLON BAG - 10" X 5" WITH HANDLES
<b>FANP8X12</b>	LARGE BAG - 8" X 12" X 3" WITH ZIPPER CLOSURE, HANDLE AND INSIDE POCKET
<b>FANP13X9</b>	XLARGE BAG - 13" X 9" X 3" WITH ZIPPER CLOSURE AND HANDLE
<b>FANP13X9ERK</b>	XLARGE BAG - 13" X 9" X 3" WITH ZIPPER CLOSURE AND HANDLE
<b>FANP13X11</b>	XLARGE BAG - 13" X 11" X 4.5"
<b>FANPRSP</b>	LARGE FIRST RESPONDER BAG WITH HANDLE AND SHOULDER STRAP - 20" X 10" X 10"
<b>FANPTRAUMA</b>	LARGE TRAUMA BAG WITH HANDLE AND SHOULDER STRAP - 19" X 11" X 13" (47.5 CM X 27.5 CM X 32.5 CM)
<b>FANPSURVBL</b>	LARGE SURVIVAL KIT BLUE BAG WITH HANDLE AND SHOULDER STRAP - 16" X 12" X 8" (40 CM X 30 CM X 20 CM)
<b>FIRST AID CONTAINER ACCESSORIES</b>	
<b>FA057012R</b>	INSERT FOR CONTAINERS - 12 POCKETS
<b>FAPSR02</b>	SECURITY SEAL - BREAK TO ACCESS - FOR FIRST AID KITS - RED
<b>FAPSY01</b>	SECURITY SEAL - BREAK TO ACCESS - FOR FIRST AID KITS - YELLOW



# First Aid Equipment

## First Aid Room Equipment



**FACTREAT**



**FAROLACOT**

PART NO	DESCRIPTION
<b>FAROLACOT</b>	ROLLAWAY COT - FRAME AND MATTRESS
<b>FACTREAT</b>	TREATMENT CHAIR WITH TREATMENT BASIN HOLDER
<b>FABCD12</b>	DISPOSABLE SHEET FOR BEDS 41" X 84" 12/PKG
<b>FABSD25</b>	MATTRESS COVER - FITTED FLUID RESISTANT 85" X 41"
<b>FACPD25</b>	PILLOW CASES DISPOSABLE 25/PKG
<b>FAPILLOWPV</b>	PVC COATED PILLOW CASE
<b>FAPILLOWSC</b>	STANDARD PILLOW CASE
<b>FAPRIVSC</b>	FOLDABLE PRIVACY SCREEN - WHEELS - 3 PANELS - UP TO 82-1/2" WIDE

## Stretchers & Accessories



**FASB01**



**FABWB**



**FAWBS**




**FASSPB4  
FASSPB6**



**FATRA110125A**



**FASSP218FA**



**FAYJBL001**

PART NO	DESCRIPTION
<b>FASB01</b>	FULL WOOD SPINAL BOARD
<b>FASBP01</b>	SPINAL BOARD PLASTIC 16"
<b>FASBP02</b>	SPINAL BOARD PLASTIC 18"
<b>FASB01WS</b>	FULL WOOD SPINAL BOARD WITH 3 STRAPS
<b>FASBP01WS</b>	FULL PLASTIC SPINAL BOARD IN YELLOW WITH 3 STRAPS
<b>FAWBS</b>	WIRE BASKET STRETCHER
<b>FAMWB</b>	MATTRESS FOR BASKET STRETCHER
<b>FABL012</b>	DUST COVER FOR BASKET STRETCHERS - 82" X 26" X 9"
<b>FABWB</b>	BRIDLE FOR WIRE BASKET STRETCHER
<b>FABWBA</b>	ADJUSTABLE BRIDLE FOR WIRE BASKET STRETCHER
<b>FAWBCOVER</b>	COVER FOR BASKET STRETCHERS - 85" X 26" X 7-1/2"
<b>FATRA110125A</b>	ADVANTAGE BASKET STRETCHER
<b>FAYJBL001</b>	YELLOW JACKET BASKET STRETCHER COMPLETE WITH STRAPS
<b>FASSPB4</b>	STRAPS FOR STRETCHER WITH PLASTIC BUCKLE - 4 FT
<b>FASSPB6</b>	STRAPS FOR STRETCHER WITH PLASTIC BUCKLE - 6 FT
<b>FASSMB5</b>	STRAPS FOR STRETCHER WITH PLASTIC BUCKLE - 6 FT - SET OF 3
<b>FASSV3</b>	STRAPS FOR STRETCHER OR BACKBOARD - SET OF 3 WITH VELCRO CLOSURE
<b>FASU4</b>	STRAPS FOR WIRE BASKET STRETCHERS
<b>FASSMB5S</b>	BUCKLE/STRAP 2 PIECE SET - WITH SWIVEL CLIP - 5 FT
<b>FAFSA</b>	ALUMINUM DOUBLE FOLDING STRETCHER
<b>FAFSB</b>	ALUMINUM SINGLE FOLDING STRETCHER
<b>FASSP218FA</b>	WHEELCHAIR
<b>FA104008</b>	ADJUSTABLE ALUMINUM CRUTCHES



**FAFSA**



**FA104008**






## Emergency Rescue Blankets



**FABDY**



**FAAB001**



**FASABL**



**FAUSBG**

PART NO	DESCRIPTION
<b>FAAB001</b>	SILVER MYLAR RESCUE BLANKET WITH BODY HEAT REFLECTIVE SURFACE - 52" X 84"
<b>FABDY</b>	YELLOW POLYETHYLENE EMERGENCY BLANKET - 54" X 80"
<b>FAAWBB2</b>	FIRE BLANKET
<b>FAUSBG</b>	UTILITY STRETCHER BLANKET GREY - MIXED FIBERS - POLYESTER - 60" X 80"
<b>FABFB00</b>	FIRE BLANKET 100% WOOL WITH NYLON POUCH HOLDER
<b>FASABL</b>	FIRE BLANKET POUCH ONLY
<b>FABBL3</b>	3 EMERGENCY RESCUE BLANKETS IN PLASTIC BAG
<b>FABL41X72</b>	EMERGENCY RESCUE BLANKET - 41" X 72"
<b>FABFTB36X30</b>	BURNFREE PAIN RELIEF TRAUMA BLANKET - 36" X 30"

## Albacmat™ Rescue Stretcher



**FAALBL**



### FEATURES

- ▶ Safe and quick to deploy by a single user
- ▶ Lightweight, weighs under 5 lbs
- ▶ Supports up to 800 lbs
- ▶ Rolls up for easy storage

PART NO	DESCRIPTION
<b>FAALBS</b>	ALBACMAT™ RESCUE - STANDARD SIZE
<b>FAALBL</b>	ALBACMAT™ RESCUE - LARGE SIZE
<b>FAALBHL</b>	WALL BRACKET FOR THE ALBACMAT™ - HOLDS 4 UNITS


Enables the safe and effective evacuation of injured or frail people




## Evac+Chair® Rescue Devices

PART NO	DESCRIPTION	CAPACITY
FAEVAC300H	EVAC+CHAIR® 300H	400 LB
FAEVAC400H	EVAC+CHAIR® 400H	440 LB
FAEVAC600H	EVAC+CHAIR® 600H	400 LB
FAEVAC700H	EVAC+CHAIR® 700H	350 LB
FAEVAC800H	EVAC+CHAIR® ELECTRIC 800H	350 LB
FAESSHEET	EVAC RESQSHEET®	660 LB
FAESQME	EVAC RESQME®	440 LB
FAEVACUAID	EVAC EVACUAID™ LIGHT-BEACON	—


  



**FAEVAC300H**




**FAEVAC600H**




**FAEVAC700H**


  



**FAEVACUAID**




**FAESSHEET**



**FAESQME**

## Various First Aid Products



**FAPENLIGHT**

PART NO	DESCRIPTION
FAPENLIGHT	PEN LIGHT WITH BATTERY
FA8289BD	DENTIST BIBS - PACK OF 500
FADISAPRON	DISPOSABLE APRON - 28" X 46"
FAHN100	HAIR NETS - WHITE - PACK OF 100
FAMEDCAP	MEDICAL BOUFFANT CAP - 21"
FATRAILTAPE	ORANGE TRAIL TAPE - 25'
FA17170	DISPOSABLE SCOOP AND SCRAPER FOR SPILLS
FA211008	BIOHAZARD WASTE BAG - RED - 24" X 24"
FA21100850	BIOHAZARD WASTE BAGS - RED - 24" X 24" - PACK OF 50
FA41101	RED Z® FLUID SOLIDIFIER - SHAKER BOTTLE - 5 OZ
FA41103	RED Z® FLUID SOLIDIFIER - SHAKER BOTTLE - 15 OZ - BOX OF 12
FA41117	RED Z® FLUID SOLIDIFIER - SINGLE USE POUCH - 10 G
FA41131	RED Z® FLUID SOLIDIFIER - SINGLE USE POUCH - 1 OZ
FABEM9X12	WATERPROOF EMESIS (VOMIT) BAG - 9" X 12"
FABI0BAG	BIOHAZARD PLASTIC ZIPTOP BAG - 6" X 9-½"
FASYSH1624	J CLOTH® HOSPITAL TOWEL - BLUE - 12" X 24" - PACK OF 100
FATP001	TOILET PAPER - INDIVIDUALLY WRAPPED
FADTW4L	DISTILLED WATER - 4 L




## EMS Products



**FASBP02**



**FASBP01**



**FASSCOOP1**



**FASSCOOP2**



**FABASKP1**



**FAKFR1BN**



**FASAMB01**



**FASED01**



**FASPIDER**



**FAKTRAUN**



**FASUHI**



**FARB**



**FASC75B**



**FASBCD**

PART NO	DESCRIPTION
FASBP01	SPINAL BOARD PLASTIC 16"
FASBP02	SPINAL BOARD PLASTIC 18"
FASUHI	HEAD IMMOBILIZER UNIVERSAL
FASSCOOP1	STRETCHER SCOOP
FASSCOOP2	STRETCHER SCOOP PLASTIC
FASAMB01	STRETCHER AMBULANCE TYPE
FABASKP1	STRETCHER BASKET PLASTIC
FASPIDER	FAST STRAP SPIDER
FASED01	EXTRACTION DEVICE
FASBCD	SEAT BELT CUTTER (DISPOSABLE)
FAKFR1BN	FIRST RESPONDER FIRST AID KIT IN NYLON BAG - SEE PG. 152 FOR CONTENT (A)
FAKTRAUN	TRAUMA FIRST RESPONDER FIRST AID KIT IN NYLON POUCH - SEE P. 152 FOR CONTENT (B)
FARB	DISPOSABLE RESCUE BREATHER IN ZIPLOCK BAG
FASC75B	PARAMEDIC SCISSORS 7" BLACK HANDLE





## Guides & Accident Record Books

PART NO	DESCRIPTION
FAFM002	ST. JOHN AMBULANCE FIRST AID MANUAL
FAARB	ACCIDENT RECORD BOOK - SMALL - 8 PAGES
FAARB2	ACCIDENT RECORD BOOK - LARGE - 12 PAGES
FAARBC	ACCIDENT RECORD BOOK FOR BC - 24 PAGES - ENGLISH ONLY
FAFM001	FIRST AID POCKET GUIDE - BILINGUAL
FACAP	PATIENT ASSESSMENT CHART
FAGUIDESST	GUIDE PRATIQUE DU SECOURISTE EN MILIEU DE TRAVAIL - CNESST - FRENCH ONLY

**FAFM001**

**FAARB**

**FAARB2**

**FAARBC**

## Respiratory & CPR Devices

PART NO	DESCRIPTION
FARB	DISPOSABLE RESCUE BREATHER IN ZIPLOCK BAG
FACPRM	CPR MASK WITH ONE WAY VALVE AND OXYGEN INLET IN PLASTIC CONTAINER
FAMSU	MANUAL SUCTION UNIT
FAMSURC	REPLACEMENT CARTRIDGES FOR MANUAL SUCTION UNIT (FAMSU)
FAAIR	AIRWAY KIT - INCLUDES 6 GUEDEL AIRWAY - IN NYLON BAG
FAQMR9000	DISPOSABLE MANUAL RESUSCITATOR - ADULT
FAKDRESP	DISPOSABLE CPR KIT INCLUDES: (1) SMALL NYLON BAG - (1) RESCUE BREATHER #FARB
FAKDRESP1	DISPOSABLE CPR KIT INCLUDES: (1) SMALL NYLON BAG - (1) RESCUE BREATHER #FARB (2) ANTISEPTIC WIPES - (1) PAIR OF DISPOSABLE GLOVES
FAKDRESP3	CPR KIT #3 INCLUDES: (1) MEDIUM NYLON BAG WITH BELT LOOP - (1) RESCUE BREATHER #FACPRM - (2) ANTISEPTIC SACHETS - (1) PAIR OF DISPOSABLE GLOVES
FA1095	NON-REBREATHER MASK WITH 2.1 M SURE FLOW TUBING - ADULT
FA1097	PARTIAL NON-REBREATHER MASK WITH 2.1 M SURE FLOW TUBING - ADULT
FARPVCPRM	REPLACEMENT VALVE FOR FACPRM
FA10110	NASAL CANNULA - SURE FLOW TUBING - ADULT - 2.1 M
FAOXG01	CRASH CART KIT - OXYGEN TANK - REGULATOR - MASK - CANNULAS
FAOXYT7	ADULT OXYGEN MASK WITH 7 FT OF TUBING
FAAIR50	OROPHARYNGEAL / GUEDEL AIRWAY - SIZE 0 - 50 MM
FAAIR60	OROPHARYNGEAL / GUEDEL AIRWAY - SIZE 1 - 60 MM
FAAIR70	OROPHARYNGEAL / GUEDEL AIRWAY - SIZE 2 - 70 MM
FAAIR80	OROPHARYNGEAL / GUEDEL AIRWAY - SIZE 3 - 80 MM
FAAIR90	OROPHARYNGEAL / GUEDEL AIRWAY - SIZE 4 - 90 MM
FAAIR100	OROPHARYNGEAL / GUEDEL AIRWAY - SIZE 5 - 100 MM

**FARB**

**FAMSU**

**FAAIR**

**FAQMR9000**

**FAKDRESP1**

**FA10110**



Scan it



# Bandages & Dressings

## Gauze Pads & Elasticized Bandages



**FAGP2X2100**



**FAGP3X3100**



**FAGS4X4**



**FACB4565**

### GAUZE PAD - 12 PLY (STERILE)

PART NO	DESCRIPTION
FAGP2X2B12	GAUZE PAD 2" X 2" STERILE - 12 PLY - BOX OF 12
FAGP2X250	GAUZE PAD 2" X 2" STERILE - 12 PLY - BAG OF 50
FAGP2X2100	GAUZE PAD 2" X 2" STERILE - 12 PLY - BOX OF 100
FAGP3X3B4	GAUZE PAD 3" X 3" STERILE - 12 PLY - BOX OF 4
FAGP3X325	GAUZE PAD 3" X 3" STERILE - 12 PLY - BOX OF 25
FAGP3X350	GAUZE PAD 3" X 3" STERILE - 12 PLY - BAG OF 50
FAGP3X3100	GAUZE PAD 3" X 3" STERILE - 12 PLY - BOX OF 100
FAGP4X450	GAUZE PAD 4" X 4" STERILE - 12 PLY - BAG OF 50
FAGP4X4100	GAUZE PAD 4" X 4" STERILE - 12 PLY - BOX OF 100
FAGP4X425	GAUZE PAD 4" X 4" STERILE - 12 PLY - BOX OF 25
FAGP4X4B4	GAUZE PAD 4" X 4" STERILE - 12 PLY - BOX OF 4
FAGP4X4B6	GAUZE PAD 4" X 4" STERILE - 12 PLY - BOX OF 6

### GAUZE PAD - 8 PLY

PART NO	DESCRIPTION
FAGS2X2	GAUZE PAD 2" X 2" NON-STERILE - 8 PLY - BAG OF 200
FAGS3X3	GAUZE PAD 3" X 3" NON-STERILE - 8 PLY - BAG OF 200
FAGS4X4	GAUZE PAD 4" X 4" NON-STERILE - 8 PLY - BAG OF 200
FAGS4X4B25	GAUZE PAD 4" X 4" NON-STERILE - 8 PLY - BOX OF 25

### ELASTICIZED COMPRESS BANDAGE (STERILE)

PART NO	DESCRIPTION
FACB4565	ELASTICIZED COMPRESS BANDAGE 4-1/2" X 6-1/2" STERILE - WITH TIES - 1 PER BAG



# Gauze Bandages & Rolls



**FACB004**



**FACFB02B**



**FACFB03B**



**FACFB04B**



**FACFB06B**



**FAGB410**



**FAGB310**



**FAGB210**



**FAGB110**

## COMPRESS BANDAGES (STERILE)

PART NO	DESCRIPTION
FACB002	COMPRESS BANDAGE 2" STERILE - 1 UNIT
FACB002B4	COMPRESS BANDAGE 2" X 2" STERILE - BOX OF 4
FACB003	COMPRESS BANDAGE 3" STERILE - 1 UNIT
FACB003B	COMPRESS BANDAGE 3" STERILE - 1 PER BOX
FACB004	COMPRESS BANDAGE 4" STERILE - 1 UNIT
FACB004B	COMPRESS BANDAGE 4" STERILE - 1 PER BOX
FACB006	COMPRESS BANDAGE 6" STERILE - 1 UNIT
FACB006B	COMPRESS BANDAGE 6" STERILE - 1 PER BOX
FAPD004	PRESSURE DRESSING 4" X 4" STERILE - 1 UNIT
FACB55X15	PRESSURE DRESSING 15" X 5-1/2" STERILE - 1 UNIT

## AUTO-ADHESIVE GAUZE BANDAGES

PART NO	DESCRIPTION
FACFB02	GAUZE BANDAGE EXTENSIBLE & AUTO-ADHESIVE 2" X 5 YARDS - 12 PER BAG
FACFB02B	GAUZE BANDAGE EXTENSIBLE & AUTO-ADHESIVE 2" X 5 YARDS - 1 UNIT
FACFB03	GAUZE BANDAGE EXTENSIBLE & AUTO-ADHESIVE 3" X 5 YARDS - 12 PER BAG
FACFB03B	GAUZE BANDAGE EXTENSIBLE & AUTO-ADHESIVE 3" X 5 YARDS - 1 UNIT
FACFB04	GAUZE BANDAGE EXTENSIBLE & AUTO-ADHESIVE 4" X 5 YARDS - 12 PER BAG
FACFB04B	GAUZE BANDAGE EXTENSIBLE & AUTO-ADHESIVE 4" X 5 YARDS - 1 UNIT
FACFB06	GAUZE BANDAGE EXTENSIBLE & AUTO-ADHESIVE 6" X 5 YARDS - 6 PER BAG
FACFB06B	GAUZE BANDAGE EXTENSIBLE & AUTO-ADHESIVE 6" X 5 YARDS - 1 UNIT

## GAUZE BANDAGE ROLLS

PART NO	DESCRIPTION
FAGB015	GAUZE BANDAGE ROLL 1" X 5 YARDS - INDIVIDUALLY WRAPPED - 1 UNIT
FAGB015B4	GAUZE BANDAGE ROLL 1" X 5 YARDS - INDIVIDUALLY WRAPPED - BOX OF 4
FAGB025	GAUZE BANDAGE ROLL 2" X 5 YARDS - INDIVIDUALLY WRAPPED - 1 UNIT
FAGB025B2	GAUZE BANDAGE ROLL 2" X 5 YARDS - INDIVIDUALLY WRAPPED - BOX OF 2
FAGB025B4	GAUZE BANDAGE ROLL 2" X 5 YARDS - INDIVIDUALLY WRAPPED - BOX OF 4
FAGB035	GAUZE BANDAGE ROLL 3" X 5 YARDS - INDIVIDUALLY WRAPPED - 1 UNIT
FAGB035B2	GAUZE BANDAGE ROLL 3" X 5 YARDS - INDIVIDUALLY WRAPPED - BOX OF 2
FAGB045	GAUZE BANDAGE ROLL 4" X 5 YARDS - INDIVIDUALLY WRAPPED - 1 UNIT
FAGB045B2	GAUZE BANDAGE ROLL 4" X 5 YARDS - INDIVIDUALLY WRAPPED - BOX OF 2
FAGB110	GAUZE BANDAGE ROLL 1" X 10 YARDS - INDIVIDUALLY WRAPPED - 1 UNIT
FAGB210	GAUZE BANDAGE ROLL 2" X 10 YARDS - INDIVIDUALLY WRAPPED - 1 UNIT
FAGB210B	GAUZE BANDAGE ROLL 2" X 10 YARDS - INDIVIDUALLY WRAPPED - BOX OF 1
FAGB310	GAUZE BANDAGE ROLL 3" X 10 YARDS - INDIVIDUALLY WRAPPED - 1 UNIT
FAGB410	GAUZE BANDAGE ROLL 4" X 10 YARDS - INDIVIDUALLY WRAPPED - 1 UNIT
FAGB410B	GAUZE BANDAGE ROLL 4" X 10 YARDS - INDIVIDUALLY WRAPPED - BOX OF 1





## Specialty Pads



**FAAP5X9**



**FAAP8X10**



**FATP10X30**

### ABDOMINAL PADS (STERILE)

PART NO	DESCRIPTION
<b>FAAP5X9</b>	ABDOMINAL PAD 5" X 9" STERILE - 1 UNIT
<b>FAAP8X10</b>	ABDOMINAL PAD 8" X 10" STERILE - 1 UNIT
<b>FAAP10X12</b>	ABDOMINAL PAD 10" X 12" STERILE - 1 UNIT

### TRAUMA PADS (STERILE)

PART NO	DESCRIPTION
<b>FATP10X30</b>	TRAUMA PAD 10" X 30" STERILE - 1 UNIT
<b>FADS3535</b>	TRAUMA PAD 9" X 5-1/2" STERILE - 1 UNIT



**FATF2X3**

### TELFA™ PAD (STERILE)

PART NO	DESCRIPTION
<b>FATF2X3</b>	TELFA™ PADS 2" X 3" STERILE - BOX OF 100
<b>FATF3X4</b>	TELFA™ PADS 3" X 4" STERILE - BOX OF 100



**FAGC36**

### GAUZE COMPRESS (STERILE)

PART NO	DESCRIPTION
<b>FAGC36</b>	GAUZE COMPRESS STERILE - 36" X 36" - 1 PER PACK



# Support Bandages

## Support Bandages

**FATG**

**FATB001**

### TUBULAR GAUZE

PART NO	DESCRIPTION
<b>FATG</b>	TUBULAR GAUZE WITH APPLICATOR - 5 YARDS - 1 ROLL PER BOX
<b>FAGL219</b>	SURGITUBE® - TUBULAR GAUZE BANDAGE - SIZE 1 - 50 YARDS
<b>FAGL220</b>	SURGITUBE® - TUBULAR GAUZE BANDAGE - SIZE 2 - 50 YARDS
<b>FAGL221</b>	SURGITUBE® - TUBULAR GAUZE BANDAGE - SIZE 3 - 50 YARDS
<b>FAGL222</b>	SURGITUBE® - TUBULAR GAUZE BANDAGE - SIZE 4 - 50 YARDS
<b>FAGL223</b>	SURGITUBE® - TUBULAR GAUZE BANDAGE - SIZE 5 - 50 YARDS

### TRIANGULAR BANDAGES

PART NO	DESCRIPTION
<b>FATB001</b>	TRIANGULAR BANDAGE COTTON 40" X 56" - 1 UNIT
<b>FATB001B1</b>	TRIANGULAR BANDAGE COTTON 40" X 56" - 1 PER BOX
<b>FATB001B6</b>	TRIANGULAR BANDAGE COTTON 40" X 56" - 6 UNITS

**FAESM3X5**

### ESMARCH BANDAGE

PART NO	DESCRIPTION
<b>FAESM3X5</b>	ESMARCH BANDAGE 3" X 55" - 1 UNIT

**FATNB02**

**FATNB03**

**FATNB04**

**FATNB06**

### TENSOR ELASTIC BANDAGES

PART NO	DESCRIPTION
<b>FATNB02</b>	TENSOR BANDAGE 2" X 5 YARDS - 1 UNIT
<b>FATNB03</b>	TENSOR BANDAGE 3" X 5 YARDS - 1 UNIT
<b>FATNB04</b>	TENSOR BANDAGE 4" X 5 YARDS - 1 UNIT
<b>FATNB06</b>	TENSOR BANDAGE 6" X 5 YARDS - 1 UNIT



## Self-Adherent Bandages & Adhesive Tapes



**FACOB1X5**



**FACOB2X5**



**FACOB3X5**



**FACOB4X5**



**FATS015**



**FAAC1X10**



**FAAT015**



**FAAT025**



**FAAT055**

### SELF-ADHERENT BANDAGES (COHESIVE)

PART NO	DESCRIPTION
<b>FACOB1X5</b>	SELF-ADHERENT WRAP BANDAGE 1" X 5 YARDS - 1 UNIT
<b>FACOB2X5</b>	SELF-ADHERENT WRAP BANDAGE 2" X 5 YARDS - 1 UNIT
<b>FACOB3X5</b>	SELF-ADHERENT WRAP BANDAGE 3" X 5 YARDS - 1 UNIT
<b>FACOB4X5</b>	SELF-ADHERENT WRAP BANDAGE 5" X 5 YARDS - 1 UNIT

### WATERPROOF ADHESIVE TAPES WITH SPOOL

PART NO	DESCRIPTION
<b>FATS525</b>	ADHESIVE TAPE ½" X 2-½ YARDS - WITH SPOOL - 1 UNIT
<b>FATS055</b>	ADHESIVE TAPE ½" X 5 YARDS - WITH SPOOL - 1 UNIT
<b>FATS015</b>	ADHESIVE TAPE 1" X 5 YARDS - WITH SPOOL - 1 UNIT
<b>FATS025</b>	ADHESIVE TAPE 2" X 5 YARDS - WITH SPOOL - 1 UNIT
<b>FAAC1X10</b>	AUTO-ADHESIVE TAPE 1" X 10 YARDS - WITH SPOOL - 1 UNIT
<b>FAAC2X10</b>	AUTO-ADHESIVE TAPE 2" X 10 YARDS - WITH SPOOL - 1 UNIT
<b>FAAC3X10</b>	AUTO-ADHESIVE TAPE 3" X 10 YARDS - WITH SPOOL - 1 UNIT

### WATERPROOF ADHESIVE TAPES WITHOUT SPOOL

PART NO	DESCRIPTION
<b>FAAT055</b>	ADHESIVE TAPE ½" X 5 YARDS - WITHOUT SPOOL - 1 UNIT
<b>FAAT015</b>	ADHESIVE TAPE 1" X 5 YARDS - WITHOUT SPOOL - 1 UNIT
<b>FAAT025</b>	ADHESIVE TAPE 2" X 5 YARDS - WITHOUT SPOOL - 1 UNIT



# Adhesive Bandages & Tapes



**FAST5X10**



**FAST1X10**



**FAST2X10**



**FAHT1X1012**



**FAHT2X106**



**FAHT3X104**



**FAEDS15X5**

## HYPOALLERGENIC SURGICAL TAPES

PART NO	DESCRIPTION
<b>FAST5X10</b>	SURGICAL TAPE KOSMOPORE - HYPOALLERGENIC ½" X 10 YARDS - 1 ROLL UNIT
<b>FAST1X10</b>	SURGICAL TAPE KOSMOPORE - HYPOALLERGENIC 1" X 10 YARDS - 1 ROLL UNIT
<b>FAST2X10</b>	SURGICAL TAPE KOSMOPORE - HYPOALLERGENIC 2" X 10 YARDS - 1 ROLL UNIT

## HYPOALLERGENIC TRANSPARENT TAPES

PART NO	DESCRIPTION
<b>FATT0510</b>	TRANSPARENT TAPE - HYPOALLERGENIC ½" X 5 YARDS - 1 ROLL UNIT
<b>FATT1X10</b>	TRANSPARENT TAPE - HYPOALLERGENIC 1" X 10 YARDS - 1 ROLL UNIT
<b>FATT2X10</b>	TRANSPARENT TAPE - HYPOALLERGENIC 2" X 10 YARDS - 1 ROLL UNIT
<b>FATT15X15</b>	TRANSPARENT ADHESIVE TAPE - TRAINER 1-½" X 15 YARDS - 1 ROLL UNIT

## HOSPITAL ADHESIVE TAPE

PART NO	DESCRIPTION
<b>FAHT5X1024</b>	HOSPITAL TAPE ½" X 10 YARDS - WITHOUT SPOOL - BOX OF 24
<b>FAHT1X1012</b>	HOSPITAL TAPE 1" X 10 YARDS - WITHOUT SPOOL - BOX OF 12
<b>FAHT2X106</b>	HOSPITAL TAPE 2" X 10 YARDS - WITHOUT SPOOL - BOX OF 6
<b>FAHT3X104</b>	HOSPITAL TAPE 3" X 10 YARDS - WITHOUT SPOOL - BOX OF 4
<b>FAHP2X10</b>	HYPAFIX® SURGICAL TAPE 2" X 10 YARDS
<b>FAHP4X10</b>	HYPAFIX® SURGICAL TAPE 4" X 10 YARDS
<b>FAHP8X10</b>	HYPAFIX® SURGICAL TAPE 8" X 10 YARDS

## ELASTIC DRESSINGS (LATEX FREE)

PART NO	DESCRIPTION
<b>FAEDS15X1</b>	ELASTIC DRESSING STRIPS 1-½" X 1 YARDS - 1 UNIT PER BOX
<b>FAEDS25X1</b>	ELASTIC DRESSING STRIPS 2-½" X 1 YARDS - 1 UNIT PER BOX
<b>FAEDS3X1</b>	ELASTIC DRESSING STRIPS 3" X 1 YARDS - 1 UNIT PER BOX
<b>FAEDS15X5</b>	ELASTIC DRESSING STRIPS 1-½" X 5 YARDS - 1 UNIT PER BOX
<b>FAEDS25X5</b>	ELASTIC DRESSING STRIPS 2-½" X 5 YARDS - 1 UNIT PER BOX
<b>FAEDS3X5</b>	ELASTIC DRESSING STRIPS 3" X 5 YARDS - 1 UNIT PER BOX
<b>FA7206902</b>	TENSOPLAST® ELASTIC ADHESIVE TAPE - 1" X 5 YARDS
<b>FA7205057</b>	TENSOPLAST® ELASTIC ADHESIVE TAPE - 2" X 5 YARDS
<b>FA72050115</b>	TENSOPLAST® ELASTIC ADHESIVE TAPE - 3" X 5 YARDS
<b>FA7205037</b>	TENSOPLAST® ELASTIC ADHESIVE BANDAGE - 2" X 5 YARDS
<b>FA7205043</b>	TENSOPLAST® ELASTIC ADHESIVE BANDAGE - 3" X 5 YARDS
<b>FA7205042</b>	TENSOPLAST® ELASTIC ADHESIVE BANDAGE - 4" X 5 YARDS



## Bandage Dispensers



FADISPR



FADISPB

Created specifically for the industrial market, these dispensers are easily installed and contain four different shapes of fabric bandages. Ideal in work areas where easy access to bandages is required, as they prevent loss of time from searching through a first aid kit. Colour coded red for standard type, and blue for metal detectable type.

### FEATURES

- ▶ Dispenser and bandages are colour coded
- ▶ 4 different shapes of fabric bandages
- ▶ Prevents loss of time from searching through a kit
- ▶ Easy to install and to use

### BANDAGE DISPENSERS

PART NO	DESCRIPTION
FADISPR	REGULAR ADHESIVE FABRIC STRIPS DISPENSER INCLUDES: 1 SET OF ADHESIVE FABRIC STRIPS (24 OF 3" X ¾" AND 16 OF 3" X 1") - 1 SET OF FABRIC ADHESIVE KNUCKLE STRIPS (16 OF 3" X 1-½") - 1 SET OF FABRIC ADHESIVE FINGER TIPS (16 OF 3" X 1-¾")
FADISPB	BLUE METAL DETECTABLE ADHESIVE FABRIC STRIPS DISPENSER INCLUDES: 1 SET OF BLUE METAL DETECTABLE FABRIC STRIPS (24 OF 3" X ¾" AND 16 OF 3" X 1") - 1 SET OF BLUE METAL DETECTABLE FABRIC KNUCKLE STRIPS (16 OF 3" X 1-½") - 1 SET OF BLUE METAL DETECTABLE FABRIC FINGER TIPS (16 OF 3" X 1-¾")



FADR036



FADB046

### RED DISPENSER REFILLS (STANDARD)

PART NO	DESCRIPTION
FADR016	BOX OF 6 SETS OF ADHESIVE FABRIC STRIPS (24 OF 3" X ¾") AND (16 OF 3" X 1")
FADR026	BOX OF 6 SETS OF ADHESIVE FABRIC FINGER TIPS (16 OF 3" X 1-¾")
FADR036	BOX OF 6 SETS OF ADHESIVE FABRIC KNUCKLE STRIPS (16 OF 3" X 1-½")

### BLUE DISPENSER REFILLS (METAL DETECTABLE)

PART NO	DESCRIPTION
FADB046	BOX OF 6 SETS OF BLUE METAL DETECTABLE FABRIC ADHESIVE STRIPS (24 OF 3" X ¾") AND (16 OF 3" X 1")
FADB056	BOX OF 6 SETS OF BLUE METAL DETECTABLE FABRIC ADHESIVE FINGER TIPS (16 OF 3" X 1-¾")
FADB066	BOX OF 6 SETS OF BLUE METAL DETECTABLE FABRIC ADHESIVE KNUCKLE STRIPS (16 OF 3" X 1-½")



# Latex Free Adhesive Strips



**FAFS15X15**



**FAFS15X25**



**FAFS2X3**



**FAPS34X3**



**FAPSIX3**




**FAFS78X3**



**FAFS34X3**



**FAFSIX3**



**FAFS007**



**FAFS006**



**FAFS005**

## ADHESIVE FABRIC SQUARES (STERILE)

PART NO	DESCRIPTION
<b>FAFS15X15100</b>	ADHESIVE FABRIC SQUARES 1-1/2" X 1-1/2" - INDIVIDUALLY WRAPPED - PACK OF 100
<b>FAFS15X25100</b>	ADHESIVE FABRIC SQUARES 1-1/2" X 2-1/2" - INDIVIDUALLY WRAPPED - PACK OF 100
<b>FAFS2X350</b>	ADHESIVE FABRIC SQUARES 2" X 3" - INDIVIDUALLY WRAPPED - PACK OF 50
<b>FAFS2X3100</b>	ADHESIVE FABRIC SQUARES 2" X 3" - INDIVIDUALLY WRAPPED - PACK OF 100
<b>FAFSAS100</b>	ADHESIVE FABRIC SQUARES ASSORTED SIZES - INDIVIDUALLY WRAPPED - PACK OF 100

## ADHESIVE PLASTIC STRIPS (STERILE)

PART NO	DESCRIPTION
<b>FAPS34X3B12</b>	ADHESIVE PLASTIC STRIPS 3/4" X 3" - PACK OF 12
<b>FAPS34X3B25</b>	ADHESIVE PLASTIC STRIPS 3/4" X 3" - PACK OF 25
<b>FAPS34X3B50</b>	ADHESIVE PLASTIC STRIPS 3/4" X 3" - PACK OF 50
<b>FAPS34X3100</b>	ADHESIVE PLASTIC STRIPS 3/4" X 3" - PACK OF 100
<b>FAPSIX3B16</b>	ADHESIVE PLASTIC STRIPS 1" X 3" - PACK OF 16
<b>FAPSIX3B25</b>	ADHESIVE PLASTIC STRIPS 1" X 3" - PACK OF 25
<b>FAPSIX3B50</b>	ADHESIVE PLASTIC STRIPS 1" X 3" - PACK OF 50
<b>FAPSIX3100</b>	ADHESIVE PLASTIC STRIPS 1" X 3" - PACK OF 100

## ADHESIVE FABRIC STRIPS (STERILE)

PART NO	DESCRIPTION
<b>FAFS783100</b>	FABRIC STRIPS 3/8" X 3" - INDIVIDUALLY WRAPPED - PACK OF 100
<b>FAFS7835M</b>	FABRIC STRIPS 3/8" X 3" - INDIVIDUALLY WRAPPED - PACK OF 5000
<b>FAFS343100</b>	FABRIC STRIPS 3/4" X 3" - INDIVIDUALLY WRAPPED - PACK OF 100
<b>FAFSIX3100</b>	FABRIC STRIPS 1" X 3" - INDIVIDUALLY WRAPPED - PACK OF 100
<b>FAFSASS100</b>	FABRIC STRIPS ASSORTED - INDIVIDUALLY WRAPPED - PACK OF 100
<b>FAFS22X3850</b>	FABRIC STRIPS 3/8" X 1-1/2" - INDIVIDUALLY WRAPPED - PACK OF 50
<b>FAFS783B16</b>	FABRIC STRIPS 3/8" X 3" - INDIVIDUALLY WRAPPED - PACK OF 16

## ADHESIVE FINGER AND KNUCKLE TIPS (STERILE)

PART NO	DESCRIPTION
<b>FAFS007B12</b>	ADHESIVE FINGER TIPS DRESSING - LARGE - INDIVIDUALLY WRAPPED - BOX OF 12
<b>FAFS007100</b>	ADHESIVE FINGER TIPS DRESSING - LARGE - INDIVIDUALLY WRAPPED - BOX OF 100
<b>FAFS006B12</b>	ADHESIVE FINGER TIPS DRESSING - SMALL - INDIVIDUALLY WRAPPED - BOX OF 12
<b>FAFS006100</b>	ADHESIVE FINGER TIPS DRESSING - SMALL - INDIVIDUALLY WRAPPED - BOX OF 100
<b>FAFS005B12</b>	ADHESIVE KNUCKLE TIPS DRESSING - INDIVIDUALLY WRAPPED - BOX OF 12
<b>FAFS00550</b>	ADHESIVE KNUCKLE TIPS DRESSING - INDIVIDUALLY WRAPPED - BOX OF 50
<b>FAFS005100</b>	ADHESIVE KNUCKLE TIPS DRESSING - INDIVIDUALLY WRAPPED - BOX OF 100






# Metal Detectable Strips & Closures




## Latex Free & Metal Detectable Adhesive Strips



**FAFSD005**



**FAFSD13100**



**FAFSOD006**



**FABFM100**

### METAL DETECTABLE ADHESIVE STRIPS (STERILE)

PART NO	DESCRIPTION
<b>FAFSD13100</b>	BLUE ADHESIVE METAL DETECTABLE FABRIC STRIPS 1" X 3" - STERILE - INDIVIDUALLY WRAPPED - BOX OF 100
<b>FAFSD1X350</b>	BLUE ADHESIVE METAL DETECTABLE FABRIC STRIPS 1" X 3" - STERILE - INDIVIDUALLY WRAPPED - BOX OF 50
<b>FAFSD005</b>	BLUE ADHESIVE METAL DETECTABLE KNUCKLE - STERILE - INDIVIDUALLY WRAPPED - BOX OF 100
<b>FAFSD00550</b>	BLUE ADHESIVE METAL DETECTABLE KNUCKLE - STERILE - INDIVIDUALLY WRAPPED - BOX OF 50
<b>FAFSD006</b>	BLUE ADHESIVE METAL DETECTABLE FINGER TIPS DRESSING - STERILE - LARGE - INDIVIDUALLY WRAPPED - BOX OF 100
<b>FAFSD00650</b>	BLUE ADHESIVE METAL DETECTABLE FINGER TIPS DRESSING - STERILE - LARGE - INDIVIDUALLY WRAPPED - BOX OF 50

### CLOSURE STRIPS (STERILE)

PART NO	DESCRIPTION
<b>FACS18X3</b>	CLOSURE STRIPS 1/8" X 3" STERILE - PACK OF 5 UNITS
<b>FACS14X3</b>	CLOSURE STRIPS 1/4" X 3" STERILE - PACK OF 5 UNITS

### BUTTERFLY CLOSURES

PART NO	DESCRIPTION
<b>FABFM100</b>	BUTTERFLY CLOSURE MEDIUM SIZE - BOX OF 100
<b>FABFL100</b>	BUTTERFLY CLOSURE LARGE SIZE - BOX OF 100
<b>FABFAS10</b>	BUTTERFLY CLOSURE ASSORTED SIZE - BOX OF 10
<b>FABFAS100</b>	BUTTERFLY CLOSURE ASSORTED SIZE - BOX OF 100



## Splints & Cervical Collars



**FAWS**



**FASPLIFAST**



**FASAM24**



**FASP001**



**FASSM100**



**FASSM200**



**FAMW001**



**FAFST01**



**FAWGT01**



**FASC**



**FACFCL**

### SPLINTS & TOURNIQUETS

PART NO	DESCRIPTION
<b>FAWS</b>	WOODEN SPLINTS - 6 ASSORTED SIZES - 2 OF EACH 2" X 8", 3" X 10", 3" X 12"
<b>FASAM24</b>	SPLINT SAM ALUMINUM/FOAM SPLINT 4" X 24"
<b>FASPLIFAST</b>	SPLINT ALUMINUM/FOAM SPLINT 4-1/2" X 36" FLAT FOLD (GREY)
<b>FASP001</b>	CUSHIONED SPLINT - 1 PER BAG
<b>FASP002</b>	CUSHIONED SPLINT - 2 PER BAG
<b>FASSM100</b>	SPEED SPLINT, MULTI PURPOSE HI-VIS YELLOW PLASTIC - ONE SIZE
<b>FASSM200</b>	SPEED SPLINT - FEMORAL TRACTION SPLINT
<b>FAMW001</b>	WIRE SPLINT 4" X 12"
<b>FAMW002</b>	WIRE SPLINT 4" X 24"
<b>FAFAST01</b>	FAST STRAP WITH VELCRO ATTACHMENT
<b>FAFAST02</b>	FAST STRAP - FRACTURE/IMMOBILIZATION STRAP FOR BC KITS - SET OF 2
<b>FAWGT01</b>	ARTERIAL TOURNIQUET - WINDGLASS STYLE
<b>FA118784</b>	SINGLE USE DISPOSABLE LATEX FREE TOURNIQUET - 1" X 8"
<b>FAWS2X10</b>	WOOD SPLINT - 1" X 10"
<b>FAWS2X12</b>	WOOD SPLINT - 1" X 12"
<b>FAWS2X8</b>	WOOD SPLINT - 1" X 8"

### CERVICAL COLLARS

PART NO	DESCRIPTION
<b>FASC</b>	COLLAR - ADJUSTABLE - FOR ADULT
<b>FACFCL</b>	COLLAR - FOAM - 3-1/2" X 15" TO 22"



**FAFC144**

### GLOVES & FINGER COTS

PART NO	DESCRIPTION
<b>FADNG01L</b>	NITRILE EXAMINATION GLOVES - LARGE - 1 PAIR - BLUE
<b>FAFC144S</b>	LATEX FINGER COTS - POWDER FREE - BOX OF 144 - SMALL
<b>FAFC144M</b>	LATEX FINGER COTS - POWDER FREE - BOX OF 144 - MEDIUM
<b>FAFC144L</b>	LATEX FINGER COTS - POWDER FREE - BOX OF 144 - LARGE
<b>FAFC144XL</b>	LATEX FINGER COTS - POWDER FREE - BOX OF 144 - XLARGE



## Soaps & Antiseptic Products



**FAHP400**



**FAHP225**



**FAHP115**



**FARB500**



**FARB225**



**FAGS500**



**FAGS250**



**FAGS50**



**FACT100**



**FARB994L**



**FARB99500ML**



**FA004865**



**FA004864**



**FAHSG320Z**



**FAHSG160Z**



**FAHSG40Z**



**FAHSG20Z**



**FAAW100**



**FAHGMT**

PART NO	DESCRIPTION
FAHP115	HYDROGEN PEROXIDE BOTTLE - 115 ML
FAHP225	HYDROGEN PEROXIDE BOTTLE - 225 ML
FAHP400	HYDROGEN PEROXIDE BOTTLE - 400 ML
FAHP4L	HYDROGEN PEROXIDE BOTTLE - 4 L
FAGS50	GREEN LIQUID SOAP BOTTLE - 50 ML
FAGS250	GREEN LIQUID SOAP BOTTLE - 250 ML
FAGS500	GREEN LIQUID SOAP BOTTLE - 500 ML
FAGS4L	GREEN LIQUID SOAP BOTTLE - 4 L
FASB	SOAP BAR
FARB225	RUBBING ALCOHOL BOTTLE - 225 ML
FARB500	RUBBING ALCOHOL BOTTLE - 500 ML
FARB4L	RUBBING ALCOHOL BOTTLE - 4 L
FAAW10	ALCOHOL WIPES - BOX OF 10
FAAW100	ALCOHOL WIPES - BOX OF 100
FAAW200	ALCOHOL WIPES - BOX OF 200
FACT100	CETRIMIDE ANTISEPTIC SPRAY - 100 ML
FACM025	CETRIMIDE FIRST AID CREAM - 25 G
FA004864	POLYSPORIN® OINTMENT - 15 G
FA004865	POLYSPORIN® OINTMENT - 30 G
FA146429	POLYSPORIN® PINK EYE ANTIBIOTIC EYE DROPS
FA46666	POLYSPORIN® PLUS ANTIBIOTIC CREAM - 15 G
FA79797	POLYSPORIN® TRIPLE ANTIBIOTIC OINTMENT - 15 G
FA85090	POLYSPORIN® COMPLETE ANTIBIOTIC OINTMENT - 15 G
FAANT15	BIODERM™ OINTMENT - 15 G
FABZ002	BENZALKONIUM ANTISEPTIC TOWELETTES - PACK OF 100
FAHGMT	HAND CLEANING MOIST - PACK OF 100 TOWELETTES
FARB99500ML	ALCOHOL 99% - 500 ML
FARB994L	ALCOHOL 99% - 4 L
FAHSG20Z	DYNA-SAN GEL FLIP CAP HAND SANITIZER - 2 OZ / 60 ML
FAHSG40Z	DYNA-SAN GEL FLIP CAP HAND SANITIZER - 4 OZ / 118 ML
FAHSG160Z	DYNA-SAN GEL LOCKABLE PUMP HAND SANITIZER - 16 OZ / 472 ML
FAHSG320Z	DYNA-SAN GEL LOCKABLE PUMP HAND SANITIZER - 32 OZ / 1 L
FAAMONIA01	AMONIA INHALANT - INDIVIDUALLY WRAPPED PAD
FAIA010	AMONIA INHALANT PACKETS - BOX OF 10
FAZINC09	ANTIBIOTIC - BACITRACIN ZINC OINTMENT - 0.9 G - BOX OF 144
FAZINC09B6	ANTIBIOTIC - BACITRACIN ZINC OINTMENT - 0.9 G - BOX OF 6
FA35926	SANIZIDE PRO® - SURFACE DISINFECTANT WIPES - INDIVIDUAL
FA917784	DOVIDINE® - POVIDONE IODINE 10% TOPICAL ANTISEPTIC - 450 ML
FAASD800ML	SURFACE DISINFECTANT - BENZALKONIUM CHLORIDE - 800 ML
FABZ002B10	BENZALKONIUM CHLORIDE 0.13% - ANTISEPTIC WIPES - 8" X 5" - PACK OF 10
FABZ002B25	BENZALKONIUM CHLORIDE 0.13% - ANTISEPTIC WIPES - 8" X 5" - PACK OF 25
FABZ002B6	BENZALKONIUM CHLORIDE 0.13% - ANTISEPTIC WIPES - 8" X 5" - PACK OF 6
FAHSWB100	HAND SANITIZING WIPES - INDIVIDUALLY WRAPPED - BOX OF 100
FAMETX024	CAVICIDE® SURFACE DISINFECTANT SPRAY - 24 OZ
FAPVP10	LORIS™ - POVIDONE IODINE 10% ANTISEPTIC SWABS - PACK OF 10
FAPVP100	LORIS™ - POVIDONE IODINE 10% ANTISEPTIC SWABS - PACK OF 100
FAPVP200	LORIS™ - POVIDONE IODINE 10% ANTISEPTIC SWABS - PACK OF 200





## Hot & Cold Therapy Products



FAHP6X10



FACP5X9



FACP4X6



FARHC856

PART NO	DESCRIPTION
FAHP6X10	INSTANT HOT PACK COMPRESS 6" X 10"
FARHC565	REUSABLE HOT / COLD COMPRESS 5" X 6-1/2"
FARHC856	REUSABLE HOT / COLD COMPRESS 8-1/2" X 6"
FARHC106	REUSABLE HOT / COLD COMPRESS 10-3/4" X 6"
FARHC1010	REUSABLE HOT / COLD COMPRESS 10" X 10"
FACP4X6	INSTANT COLD PACK COMPRESS 4" X 6"
FACP5X9	INSTANT COLD PACK COMPRESS 5" X 9"
FACP4X6B	INSTANT COLD PACK KIT BOX OF 4" X 6" VARIOUS

## Burns & Eye Solutions



FASSK35



FASSK57



FAPEG065



FACALG25

PART NO	DESCRIPTION
FASSK35	2ND SKIN® 1-1/2" X 2" - BOX OF 6
FASSK57	2ND SKIN® 2" X 3" - BOX OF 4
FAPEG065	PEG OINTMENT 65 G
FAWPJ460	WHITE PETROLEUM JELLY 460 ML
FAWPJ002	WHITE PETROLEUM JELLY 2 L
FAWPJ020	WHITE PETROLEUM JELLY 20 L
FAWPJ050	WHITE PETROLEUM JELLY 50 G
FAM0500	MINERAL OIL - BOTTLE OF 500 ML
FASI500	SALINE SOLUTION 500 ML
FACALG25	CALGONATE® CALCIUM GLUCONATE 2.5% GEL - 25 G
FABS60X96	BURN SHEET BARRIER - STERILE - 60" X 90"
FASCB115	SOLARCAINE® LIDOCAINE AEROSOL 0.5% - 115 G
FACOLD113	TOPICAL VAPOCOOLANT COLD SPRAY - 113 G



## Burn-Eze™ Products



FABF118



FABF35



FABF2X6



FABF12X16



FAKBKP



FAKBKRL

### FEATURES

- ▶ Pain relieving gel suitable for all types of burn injuries
- ▶ Concentrated formula for fast pain relief, cooling the burn quickly
- ▶ Helps protect the wound from contamination, can be applied directly
- ▶ Ideal for welders and applications where burns can occur

### BURN-EZE™ PAIN RELIEVING GEL

PART NO	DESCRIPTION
FABF35	BURN-EZE™ RELIEVING GEL - SINGLE DOSE PACKETS ¼ OZ (3.5 G) - 1 UNIT
FABF35U6	BURN-EZE™ RELIEVING GEL - SINGLE DOSE PACKETS ¼ OZ (3.5 G) - BOX OF 6
FABF35B25	BURN-EZE™ RELIEVING GEL - SINGLE DOSE PACKETS ¼ OZ (3.5 G) - BOX OF 25
FABF59	BURN-EZE™ RELIEVING GEL - SQUEEZE BOTTLE 2 OZ (60 ML)
FABF118	BURN-EZE™ RELIEVING GEL - SQUEEZE BOTTLE 4 OZ (118 ML)

### BURN-EZE™ STERILE DRESSING

PART NO	DESCRIPTION
FABF2X6	BURN-EZE™ BURN DRESSING 2" X 6" - 1 UNIT
FABF4X4	BURN-EZE™ BURN DRESSING 4" X 4" - 1 UNIT
FABF8X8	BURN-EZE™ BURN DRESSING 8" X 8" - 1 UNIT
FABF12X16	BURN-EZE™ FACIAL BURN DRESSING 12" X 16" - 1 UNIT

### BURN-EZE™ BURN KITS

PART NO	DESCRIPTION
FAKBKP	PERSONAL BURN KIT PACK IN A 10 UNITS PLASTIC BOX
FAKBKEMR	EMERGENCY BURN KIT PACK IN A 10 UNITS PLASTIC BOX
FAKBKRS	RESTAURANT BURN KIT SMALL PACK IN A 10 UNITS PLASTIC BOX
FAKBKRL	RESTAURANT BURN KIT LARGE PACK IN A 16 UNITS PLASTIC BOX
FAKBKMP	MULTIPURPOSE BURN KIT PACK IN A 16 UNITS PLASTIC BOX
FAKBKIND	INDUSTRIAL BURN KIT PACK IN A 16 UNITS PLASTIC BOX

PART NO	CONTENTS	FAKBKP	FAKBKEMR	FAKBKRS	FAKBKRL	FAKBKMP	FAKBKIND
FABF2X6	BURN-EZE™ DRESSING 2" X 6"	2	2	1	3	3	3
FABF4X4	BURN-EZE™ DRESSING 4" X 4"	1	2	1	4	3	3
FABF8X8	BURN-EZE™ DRESSING 8" X 8"	—	—	—	—	2	2
FABF12X16	FACIAL BURN DRESSING 12" X 16"	—	—	—	—	—	1
FABF59	PAIN RELIEVING GEL - 2 OZ SQUEEZE BOTTLE	—	1	—	—	—	2
FABF118	PAIN RELIEVING GEL - 4 OZ SQUEEZE BOTTLE	1	1	1	1	1	2
FABF35	PAIN RELIEVING GEL - ¼ OZ SACHET	3	12	6	12	12	25
FAGB045	GAUZE BANDAGE IN ROLL	—	2	—	—	3	4



# Pharmaceutical Products



**FAI25**



**FA047114**



**FABL4**



**FABLS30**



**FA132702**



**FA300130**



**FA030164C**



**FAPA50**



**FA002009**



**FA357685**



**FA260959**



**FA369837**



**FA623011**



**FA633739**



**FA066337T**

PART NO	DESCRIPTION
FAI25	INSTA-GLUCOSE® CREAM FOR HYPOGLICEMIC EMERGENCY - 25 G
FA047114	LYPSYL® REGULAR LIP BALM - 46 ML
FABL4	BLISTEX® BALSAM LIPSTICK - 4 G
FABLS30	BLISTEX® BALSAM LIPSTICK SPF30
FA132702	NEUTROGENA® HAND CREAM - 50 ML
FA300130	ARM & HAMMER® BAKING SODA - 250 G
FA030164C	CORNSTARCH POWDER - PREVENTS SKIN IRRITATION - HYPOALLERGENIC - 415 G
FAPA50	FOOT POWDER ATLAS® - 50 G
FA357685	OZONOL® OINTMENT - 30 G
FA002009	BACTINE® FIRST AID PUMP SPRAY - 105 ML
FA260959	ASPIRIN® BAYER - 325 MG - BOTTLE OF 100
FA633739	PEPTO-BISMOL™ CHEW TABS - BOTTLE OF 24
FA623011	ALKA SELTZER® TABLET - 36 PER PACK
FA369837	A-535 RUB® - 100 G
FA066337T	GLUCOSE GEL DEX4® FOR HYPOGLYCEMIC EMERGENCY
FA006314V	GLUCOSE TABLETS DEX4® - 4 G - PACK OF 10
FA03387	ALKA SELTZER® TABLETS - PACK OF 24
FATT150	TUMS® ANTACID TABS - FRUIT FLAVOR - BOX OF 140
FA106290	MICATIN® ANTIFUNGAL FOOT SPRAY - 85 G
FAASA100	ACETAMINOPHEN - 325 MG - BOTTLE OF 100
FA125312	CEPACOL® THROAT LOZENGES - CHERRY - PACK OF 16
FA0840	NIVEA® MOISTURIZING CREAM TUBE 100 ML
FA253058	BARRIERE SENSITIVE SKIN CREAM - 20% DIMETHICONE - 100 G
FA62473	GLAXAL™ BASE MOISTURIZING CREAM - 100 G
FAMC100	MEDICINE CUPS - PACK OF 100





## Ergonomic Back Support Belt



**FAEBS**

PART NO	DESCRIPTION
<b>FAEBSS</b>	ERGONOMIC BACK SUPPORT BELT - DETACHABLE SUSPENDERS - ADJUSTS 25" TO 30"
<b>FAEBSM</b>	ERGONOMIC BACK SUPPORT BELT - DETACHABLE SUSPENDERS - ADJUSTS 30" TO 34"
<b>FAEBSL</b>	ERGONOMIC BACK SUPPORT BELT - DETACHABLE SUSPENDERS - ADJUSTS 34" TO 38"
<b>FAEBSXL</b>	ERGONOMIC BACK SUPPORT BELT - DETACHABLE SUSPENDERS - ADJUSTS 38" TO 42"
<b>FAEBSXXL</b>	ERGONOMIC BACK SUPPORT BELT - DETACHABLE SUSPENDERS - ADJUSTS 42" TO 46"

## Insect Repellent & Sting Relief



**FASR100**



**FASRU10**



**FAMS0027**

PART NO	DESCRIPTION
<b>FASRU10</b>	INSECT STING RELIEF SACHETS - 10 PER BOX
<b>FASR100</b>	INSECT STING RELIEF SACHETS - 100 PER BOX
<b>FAMS0027</b>	PIACTIVE® DEET-FREE INSECT REPELLENT - 40 ML
<b>FAMS0020</b>	PIACTIVE® DEET-FREE INSECT REPELLENT - 127 ML
<b>FAMS0014</b>	MOSQUITO SHIELD™ 30% DEET-BASED INSECT REPELLENT - 40 ML
<b>FAMS0003</b>	MOSQUITO SHIELD™ 30% DEET-BASED INSECT REPELLENT - 200 ML
<b>FAAFBG20</b>	AFTER BITE® GEL - 20 G

## Cotton Tip Applicators & Tongue Depressors



**FACA003**



**FACA006**



**FATD100IW**



**FATD100**

PART NO	DESCRIPTION
<b>FACA003B12</b>	COTTON TIP APPLICATORS 3" - 12 PER PACK
<b>FACA003</b>	COTTON TIP APPLICATORS 3" - 100 PER BAG
<b>FACA003IT</b>	COTTON TIP APPLICATORS 3" - 1000 PER BAG
<b>FACA006</b>	COTTON TIP APPLICATORS 6" - 100 PER BAG
<b>FACA006IT</b>	COTTON TIP APPLICATORS 6" - 1000 PER BAG
<b>FACAS006IT</b>	COTTON TIP APPLICATORS 6" - STERILE - 1000 PER BAG
<b>FATD100IW</b>	TONGUE DEPRESSORS - INDIVIDUALLY WRAPPED - BOX OF 100
<b>FATD100</b>	TONGUE DEPRESSORS - BOX OF 100
<b>FATD100JR</b>	TONGUE DEPRESSORS - JUNIOR - BOX OF 100
<b>FATD500</b>	TONGUE DEPRESSORS - ADULT - NON-STERILE - BOX OF 500
<b>FACB100</b>	ABSORBENT COTTON BALLS - 100 PER BAG
<b>FACB1M</b>	ABSORBENT COTTON BALLS - 1000 PER BAG
<b>FAACW180</b>	DOUBLE END COTTON TIP APPLICATORS - PACK OF 180

# Medical Instruments & Accessories

PART NO	DESCRIPTION
 <b>FATW045</b>	SPLINTER FORCEPS - STRAIGHT 4-½"
 <b>FATWP310</b>	SPLINTER FORCEPS - FINE POINT 3-½"
 <b>FATWP01</b>	PLASTIC TWEEZERS
 <b>FATW001</b>	TWEEZERS ECONOMY KIT
 <b>FATWP210</b>	DRESSING FORCEPS 4-½"
 <b>FATWP214</b>	DRESSING FORCEPS 5-½"
 <b>FATWP332</b>	SPLINTER FORCEPS FIELCHENFIELD
 <b>FATW3M</b>	SPLINTER FORCEPS 3" WITH MAGNIFIER
 <b>FATWP410</b>	FORCEPS MOSQUITO HALSTEAD 5"
 <b>FATWP442</b>	FORCEPS ROCHESTER - PEAN 5-½"
 <b>FASC55G</b>	PARAMEDIC SCISSORS 5"
 <b>FASC75B</b>	PARAMEDIC SCISSORS 7"
 <b>FASC35L</b>	LISTER BANDAGE SCISSORS 3-½" ANGLED S/S
 <b>FASC45L</b>	LISTER BANDAGE SCISSORS 4-½" ANGLED S/S
 <b>FASC55L</b>	LISTER BANDAGE SCISSORS 5-½" ANGLED S/S
 <b>FASC75L</b>	LISTER BANDAGE SCISSORS 7-½" ANGLED S/S
 <b>FASCP44</b>	SCISSORS O.R. SHARP / BLUNT 5-½"
 <b>FASCP42</b>	SCISSORS O.R. SHARP / SHARP 5-½"
 <b>FASCP30</b>	SCISSORS O.R. BLUNT / BLUNT 4-½"
 <b>FASCP118</b>	SCISSORS STRAIGHT IRIS 4-½"
 <b>FASCP120</b>	SCISSORS CURVED IRIS 4-½"
 <b>FASC001</b>	SCISSORS ECONOMY KIT
 <b>FATTWIST</b>	TICK TWISTER - TICK REMOVAL TOOL - SET OF 2
 <b>FANC12</b>	NAIL CLIPPERS - BOX OF 12
 <b>FASPO20</b>	SPLINTER OUT - BOX OF 20
 <b>FAIK</b>	INSTRUMENT KIT INCLUDES: 1 KIT SCISSORS, 1 TWEEZER, 1 SET OF ASSORTED SAFETY PINS
 <b>FASP012</b>	SAFETY PINS - PACK OF 12
 <b>FASP012L</b>	SAFETY PINS #2 - PACK OF 12
 <b>FAEB001</b>	EMESIS BASIN - BLUE - PLASTIC - 500 ML
 <b>FAPWB123</b>	WASH BASIN - PLASTIC - 1.3 L - 6-½" X 3"
 <b>FAWB123</b>	WASH BASIN - STAINLESS STEEL
 <b>FAKB2000</b>	KIDNEY BASSIN 15 CM - STAINLESS STEEL
 <b>FAKB2010</b>	KIDNEY BASSIN 22 CM - STAINLESS STEEL
 <b>FAKB2020</b>	KIDNEY BASSIN 25 CM - STAINLESS STEEL
 <b>FACSILT</b>	SHARPS CONTAINER 1 L - FOR SYRINGE DISPOSAL
 <b>FA8909</b>	SHARPS CONTAINER - 1-½ QT - FOR SYRINGE DISPOSAL
 <b>FACS3LT</b>	SHARPS CONTAINER - 3 L - FOR SYRINGE DISPOSAL
 <b>FACS5LT</b>	SHARPS CONTAINER - 5 L - FOR SYRINGE DISPOSAL
 <b>FACS7LT</b>	SHARPS CONTAINER - 7 L - FOR SYRINGE DISPOSAL
 <b>FACS12LT</b>	SHARPS CONTAINER - 12 L - FOR SYRINGE DISPOSAL
 <b>FARD10</b>	RAZORS - DISPOSABLE - PACK OF 10
 <b>FA8967Y</b>	SHARPS CONTAINER W/HORIZONTAL DROP OPENING LID - 2 GAL / 7.6 L
 <b>FA8975</b>	WALL BRACKET FOR SHARPS CONTAINER FA8967Y
 <b>FA8900SA</b>	PHLEBOTOMY (BLOOD DRAWING) SHARPS CONTAINER COVIDIEN - 1 QT/1 LITRE
 <b>FA8912SA</b>	WALL BRACKET FOR FA8900SA - PACK OF 5
 <b>FASBCD</b>	SEAT BELT CUTTER (DISPOSABLE)
 <b>FARC182</b>	RING CUTTER
 <b>FAA19900</b>	EYE LOOP WITH MAGNET
 <b>FAA1BAR</b>	ADHESIVE REMOVER SACHET - 100 PER BOX
 <b>FAIS36</b>	INSTRUMENT STERILIZING SOLUTION - 3.6 L



## Medical Visor & Magnifying Goggles



**FAHG320KIT**

Made of lightweight HDPE, with washable foam sweat band

PART NO	DESCRIPTION
<b>FAHG320KIT</b>	MEDICAL HEADGEAR WITH 20 MIL VISOR
<b>FAHG320</b>	MEDICAL HEADGEAR ONLY
<b>FA81520</b>	20 MIL REPLACEMENT VISOR - PACK OF 200
<b>FAMF107</b>	MAGNI FOCUSER #107 - MAGNIFYING GOGGLES



## Measurement Tools



## Measurement Tools



**FAPULM01**

PART NO	DESCRIPTION
<b>FAPULM01</b>	DIGITAL PULSE OXIMETER
<b>FA356060</b>	DIGITAL THERMOMETER - ORAL - 5.25" X 1.3" X 0.75"
<b>FAPC100</b>	DISPOSABLE PROBE COVERS FOR DIGITAL THERMOMETERS - BOX OF 100
<b>FA143200</b>	MANUAL BLOOD PRESSURE CUFF - ADULT
<b>FA101310</b>	DOUBLE HEAD STETHOSCOPE - BLACK





# Emergency Preparedness Equipment

## Equipment

PART NO	DESCRIPTION
<b>FA8322</b>	METAL TRAVEL CUTLERY SET: FORK - KNIFE - SPOON (1 OF EACH)
<b>FA9720FS</b>	FOLDING SHOVEL WITH PICK - 16"
<b>FAB00STG6</b>	BOOSTER CABLE - 6 GAGE
<b>FABOS727908</b>	BOOSTER CABLE - ECONOMY - 8 FT
<b>FAFLARE20M</b>	ROAD FLARE WITH STAND - 20 MINUTES BURN TIME
<b>FAHAMMER</b>	SAFETY HAMMER
<b>FAICEBRUSH</b>	SNOW BRUSH / ICE SCRAPER FOR CARS
<b>FAPOLICE</b>	BANNER - CALL POLICE
<b>FATOW739061</b>	BRAIDED TOW ROPE WITH METAL CLIPS - 3 TON CAPACITY
<b>FATRIA087</b>	WARNING TRIANGLE - ROADSIDE
<b>FA96WPDW</b>	EMERGENCY DRINKING WATER - 125 ML
<b>FACANDLE</b>	EMERGENCY CANDLE - 4 H
<b>FAEK440</b>	EMERGENCY RADIO / FLASHLIGHT - DYNAMO (CRANK)

PART NO	DESCRIPTION
<b>FAFLHC01</b>	DYNAMO HAND CRANK FLASHLIGHT
<b>FAEMCANDLE</b>	EMERGENCY SLOW BURNING CANDLES - 8-10 H - SET OF 2
<b>FAEMF2400KC</b>	EMERGENCY FOOD RATIONS - 2400 KCAL - PACK OF 6
<b>FAFIST0150</b>	FIRE LIGHTERS - 5 MINUTE BURN TIME - BOX OF 20
<b>FALS030</b>	CHEMICAL LIGHT STICK - 5.5" LONG - 12 H
<b>FAMIEB400KC</b>	MILLENIUM ENERGY BAR - 400 KCAL
<b>FAMT9690</b>	14 IN 1 MULTIFUNCTION CAMPER TOOL - STAINLESS STEEL
<b>FAPC9560</b>	EMERGENCY STOVE WITH 24 FUEL TABLETS
<b>FAUTILIT</b>	UTILITY BOX CUTTING KNIFE - RETRACTABLE BLADE
<b>FAPK8068PKF</b>	MULTIFUNCTIONAL POCKET KNIFE
<b>FASURVCANDL</b>	SURVIVAL CANDLE AND MATCHES - 3 WICK - 12 H PER WICK
<b>FAWPM45</b>	WATERPROOF MATCHES - PACK OF 30
<b>FAWP</b>	WHISTLE - PLASTIC



## Eye Care Products



FAEB



FA200531



FA351784



FA520101



FA520102



FAEYPK



FAEP025 / FAEP050

PART NO	DESCRIPTION
FA520102	OPTREX® - BOTTLE OF 300 ML WITH BASIN
FA520101	OPTREX® - BOTTLE OF 110 ML
FA200531	EYE STREAM® - BOTTLE OF 118 ML
FA351784	EYE STREAM® - BOTTLE OF 30 ML
FAEB	EYE BATH
FAES	PLASTIC EYESHIELD
FAEP025	EYE PADS - STERILE PACK OF 25
FAEP050	EYE PADS - STERILE PACK OF 50
FAEYPK	EYE PACKET PAD / TAPE / SHIELD
FAK20MB	EMPTY FIRST AID KIT BOX - 22" X 15" X 5.5" (56 CM X 38 CM X 14 CM)
FA108355	MURINE® TEARS - EYE DROPS - 15 ML
FASI1000	EYE WASH - 0.9% SODIUM CHLORIDE - IRRIGATION - 1 L
FAWSI500	EYE WASH - 0.9% SODIUM CHLORIDE - 500 ML
FAEDK2SP	DOUBLE EYE DRESSING KIT - EYESHIELD AND EYE PAD



# Gravity Fed Eye Wash Station



**FAEWST16**

## FEATURES

- ▶ 16 gallon self-contained gravity flow station
- ▶ Delivers 3.533 L per min for 15 minutes
- ▶ Hi-vis green body easy to locate in an emergency
- ▶ Robust with reinforced ribbing to ensure durability
- ▶ Integrated flow nozzle is activated by lowering the yellow tray
- ▶ Waste water is directed through drain opening in basin
- ▶ Includes 3 ft drain hose to direct waste water
- ▶ Includes steel wall-mounting bracket
- ▶ Includes 8 oz bacteriostatic additive (FAEWC08) which protects against growth of bacteria, fungi, and algae
- ▶ Weight: 13 lbs empty, 146 lbs full
- ▶ Complies with ANSI Z358.1



▲ LOWER MANIFOLD TO ACTIVATE

Ideal for use in remote areas where a continuous supply of water is not available

## GRAVITY FED EYE WASH STATION

PART NO	DESCRIPTION
FAEWST16	COMPLETE STATION WITH 8 OZ BACTERIOSTATIC ADDITIVE (FAEWC08)

## ACCESSORIES

PART NO	DESCRIPTION
FA90335	DUST COVER
FA90321	3 FT REPLACEMENT DRAIN HOSE
FA90324	REPLACEMENT WALL MOUNTED BRACKET
FA90325	REPLACEMENT DISPENSER CAP
FA90336	REPLACEMENT THREADED CAP
FA90326	REPLACEMENT MANIFOLD ASSEMBLY





# Bio Med Wash®



**FAEWBM03**



**FAEWBM07**



**FAEWSBMSWMF**



**FAEWSBMDWMF**



**FAEWSBMSWME**



**FAEWSBMDWME**



**FAEWTB**



**FAEWBMH3**



**FAEWBMH7**

BIO MED WASH® is a sterile, heavy mist containing 100% Bio-Logic Aqua®, an all-natural, pH neutral, pure tissue-culture grade of water. Ideal for removing particulate matter and crusted exudates from cuts and abrasions, and in removing irritating chemicals from skin and eyes.

## FEATURES

- ▶ Emergency pH neutral eye wash
- ▶ Replaces distilled, saline, and tap water for most applications
- ▶ Washes dirt and other contaminants from cuts and lacerations
- ▶ Helps remove irritating chemicals from eyes and skin

## BIO MED WASH®

PART NO	DESCRIPTION
<b>FAEWBM03</b>	BIO MED WASH® - STERILE SOLUTION - 3 OZ / 90 ML
<b>FAEWBM07</b>	BIO MED WASH® - STERILE SOLUTION - 7 OZ / 210 ML

## COMPLETE BIO MED WASH® STATIONS

PART NO	DESCRIPTION
<b>FAEWSBMSWMF</b>	BIO MED WASH® EYE WASH SINGLE STATION INCLUDES: PANEL #FAEWSBMSWME - (1) BIO MED WASH® BOTTLE OF 7 OZ / 210 ML #FAEWBM07
<b>FAEWSBMDWMF</b>	BIO MED WASH® EYE WASH DUAL STATION INCLUDES: PANEL #FAEWSBMDWME - (2) BIO MED WASH® BOTTLES OF 7 OZ / 210 ML #FAEWBM07
<b>FAEWKBDWMF</b>	BIO MED WASH® EYE WASH DUAL STATION INCLUDES: PANEL #FAEWKBDWM WITH FA KIT SLOT - (2) BIO MED WASH® BOTTLES OF 7 OZ / 210 ML #FAEWBM07

## EMPTY STATIONS & HOLSTERS

PART NO	DESCRIPTION
<b>FAEWSBMSWME</b>	PANEL ONLY FOR (1) BOTTLE OF BIO MED WASH® 7 OZ / 210 ML
<b>FAEWSBMDWME</b>	PANEL ONLY FOR (2) BOTTLES OF BIO MED WASH® 7 OZ / 210 ML
<b>FAEWKBDWM</b>	PANEL ONLY FOR (2) BOTTLES OF BIO MED WASH® 7 OZ / 210 ML AND FA KIT
<b>FAEWBMH3</b>	NYLON HOLSTER FOR BIO MED WASH® - BOTTLE OF 3 OZ / 90 ML
<b>FAEWBMH7</b>	NYLON HOLSTER FOR BIO MED WASH® - BOTTLE OF 7 OZ / 210 ML
<b>FAEWTB</b>	PLASTIC VEHICLE BRACKET

# Single Use Isotonic Solution Eye Wash Stations



FAEW032SU



FAEW016SU



FAEWC08



FAEWS6514F



FAEWS1416F



FAEWS1113F



FAEWS1213F



FAEWS1113



FAEWS1213

## ISOTONIC SOLUTIONS

### FEATURES

- ▶ **Sterile (aseptic):** Bacteria are not introduced onto damaged eye tissue. Eliminates chlorine, contaminants, and pathogens.
- ▶ **Buffered:** To correct the pH (relative acidity and alkalinity) of the eye to a safe range.
- ▶ **Isotonic:** To balance the osmotic pressure of eye fluids.
- ▶ **Saline:** Formulated to physiologically correct saline content, allowing rinsing without irritation.

## ISOTONIC SOLUTION IN BOTTLES WITH EYE CUP

PART NO	DESCRIPTION
FAEW016SU	ISOTONIC SOLUTION STERILE 16 OZ / 500 ML - BOTTLE WITH SINGLE USE EYE CUP
FAEW032SU	ISOTONIC SOLUTION STERILE 32 OZ / 1 L - BOTTLE WITH SINGLE USE EYE CUP

## EYE WASH ADDITIVE CONCENTRATE

PART NO	DESCRIPTION
FAEWC08	ADDITIVE CONCENTRATE FOR EYE WASH STATIONS - BOTTLE OF 8 OZ / 236 ML FOR 18.9 L TO 75.7 L

## SINGLE USE COMPLETE EYE WASH STATIONS

PART NO	DESCRIPTION
FAEWS6514F	EYE WASH COMPLETE STATION INCLUDES: PANEL #FAEWS6514 - (1) 32 OZ / 1 L BOTTLE OF ISOTONIC SOLUTION WITH EYE CUP ATTACH #FAEW032SU (SINGLE USE)
FAEWS1416F	EYE WASH COMPLETE STATION INCLUDES: PANEL #FAEWS1416 - (2) 32 OZ / 1 L BOTTLES OF ISOTONIC SOLUTION WITH EYE CUP ATTACH #FAEW032SU (SINGLE USE)
FAEWS1113F	EYE WASH COMPLETE STATION INCLUDES: PANEL #FAEWS1113 - (1) 16 OZ / 500 ML BOTTLE OF ISOTONIC SOLUTION WITH EYE CUP ATTACH #FAEW016SU (SINGLE USE)
FAEWS1213F	EYE WASH COMPLETE STATION INCLUDES: PANEL #FAEWS1213 - (2) 16 OZ / 500 ML BOTTLES OF ISOTONIC SOLUTION WITH EYE CUP ATTACH #FAEW016SU (SINGLE USE)
FAEWSK1714F	EYE WASH COMPLETE STATION INCLUDES: PANEL #FAEWSK1714 - (1) 32 OZ / 1 L BOTTLE OF ISOTONIC SOLUTION #FAEW032SU - SHELF FOR A FIRST AID KIT
FAEWSK1416F	EYE WASH COMPLETE STATION INCLUDES: PANEL #FAEWSK1416 - (2) 32 OZ / 1 L BOTTLES OF ISOTONIC SOLUTION #FAEW032SU - SHELF FOR A FIRST AID KIT

## EMPTY STATIONS

PART NO	DESCRIPTION
FAEWS6514	EYE WASH STATION PANEL ONLY FOR (1) 32 OZ / 1 L BOTTLE #FAEW032SU
FAEWS1416	EYE WASH STATION PANEL ONLY FOR (2) 32 OZ / 1 L BOTTLES #FAEW032SU
FAEWS1113	EYE WASH STATION PANEL ONLY FOR (1) 16 OZ / 500 ML BOTTLE #FAEW016SU
FAEWS1213	EYE WASH STATION PANEL ONLY FOR (2) 16 OZ / 500 ML BOTTLES #FAEW016SU



# Multi-Use Eye Wash Stations



## ISOTONIC SOLUTIONS

PART NO	DESCRIPTION
FAEW001	ISOTONIC SOLUTION - STERILE - 1 OZ / 30 ML
FAEW004	ISOTONIC SOLUTION - STERILE - 4 OZ / 118 ML
FAEW008	ISOTONIC SOLUTION - STERILE - 8 OZ / 250 ML
FAEW016	ISOTONIC SOLUTION - STERILE - 16 OZ / 500 ML
FAEW032	ISOTONIC SOLUTION - STERILE - 32 OZ / 1 L
FAEW160	ISOTONIC SOLUTION - STERILE - 128 OZ / 4 L



## EMPTY BOTTLES AND EYE CUPS

PART NO	DESCRIPTION
FAEWB16	EYE WASH EMPTY BOTTLE WITH EYE CUP - 16 OZ / 500 ML
FAEWB32	EYE WASH EMPTY BOTTLE WITH EYE CUP - 32 OZ / 1 L
FAEWC01	EYE CUP FOR 16 OZ / 500 ML AND 32 OZ / 1 L BOTTLE



## COMPLETE EYE WASH STATIONS

PART NO	DESCRIPTION
FAEWS6517F	EYE WASH COMPLETE STATION INCLUDES: PANEL #FAEWS6517 - (1) BOTTLE OF ISOTONIC SOLUTION #FAEW032 - 32 OZ / 1 L
FAEWS1417F	EYE WASH COMPLETE STATION INCLUDES: PANEL #FAEWS1417 - (2) BOTTLES OF ISOTONIC SOLUTION #FAEW032 - 32 OZ / 1 L
FAEWS1714F	EYE WASH COMPLETE STATION INCLUDES: PANEL #FAEWS1714 - (1) BOTTLE OF ISOTONIC SOLUTION #FAEW032 - 32 OZ / 1 L
FAEWS1114F	EYE WASH COMPLETE STATION INCLUDES: PANEL #FAEWS1114 - (1) BOTTLE OF ISOTONIC SOLUTION #FAEW016 - 16 OZ / 500 ML



## COMPLETE METAL EYE WASH STATIONS

PART NO	DESCRIPTION
FAEWS9124F	EYE WASH COMPLETE STATION INCLUDES: METAL BOX #FAK13MBS - (2) BOTTLES OF ISOTONIC SOLUTION #FAEW032 - 32 OZ / 1 L
FAEWS9124SU	EYE WASH COMPLETE STATION INCLUDES: METAL BOX #FAK13MBS - (2) BOTTLES OF ISOTONIC SOLUTION #FAEW032SU - 32 OZ / 1 L (SINGLE USE)

▲ INCLUDES MIRROR



# Eye Wash Stations with Empty Bottles



**FAEWS6517E**



**FAEWS1417E**



**FAEWS1714E**



**FAEWS1114E**



**FAEWS9124E**



▲ INCLUDES MIRROR



**FAEWS6517**



**FAEWS1417**



**FAEWS1714**



**FAEWS1114**

## EYE WASH STATIONS WITH EMPTY BOTTLES

PART NO	DESCRIPTION
<b>FAEWS6517E</b>	EYE WASH COMPLETE STATION INCLUDES: PANEL #FAEWS6517 - (1) EYE WASH BOTTLE OF 32 OZ / 1 L (EMPTY) - WITH EYE CUP
<b>FAEWS1417E</b>	EYE WASH COMPLETE STATION INCLUDES: PANEL #FAEWS1417 - (2) EYE WASH BOTTLES OF 32 OZ / 1 L (EMPTY) - WITH EYE CUP
<b>FAEWS1714E</b>	EYE WASH COMPLETE STATION INCLUDES: PANEL #FAEWS1417 - (1) EYE WASH BOTTLE OF 32 OZ / 1 L (EMPTY) - WITH EYE CUP
<b>FAEWS1114E</b>	EYE WASH COMPLETE STATION INCLUDES: PANEL #FAEWS1114 - (1) EYE WASH BOTTLE OF 16 OZ / 500 ML (EMPTY) - WITH EYE CUP
<b>FAEWSK1714E</b>	EYE WASH COMPLETE STATION INCLUDES: PANEL #FAEWSK1714 - (2) EYE WASH BOTTLES OF 32 OZ / 1 L (EMPTY) - WITH EYE CUP - SHELF FOR A FIRST AID KIT

## METAL EYE WASH STATIONS WITH EMPTY BOTTLES

PART NO	DESCRIPTION
<b>FAEWS9124E</b>	EYE WASH COMPLETE STATION INCLUDES: METAL BOX #FAK13MBS - (2) EYE WASH BOTTLES OF 32 OZ / 1 L (EMPTY) - WITH EYE CUP
<b>FAEWS9124</b>	EYE WASH STATION INCLUDES: METAL BOX #FAK13MBS - NO BOTTLES - SPACE FOR 2 BOTTLES OF 32 OZ / 1 L

## EMPTY STATIONS

PART NO	DESCRIPTION
<b>FAEWS6517</b>	EYE WASH STATION PANEL ONLY FOR (1) BOTTLE OF 32 OZ / 1 L
<b>FAEWS1417</b>	EYE WASH STATION PANEL ONLY FOR (2) BOTTLES OF 32 OZ / 1 L
<b>FAEWS1114</b>	EYE WASH STATION PANEL ONLY FOR (1) BOTTLE OF 16 OZ / 500 ML
<b>FAEWS1714</b>	EYE WASH STATION PANEL ONLY FOR (1) BOTTLE OF 32 OZ / 1 L
<b>FAEWSK1714</b>	PANEL ONLY FOR (1) BOTTLE OF 32 OZ / 1 L WITH SHELF FOR A FIRST AID KIT



# Barricade Tapes



**POLYETHYLENE  
BARRICADE TAPE  
PIT315**

- Heavy-duty polyethylene 0.015 mil
- Convenient dispenser box or bulk
- Available in red or yellow



**RE-PULPABLE COTTON  
BARRICADE TAPE  
PIT3C150**

- Strong woven 100% cotton
- Fully biodegradable
- Ideal for the pulp and paper industry

STYLE	LEGEND	MATERIAL	COLOR	THICKNESS	LENGTH	PACKAGING
PIT315RE4	DO NOT ENTER	Polyethylene	Red	.015 mil	1000 ft	Dispenser Box
PIT315RE4B	DO NOT ENTER	Polyethylene	Red	.015 mil	1000 ft	Shrink Wrap
PIT315RE9	DANGER	Polyethylene	Red	.015 mil	1000 ft	Dispenser Box
PIT315RE9B	DANGER	Polyethylene	Red	.015 mil	1000 ft	Shrink Wrap
PIT315RF9	DANGER	Polyethylene	Red	.015 mil	1000 ft	Dispenser Box
PIT315RS2B	PELIGRO NO ENTRE	Polyethylene	Red	.015 mil	1000 ft	Shrink Wrap
PIT315YE1	CAUTION	Polyethylene	Yellow	.015 mil	1000 ft	Dispenser Box
PIT315YE1B	CAUTION	Polyethylene	Yellow	.015 mil	1000 ft	Shrink Wrap
PIT315YE2	DO NOT ENTER	Polyethylene	Yellow	.015 mil	1000 ft	Dispenser Box
PIT315YE2B	DO NOT ENTER	Polyethylene	Yellow	.015 mil	1000 ft	Shrink Wrap
PIT315YE7	DANGER	Polyethylene	Yellow	.015 mil	1000 ft	Dispenser Box
PIT315YE7B	DANGER	Polyethylene	Yellow	.015 mil	1000 ft	Shrink Wrap
PIT315YF7	DANGER	Polyethylene	Yellow	.015 mil	1000 ft	Dispenser Box
PIT315YF7B	DANGER	Polyethylene	Yellow	.015 mil	1000 ft	Shrink Wrap
PIT315YS1B	PELIGRO	Polyethylene	Yellow	.015 mil	1000 ft	Shrink Wrap
PIT3C150RE9	DANGER	100% Cotton	Red	.015 mil	150 ft	Dispenser Box
PIT3C150YE1	CAUTION	100% Cotton	Yellow	.015 mil	150 ft	Dispenser Box



# Traffic Flags

Scan it



TSFL01



TSFL02GR



TSFL03GR



TSFLDW

**Traffic Flags\***

STYLE	COLOR	FEATURES	MATERIAL	REFLECTIVE	SIZE
TSFL01	Fluorescent Orange	X on Each Side, 3 Grommets, Dowel Sleeve	Nylon	Two-Tone	18" x 27"
TSFL01	Fluorescent Orange	3 Grommets, Dowel Sleeve	Nylon	-	16" x 16"
TSFL01	Fluorescent Orange	3 Grommets, Dowel Sleeve	PVC Mesh	-	18" x 18"
<b>Dowel*</b>					
TSFLDW	-	-	Wood	-	0.75" x 36"

\* Flag and dowel sold separately



# ABCDS OF FALL PROTECTION

To succeed in this unforgiving category, you need to be cognizant of your ABCDs. PIP Canada is committed to developing fall protection PPE that delivers exceptional performance in the harshest conditions, and in the widest array of applications.

## A ANCHORAGE connectors that provide a secure connection to structures, thus allowing an attachment point.

Cable Slings	221
Pass Through Slings	221
D-Ring Anchors	222
Removable Concrete Anchors	222
Toggle Anchors	222
Swivel Anchors	222
Beam Anchors	222
Door/Window Anchors	223
Roof Brackets & 4 Persons	223
Temporary Rope Horizontal Lifeline	223

## C CONNECTING devices that link the body wear to the anchorage connectors, critical to the system as it usually incorporates energy absorbing technology.

Personal Self-Retracting Lifelines (SRL)	208
Self-Retracting Lifelines (SRL)	209
Rope & Web Lanyards	210
Lanyards	211-216
Energy Absorbers & Extended D-Ring	217
Work Positioning Products	217
Hooks & Carabiners	218
Vertical Rope Lifelines	219
Rope Grabs	220
Compliance Kits & Roofer's Kits	226-227
Inspection Tags, Storage Bags	228

## B BODY wear worn by the user, which includes harnesses as well as other personal protective equipment.

Dyna-Pro™ Aluminum Harnesses	190
Dyna-Pro™ Universal Harnesses	191
Dyna-I™ Universal Harnesses	192
Hybrid Econo Harnesses	193
B-Compliant Harnesses	194
Dyna-Lite™ Harnesses	195
Dyna-Tower™ Aluminum Harnesses	196
Y-Trend™ Aluminum Harnesses	197
TPU Coated Harnesses	197
Easy Don X-Trend™ Aluminum Harnesses	198
Easy Don X-Trend™ Harnesses	199
X-Trend™ Harnesses	200
Miss Dyna™ X-Trend™ Aluminum Harnesses	201
Kevlar® FR Harnesses for Welders	202
Kevlar® FR Harnesses for Electricians	203
Anti-Corrosion Harnesses	204
Dyna-Viz™ Harnesses	204
Construction Pro™ Aluminum Harnesses	205
Construction Eco™ Harnesses	205
Combination Harnesses	206
Industrial Body Belts & Miner's Belt	207

## D DESCENT and rescue products that form a key component of any rescue plan in order to ensure a timely response.

Rescue & Retrieval Systems	223
Tripods & Accessories	224
Davit System	225

## 229

**TOOL TETHERS** are essential accessories required for the prevention of dropped equipment and other objects.





# Harness Class & Sizing

## HARNESS APPLICATION CLASS

Harnesses are available for a variety of applications signified by the pictograms and definitions below.



**Class A**  
**Fall Arrest**  
CSA Group A



**Class P**  
**Work Positioning**  
CSA Group P



**Class E**  
**Evacuation / Retrieval**  
CSA Group E




**Class L**  
**Ladder Climbing**  
CSA Group L



**Class D**  
**Suspension & Descent**  
CSA Group D

## HARNESS SIZING CHART



**MEDIUM** = Small to Large / **XLARGE** = Large to 2XL

Note: **UNIVERSAL** denotes Medium, Large and X Large.

## BELT SIZING CHARTS

Belt Size	Waist Measurement	
	Centimeters	Inches
<b>SMALL</b>	71 to 91 cm	28 IN to 36 IN
<b>MEDIUM</b>	81 to 101 cm	32 IN to 40 IN
<b>LARGE</b>	91 to 111 cm	36 IN to 44 IN
<b>XLARGE</b>	101 to 122 cm	40 IN to 48 IN
<b>XXLARGE</b>	111 to 132 cm	44 IN to 52 IN
<b>XXXLARGE*</b>	122 to 142 cm	48 IN to 56 IN

\* This size is available upon request.

## CONNECTION DEVICES



Quick Connect Buckle Bayonet Style



Tongue and Buckle (Grommets)



Friction Buckle Pass Through



Friction Buckle



Scan it

# Personalization TO IMPROVE YOUR IMAGE

OUR HARNESSES AND LANYARDS PROVIDE A COST-EFFECTIVE OPPORTUNITY TO PROMOTE BOTH YOUR BRAND IMAGE AND YOUR HEALTH & SAFETY MESSAGE



Identification on the jobsite is now more important than ever. We have a team dedicated to providing you with the best personalization services, allowing you to benefit from:

- ▶ Increased visibility on the jobsite
- ▶ Improved employee morale
- ▶ Improved company image
- ▶ Reduced theft of PPE



CUSTOM WEBBING COLORS  
AVAILABLE

## SERVICES INCLUDE



### Harness Personalization

Ability to print a custom color logo or message onto the harness backstrap. Furthermore, the ability to select any two color combinations for the top and bottom of the harness. Colors selected must be from a pre-determined list already certified with CSA.

### Lanyard Personalization

Ability to print a custom color logo or message onto the lanyards that have a 4.5 cm (1.75") webbing width.




Scan it

# Body Wear

PPE WORN BY THE USER, INCLUDING  
HARNESSES AND BELTS



## Dyna-Pro™ Aluminum



FPX1004D  
Front



FPX1004D  
Back



FPX1001EDG  
Front



FPX1001EDG  
Back

PROFESSIONAL VEST STYLE HARNESS WITH ALL ALUMINUM HARDWARE. INTEGRATED PAD ON SHOULDERS & LEG STRAPS. 5 POINT ADJUSTMENT.

Designed for comfort by eliminating all unnecessary weight and bulkiness. The hardware is made of lightweight aluminum, for a weight savings of 25% and exceptional corrosion resistance. The Dynamic® back pad focuses on comfort by relieving pressure points at your shoulders and the back of the legs. The non-bulky pad also eliminates heat zones, weight and reduces the overall mass of the harness, making this one of the most comfortable harnesses you will wear. Trauma straps provide crucial additional time in a rescue situation. CSA certified. Meets and exceeds ANSI and OSHA regulations.

### Fall Arrest Harnesses

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
FPX1001D	A	B	ALUMINUM BAYONET
FPX1001DG	A	B	TONGUE BUCKLES

### Work Positioning Harnesses

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
FPX1003D	A / P	B / S	ALUMINUM BAYONET
FPX1003DG	A / P	B / S	TONGUE BUCKLES

### Work Positioning / Confined Spaces & Ladder Climbing Harnesses

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
FPX1002D	A / L	F / B	ALUMINUM BAYONET
FPX1004D	A / P / L	F / B / S	ALUMINUM BAYONET
FPX1004DG	A / P / L	F / B / S	TONGUE BUCKLES
FPX1004SD	A / E / L	F / B / E	ALUMINUM BAYONET
FPX1004SDG	A / E / L	F / B / E	TONGUE BUCKLES

Class A



Class P



Class E



Class L



Class D



CLASS (Legend): A Fall Arrest | P Work Positioning | E Confined Spaces | L Ladder Climbing | D Suspension & Descent  
Metallic D-ring: F Front | B Back (adjustable) | S Sides or Hips | E Shoulders | L Chest Strap Buckle | X Extension (D-ring)





# Dyna-Pro™ Universal



FP1001EDG  
Front



FP1001EDG  
Back



FP1004SD  
Front



FP1004SD  
Back

PROFESSIONAL VEST STYLE HARNES WITH INTEGRATED CUSHION ON BACK, SHOULDERS & LEG STRAPS AND 5 POINT ADJUSTMENT.

Designed with ease of donning top of mind, this harness also features lightweight breathable padding only where required. The lack of excessive padding results in the elimination of unnecessary heat zones and an increase in the mobility of the wearer, for comfort that lasts all day long. The lightest harness in its category. It also has trauma straps to provide crucial additional time in a rescue situation. CSA certified. Meets and exceeds ANSI and OSHA regulations.

#### Fall Arrest Harnesses

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
FP1001D	A	B	BAYONET
FP1001ED	A	B / X	BAYONET
FP1001DG	A	B	TONGUE BUCKLES
FP1001EDG	A	B / X	TONGUE BUCKLES

#### Work Positioning Harnesses

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
FP1003D	A / P	B / S	BAYONET
FP1003DG	A / P	B / S	TONGUE BUCKLES

#### Work Positioning / Confined Spaces & Ladder Climbing Harnesses

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
FP1002D	A / L	F / B	ALUMINUM BAYONET
FP1004D	A / P / L	F / B / S	ALUMINUM BAYONET
FP1004DG	A / P / L	F / B / S	TONGUE BUCKLES
FP1004SD	A / E / L	F / B / E	ALUMINUM BAYONET
FP1004SDG	A / E / L	F / B / E	TONGUE BUCKLES



CLASS (Legend): A Fall Arrest | P Work Positioning | E Confined Spaces | L Ladder Climbing | D Suspension & Descent  
Metallic D-ring: F Front | B Back (adjustable) | S Sides or Hips | E Shoulders | L Chest Strap Buckle | X Extension (D-ring)



# Dyna-I™ Universal



FP2001BD  
Front



FP2001BD  
Back



FP2004BDG  
Front



FP2004BDG  
Back

## VEST STYLE HARNESS WITH 5 POINT ADJUSTMENT.

Designed for comfort and ease of use, including fully adjustable shoulder and chest straps that can be optimally positioned to meet your specific needs. The polyester webbing protects against UV rays and provides excellent resistance to most chemicals. Multiple combinations of connectors and D-rings are available for any application. All Dynamic® harnesses offer a sub-pelvic strap with a sewn pattern for maximum comfort. CSA certified. Meets and exceeds ANSI and OSHA regulations.

### Fall Arrest Harnesses

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
FP2001D	A	B	FRICTION
FP2001ED	A	B / X	FRICTION
FP2001BD*	A	B	BAYONET
FP2001BED*	A	B / X	BAYONET
FP2001DG	A	B	TONGUE BUCKLES
FP2001EDG	A	B / X	TONGUE BUCKLES
FP2001BDG*	A	B	TONGUE BUCKLES
FP2001BEDG*	A	B / X	TONGUE BUCKLES

### Work Positioning Harnesses

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
FP2003D	A / P	B / S	FRICTION
FP2003ED	A / P	B / X / S	FRICTION
FP2003BD*	A / P	B / S	BAYONET
FP2003BED*	A / P	B / X / S	BAYONET
FP2003DG	A / P	B / S	TONGUE BUCKLES
FP2003EDG	A / P	B / X / S	TONGUE BUCKLES
FP2003BDG*	A / P	B / S	TONGUE BUCKLES
FP2003BEDG*	A / P	B / X / S	TONGUE BUCKLES

### Work Positioning / Confined Space Harnesses

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
FP2002BD	A / L	F / B	BAYONET
FP2002BDG*	A / L	F / B	TONGUE BUCKLES
FP2003SD	A / E	B / E	FRICTION
FP2003SDG*	A / E	B / E	TONGUE BUCKLES
FP2003BSD*	A / E	B / E	BAYONET
FP2003BESD*	A / E	B / E	BAYONET
FP2003BSDG*	A / E	B / E	TONGUE BUCKLES
FP2004BD*	A / P / L	F / B / S	BAYONET
FP2004BDG*	A / P / L	F / B / S	TONGUE BUCKLES
FP2004SBDG*	A / E / L	F / B / S	TONGUE BUCKLES
FP2005D	A / P / E	B / S / E	FRICTION
FP2005DG	A / P / E	B / S / E	TONGUE BUCKLES
FP2005BD*	A / P / E	B / S / E	BAYONET
FP2005BDG*	A / P / E	B / S / E	TONGUE BUCKLES
FP2006BD	A / P / E / L	F / B / S / E	BAYONET


\* Bayonet style connector on adjustable chest strap.



CLASS (Legend): A Fall Arrest | P Work Positioning | E Confined Spaces | L Ladder Climbing | D Suspension & Descent  
Metallic D-ring: F Front | B Back (adjustable) | S Sides or Hips | E Shoulders | L Chest Strap Buckle | X Extension (D-ring)



# Hybrid Econo



FP2501D  
Front



FP2501D  
Back



FP2503DG  
Front



FP2503DG  
Back

## BASIC, ECONOMICAL AND FULLY ADJUSTABLE HARNESS.

A basic but reliable harness that is adjustable at the torso, it provides similar benefits to a regular mid-range harness but at an economical price. CSA certified. Meets and exceeds ANSI and OSHA regulations.

### Fall Arrest Harnesses

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
<b>FP2501D</b>	A	B	FRICITION
<b>FP2501DG</b>	A	B	TONGUE BUCKLES

### Work Positioning Harnesses

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
<b>FP2503D</b>	A / P	B / S	FRICITION
<b>FP2503DG</b>	A / P	B / S	TONGUE BUCKLES

### Work Positioning / Confined Spaces

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
<b>FP2505D</b>	A / P / E	B / S / E	FRICITION
<b>FP2505DG</b>	A / P / E	B / S / E	TONGUE BUCKLES



Class A



Class P



Class E



Class L



Class D

**CLASS** (Legend): A Fall Arrest | P Work Positioning | E Confined Spaces | L Ladder Climbing | D Suspension & Descent  
**Metallic D-ring:** F Front | B Back (adjustable) | S Sides or Hips | E Shoulders | L Chest Strap Buckle | X Extension (D-ring)





# B-Compliant



FP4001DGU  
Front



FP4001DGU  
Back



FP4003SDU  
Front



FP4003SDU  
Back



FP4005DG  
Front



FP4005DG  
Back

BASIC, ECONOMICAL HARNESS WITH 3 POINT ADJUSTMENT.

Ideal for the occasional user, this basic yet comfortable design configuration offers reliable protection at an economical price. Manufactured from high quality polyester webbing with adjustable leg straps, it provides resistance to UV rays and most chemicals. CSA certified. Meets and exceeds ANSI and OSHA regulations.

### Fall Arrest Harnesses

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
FP4001DU	A	B	FRICTION
FP4001DGU	A	B	TONGUE BUCKLES

### Work Positioning Harnesses

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
FP4003DU	A / P	B / S	FRICTION
FP4003DGU	A / P	B / S	TONGUE BUCKLES

### Work Positioning / Confined Space Harnesses

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
FP4003SDU	A / E	B / E	FRICTION
FP4003SDGU	A / E	B / E	TONGUE BUCKLES
FP4005DU	A / P / E	B / S / E	FRICTION
FP4005DGU	A / P / E	B / S / E	TONGUE BUCKLES



CLASS (Legend): A Fall Arrest | P Work Positioning | E Confined Spaces | L Ladder Climbing | D Suspension & Descent  
Metallic D-ring: F Front | B Back (adjustable) | S Sides or Hips | E Shoulders | L Chest Strap Buckle | X Extension (D-ring)



# Dyna-Lite™



FP4101DGU  
Front



FP4101DGU  
Back

ECONOMICAL FULL BODY HARNESS WITH 3 OR 5 POINT ADJUSTMENT.

Ideal for the occasional user, this design configuration offers reliable protection at an economical price. Features passthrough mating buckles with optional grommet hardware, two tearaway lanyard keepers, and durable protected labels. CSA certified. Meets and exceeds ANSI and OSHA regulations.

### Fall Arrest Harnesses

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
FP2601DU	A	B	FRICTION
FP2601DGU	A	B	TONGUE BUCKLES
FP2603DU	A / P	B / S	FRICTION
FP2603DGU	A / P	B / S	TONGUE BUCKLES

### Work Positioning / Ladder Climbing

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
FP2604DU	A / P / L	B / S / F	FRICTION
FP2604DGU	A / P / L	B / S / F	TONGUE BUCKLES

### Work Positioning

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
FP4101DU	A	B	FRICTION
FP4101DGU	A	B	TONGUE BUCKLES
FP4103DU	A / P	B / S	FRICTION
FP4103DGU	A / P	B / S	TONGUE BUCKLES



CLASS (Legend): A Fall Arrest | P Work Positioning | E Confined Spaces | L Ladder Climbing | D Suspension & Descent  
Metallic D-ring: F Front | B Back (adjustable) | S Sides or Hips | E Shoulders | L Chest Strap Buckle | X Extension (D-ring)



# Dyna-Tower™ Aluminum



FPT05DDD  
Front



FPT05DDD  
Back



FPT07DSC  
Front



FPT07DSC  
Back



FPT07DWC  
Front



FPT07DWC  
Back

VEST STYLE HARNESS WITH INTEGRATED PADDING, PERMANENT ATTACHED BELT WITH LUMBAR SUPPORT AND OPTIONAL SADDLE OR WORKSEAT.

Designed for the tower industry where comfort, fit and weight are critical. The integrated breathable padding is optimally sized to reduce unnecessary heat zones, while the all-aluminum hardware keeps weight minimal. Optional removable saddle or workseat provides additional comfort when working at heights for longer periods of time. Two frontal D-rings provide versatility when connecting to ladder systems or rescue/rope access devices. The comfortable integrated belt is specifically designed to ensure proper load transfer from the belt to the harness to maximize the load distribution to the body. Trauma straps provide crucial additional time in a rescue situation. CSA certified. Meets and exceeds ANSI and OSHA regulations.

### Work Positioning / Confined Space Harnesses with Integrated Belt

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
FPT04DDC	A / P / L	F / B / S (2)	ALUMINUM BAYONET
FPT04DDD	A / P / L	F / B / S (2)	TONGUE BUCKLES
FPT05DDC	A / P / L	F (2) / B / S (2)	ALUMINUM BAYONET
FPT05DDD	A / P / L	F (2) / B / S (2)	TONGUE BUCKLES

### With Integrated Saddle

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
FPT07DSC	A / P / L / D	F (2) / B / S (2) / SADDLE (2)	ALUMINUM BAYONET
FPT07DSD	A / P / L / D	F (2) / B / S (2) / SADDLE (2)	TONGUE BUCKLES

### With Integrated Work Seat

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
FPT07DWC	A / P / L / D	F (2) / B / S (2) / WORK SEAT (2)	ALUMINUM BAYONET
FPT07DWD	A / P / L / D	F (2) / B / S (2) / WORK SEAT (2)	TONGUE BUCKLES



CLASS (Legend): A Fall Arrest | P Work Positioning | E Confined Spaces | L Ladder Climbing | D Suspension & Descent  
Metallic D-ring: F Front | B Back (adjustable) | S Sides or Hips | E Shoulders | L Chest Strap Buckle | X Extension (D-ring)





## Y-Trend™ Aluminum



FPY05DFF  
Front

FPY05DFF  
Back

SUSPENSION HARNESS WITH INTEGRATED PADDING AND HORIZONTAL D-RING. PERMANENT ATTACHED BELT WITH LUMBAR SUPPORT.

Designed for rope access and rescue, the bottom of the harness allows the user to suspend naturally for long periods of times while remaining comfortable. The upper portion has a unique configuration which makes the harness intuitive to don and eliminating the need to step into it and pull over. The integrated breathable padding is optimally sized to reduce unnecessary heat zones, while the all-aluminum hardware makes it one of the lightest on the market. Trauma straps provide crucial additional time in a rescue situation. CSA certified. Meets and exceeds ANSI and OSHA regulations.

### Suspension / Work Positioning / Confined Space Harnesses

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
FPY05DFF	A / P / L / D	F / B / S	ALUMINUM BAYONET
FPY05DFH	A / P / L / D	F / B / S	TONGUE BUCKLES

### Back Support Kit

PART NO	DESCRIPTION	SIZE
FP550/1	DELUXE "ADD ON" LUMBAR SUPPORT FOR BELTS WITH CUSHION, COLOR RED AND BLACK. COMES WITH A TOOL BELT MODEL FP5000D. THIS KIT CAN BE ADDED TO ALL HARNESSES OF FP1000, FP2000 AND FP2500 SERIES.	S/M OR L/XL



CLASS (Legend): A Fall Arrest | P Work Positioning | E Confined Spaces | L Ladder Climbing | D Suspension & Descent  
Metallic D-ring: F Front | B Back (adjustable) | S Sides or Hips | E Shoulders | L Chest Strap Buckle | X Extension (D-ring)

## TPU Coated



FPC2001BD  
Front

FPC2001BD  
Back

VEST STYLE HARNESS WITH 5 POINT ADJUSTMENTS AND TPU COATED WEBBING FOR EXTRA DURABILITY.

Ideal for dirty, contaminated or clean environments. The TPU coating provides resistance to abrasions, weld splatter, chemicals, paint, grease and dirt. Harness can be wiped clean, making it easier to inspect and reducing the frequency of replacement. Trauma straps provide crucial additional time in a rescue situation. CSA certified. Meets and exceeds ANSI and OSHA regulations.



FPUPAD  
Shoulder and Leg Pad

### Fall Arrest Harnesses

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
FPC2001BD	A	B	BAYONET
FPC2001BDG	A	B	TONGUE BUCKLES

### Work Positioning Harnesses

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
FPC2003BD	A / P	B / S	BAYONET
FPC2003BDG	A / P	B / S	TONGUE BUCKLES

### Work Positioning / Confined Space Harnesses


PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
FPC2005BD	A / P / E	B / S / E	BAYONET
FPC2005BDG	A / P / E	B / S / E	TONGUE BUCKLES

### Shoulder and Leg Pad

PART NO	DESCRIPTION
FPUPAD	OPTIONAL SHOULDER / LEG PADDING WITH VELCRO® / SOLD BY PAIR



# Easy Don X-Trend™ Aluminum



FPV01DG  
Front



FPV01DG  
Back



FPV06D  
Front

EASY TO DON LIGHTWEIGHT HARNESS WITH INTEGRATED PADDING. 4 POINTS OF ADJUSTMENT.

Designed for comfort and ease of donning by eliminating the need to pull the harness over your head. The hardware is made of lightweight aluminum, for a weight savings of 25% and exceptional corrosion resistance. The Dynamic® back pad focuses on comfort by relieving pressure points at your shoulders and the back of the legs. The non-bulky pad also eliminates heat zones, weight and reduces the overall mass of the harness, making this one of the most comfortable harnesses you will wear. Trauma straps provide crucial additional time in a rescue situation. CSA certified. Meets and exceeds ANSI and OSHA regulations.

### Fall Arrest / Ladder Climbing Harnesses

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
FPV01D	A	B	ALUMINUM BAYONET
FPV01DG	A	B	TONGUE BUCKLES
FPV02D	A / L	F / B	ALUMINUM BAYONET
FPV02DG	A / L	F / B	TONGUE BUCKLES

### Work Positioning / Confined Space / Ladder Climbing Harnesses

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
FPV04D	A / P / L	F / B / S	ALUMINUM BAYONET
FPV04DG	A / P / L	F / B / S	TONGUE BUCKLES
FPV04SD	A / E / L	F / B / E	ALUMINUM BAYONET
FPV04SDG	A / E / L	F / B / E	TONGUE BUCKLES
FPV06D	A / P / E / L	F / B / S / E	ALUMINUM BAYONET
FPV06DG	A / P / E / L	F / B / S / E	TONGUE BUCKLES



CLASS (Legend): **A** Fall Arrest | **P** Work Positioning | **E** Confined Spaces | **L** Ladder Climbing | **D** Suspension & Descent  
Metallic D-ring: **F** Front | **B** Back (adjustable) | **S** Sides or Hips | **E** Shoulders | **L** Chest Strap Buckle | **X** Extension (D-ring)



# Easy Don X-Trend™



FPU01DG  
Front



FPU01DG  
Back



FPU06D  
Front



FPU06D  
Back



FPU06DG  
Front



FPU06DG  
Back

EASY TO DON HARNESS WITH INTERGRATED PADDING. 4 POINTS OF ADJUSTMENT.

Designed for comfort and ease of donning by eliminating all unnecessary bulkiness. The Dynamic® back pad focuses on comfort by relieving pressure points at your shoulders and the back of the legs. The non-bulky pad also eliminates heat zones, weight and reduces the overall mass of the harness, making this one of the most comfortable harnesses you will wear. Trauma straps provide crucial additional time in a rescue situation. CSA certified. Meets and exceeds ANSI and OSHA regulations.

### Fall Arrest / Ladder Climbing Harnesses

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
FPU01D	A	B	BAYONET
FPU01DG	A	B	TONGUE BUCKLES
FPU02D	A / L	F / B	BAYONET
FPU02DG	A / L	F / B	TONGUE BUCKLES

### Work Positioning / Confined Space Harnesses

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
FPU04D	A / P / L	F / B / S	BAYONET
FPU04DG	A / P / L	F / B / S	TONGUE BUCKLES
FPU04SD	A / E / L	F / B / E	BAYONET
FPU04SDG	A / E / L	F / B / E	TONGUE BUCKLES
FPU06D	A / P / E / L	F / B / S / E	BAYONET
FPU06DG	A / P / E / L	F / B / S / E	TONGUE BUCKLES

Class A



Class P



Class E



Class L



Class D



CLASS (Legend): A Fall Arrest | P Work Positioning | E Confined Spaces | L Ladder Climbing | D Suspension & Descent  
Metallic D-ring: F Front | B Back (adjustable) | S Sides or Hips | E Shoulders | L Chest Strap Buckle | X Extension (D-ring)





# X-Trend™



FP3002D  
Front



FP3002D  
Back



FP3004SD  
Front



FP3004SD  
Back



FP3006DG  
Front



FP3006DG  
Back

## TRADITIONAL HARNESS WITH 4 POINTS OF ADJUSTMENT.

These harnesses are manufactured from polyester webbing, and have a sub-pelvic strap that distributes the forces in case of a fall. CSA certified. Meets and exceeds ANSI and OSHA regulations.

### Fall Arrest Harnesses

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
FP3001DG	A	B	TONGUE BUCKLES
FP3002D	A / L	F / B	FRICTION
FP3002DG	A / L	F / B	TONGUE BUCKLES

### Work Positioning / Confined Space Harnesses

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
FP3004D	A / P / L	F / B / S	FRICTION
FP3004SD	A / E / L	F / B / E	FRICTION
FP3004DG	A / P / L	F / B / S	TONGUE BUCKLES
FP3006D	A / P / E / L	F / B / S / E	FRICTION
FP3006DG	A / P / E / L	F / B / S / E	TONGUE BUCKLES

Class A



Class P



Class E



Class L



Class D



CLASS (Legend): A Fall Arrest | P Work Positioning | E Confined Spaces | L Ladder Climbing | D Suspension & Descent  
Metallic D-ring: F Front | B Back (adjustable) | S Sides or Hips | E Shoulders | L Chest Strap Buckle | X Extension (D-ring)



# Miss-Dyna™ X-Trend™ Aluminum



FPVW02DG  
Front



FPVW04DG  
Front



FPVW04DG  
Back



FPVW02DG  
Back

EASY TO DON LIGHTWEIGHT HARNESS WITH INTEGRATED PADDING. 4 POINTS OF ADJUSTMENT.

Ideal for female workers where the traditional H-Style harness does not fit properly around the user's chest, this design provides a larger range of mobility. It is also optimal for ladder climbing as there is less slack with the front D-Ring vs H-Style harnesses. Trauma straps provide crucial additional time in a rescue situation. CSA certified. Meets and exceeds ANSI and OSHA regulations.

### Fall Arrest

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
<b>FPVW01D</b>	A	B	ALUMINUM BAYONET

### Fall Arrest / Ladder Climbing Harnesses

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
<b>FPVW02D</b>	A / L	F / B	ALUMINUM BAYONET
<b>FPVW02DG</b>	A / L	F / B	TONGUE BUCKLES

### Work Positioning / Confined Space Harnesses

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
<b>FPVW04D</b>	A / P / L	F / B / S	ALUMINUM BAYONET
<b>FPVW04DG</b>	A / P / L	F / B / S	TONGUE BUCKLES

Class A



Class P



Class E



Class L




Class D



CLASS (Legend): A Fall Arrest | P Work Positioning | E Confined Spaces | L Ladder Climbing | D Suspension & Descent  
Metallic D-ring: F Front | B Back (adjustable) | S Sides or Hips | E Shoulders | L Chest Strap Buckle | X Extension (D-ring)



# Kevlar® FR for Welders



FPK2002BD  
Front



FPK2002BD  
Back



FPK2005BDG  
Front



FPK2005BDG  
Back

## HARNESSES FOR WELDERS.

Manufactured from Kevlar® webbing to provide exceptional protection against cuts and abrasions, as well as high heat resistance to sparks and flames, along with the security of maximum protection in case of a fall. ASTM F887 Arc Flash and is CSA certified. Meets and exceeds ANSI and OSHA regulations.

### Fall Arrest Harnesses

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
<b>FPK2001BD</b>	A	B	BAYONET

### Work Positioning Harnesses

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
<b>FPK2003BD</b>	A / P	B / S	BAYONET

### Work Positioning / Confined Space & Ladder Climbing Harnesses

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
<b>FPK2002BD</b>	A / L	F / B	BAYONET
<b>FPK2005BD</b>	A / P / E	B / S / E	BAYONET
<b>FPK2005BDG</b>	A / P / E	B / S / E	TONGUE BUCKLES
<b>FPK2006BD</b>	A / P / E / L	F / B / S / E	BAYONET

Class A



Class P



Class E



Class L



Class D



CLASS (Legend): A Fall Arrest | P Work Positioning | E Confined Spaces | L Ladder Climbing | D Suspension & Descent  
Metallic D-ring: F Front | B Back (adjustable) | S Sides or Hips | E Shoulders | L Chest Strap Buckle | X Extension (D-ring)





# Kevlar® FR for Electricians



FPE2001D  
Front



Coated Metal  
D-ring



FPE2001D  
Back



FPKLEGPAD



FPKVPAD

## COATED HARNESSES FOR ELECTRICIANS.

Manufactured from Kevlar® webbing to provide exceptional protection against cuts and abrasions, as well as high heat resistance to sparks and flames, along with the security of maximum protection in case of a fall. The electrician's version features coated metal components rendering the harness completely dielectric. ASTM F887 Arc Flash and CSA certified. Meets and exceeds ANSI and OSHA regulations.

### Fall Arrest Harnesses

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
<b>FPE2001D</b>	A	B	COATED FRICTION

### Work Positioning Harnesses

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
<b>FPE2003D</b>	A / P	B / S	COATED FRICTION

### Work Positioning / Confined Space & Ladder Climbing Harnesses

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
<b>FPE2003SD</b>	A / E	B / E	COATED FRICTION
<b>FPE2005D</b>	A / P / E	B / S / E	COATED FRICTION

### Arc Flash Padding

PART NO	DESCRIPTION
<b>FPKVPAD</b>	ARC FLASH SHOULDER PADDING WITH DOME SNAPS
<b>FPKLEGPADLX</b>	ARC FLASH LEG PADDING WITH DOME SNAPS, LARGE, SOLD BY PAIR
<b>FPKLEGPADSM</b>	ARC FLASH LEG PADDING WITH DOME SNAPS, SMALL, SOLD BY PAIR

Class A



Class P



Class E



Class L



Class D



CLASS (Legend): A Fall Arrest | P Work Positioning | E Confined Spaces | L Ladder Climbing | D Suspension & Descent  
Metallic D-ring: F Front | B Back (adjustable) | S Sides or Hips | E Shoulders | L Chest Strap Buckle | X Extension (D-ring)



## Anti-Corrosion



FPD2503D  
Front

FPD2503D  
Back

BASIC, ECONOMICAL AND FULLY ADJUSTABLE HARNESSES WITH PVC COATED HARDWARE.

Designed with PVC coated hardware for protection in highly corrosive environments. Trauma straps provide crucial additional time in a rescue situation. CSA certified. Meets and exceeds ANSI and OSHA regulations.

### Fall Arrest Harnesses

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
FPD2501D	A	B	FRICTION

### Work Positioning Harnesses

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
FPD2503D	A / P	B / S	FRICTION
FPD2503SD	A / E	B / E	FRICTION

### Work Positioning / Confined Space Harnesses

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
FPD2505D	A / P / E	B / S / E	FRICTION



CLASS (Legend): A Fall Arrest | P Work Positioning | E Confined Spaces | L Ladder Climbing | D Suspension & Descent  
Metallic D-ring: F Front | B Back (adjustable) | S Sides or Hips | E Shoulders | L Chest Strap Buckle | X Extension (D-ring)

## Dyna-Viz™

MADE FROM CSA CERTIFIED COMPONENTS



FP25R5D  
Front

FP25R5D  
Back

HARNES WITH REFLECTIVE WEBBING AND 5 POINT ADJUSTMENT.

Designed with orange webbing and reflective striping to provide high visibility in low light environments. Trauma straps provide crucial additional time in a rescue situation.

### Fall Arrest Harnesses

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
FP25R1D	A	B	FRICTION
FP25R3D	A / P	B / S	FRICTION
FP25R5D	A / P / E	B / S / E	FRICTION



CLASS (Legend): A Fall Arrest | P Work Positioning | E Confined Spaces | L Ladder Climbing | D Suspension & Descent  
Metallic D-ring: F Front | B Back (adjustable) | S Sides or Hips | E Shoulders | L Chest Strap Buckle | X Extension (D-ring)



# Construction Pro™



FPMX1G1D0DR  
Front

FPMX1G1D0DR  
Back

HI-VISIBILITY VEST STYLE HARNESS WITH 5 POINT ADJUSTMENT AND INTEGRATED BREAKAWAY TOOL BELT.

Manufactured of reinforced material designed to support the additional weight of heavy-duty tools. A 0.5" wide reflective stripe provides high visibility in low light conditions, and the tool belt breaks away in the event of a fall, eliminating the risk of injury to the abdomen. The hardware is made of lightweight aluminum, for a weight savings of 25% and exceptional corrosion resistance. The integrated shoulder pad and leather lumbar support are optimally sized to reduce heat zones while increasing comfort. Trauma straps provide crucial additional time in a rescue situation. CSA certified. Meets and exceeds ANSI and OSHA regulations.

### Fall Arrest Harnesses

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
FPMX101D0DR	A	B	ALUMINUM BAYONET
FPMX1G1D0DR	A	B	TONGUE BUCKLES

### Work Positioning Harnesses

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
FPMX101D2DR	A / P	B / S (ON BELT)	ALUMINUM BAYONET
FPMX103D0DR	A / P	B / S	ALUMINUM BAYONET
FPMX1G1D2DR	A / P	B / S (ON BELT)	TONGUE BUCKLES
FPMX1G3D0DR	A / P	B / S	TONGUE BUCKLES



CLASS (Legend): A Fall Arrest | P Work Positioning | E Confined Spaces | L Ladder Climbing | D Suspension & Descent  
Metallic D-ring: F Front | B Back (adjustable) | S Sides or Hips | E Shoulders | L Chest Strap Buckle | X Extension (D-ring)

# Construction Eco™



FPM503D0DC  
Front

FPM503D0DC  
Back

VEST STYLE HARNESS WITH 5 POINT ADJUSTMENT.

Equipped with a floating reinforced tool belt to support the weight of heavy-duty tools. The removable shoulder padding is optimized to reduce heat zones and minimize bulk. Grommet options make it easier to adjust and readjust as necessary for different weather conditions. CSA certified.

### Fall Arrest Harnesses

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
FPM501D0DC	A	B	FRICTION
FPM5G1D0DC	A	B	TONGUE BUCKLES

### Work Positioning Harnesses

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
FPM503D0DC	A / P	B / S (ON BELT)	FRICTION
FPM5G3D0DC	A / P	B / S	TONGUE BUCKLES



CLASS (Legend): A Fall Arrest | P Work Positioning | E Confined Spaces | L Ladder Climbing | D Suspension & Descent  
Metallic D-ring: F Front | B Back (adjustable) | S Sides or Hips | E Shoulders | L Chest Strap Buckle | X Extension (D-ring)





# Combination Harnesses



FPM101D  
Front



FPM101D  
Back



FPM251D  
Front



FPM251D  
Back

WITH BELT AND LUMBAR SUPPORT.

Lower back lumbar padding provides the user with increased comfort and support. Versatile belt can be used as a tool belt while ensuring the weight is properly distributed across the body. Other harness & belt combinations can be made upon request.



FPM1G1D  
Front



FPM1G1D  
Back

## Fall Arrest Harnesses

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
FPM101D	A	B	BAYONET
FPM201D	A	B	BAYONET
FPM251D	A	B	FRICTION

## Work Positioning Harnesses

PART NO	CLASS	D-RING	LEG STRAP CONNECTORS
FPM103D	A / P	B / S	BAYONET
FPM203D	A / P	B / S	BAYONET
FPM253D	A / P	B / S	FRICTION
FPM1G1D	A	B	TONGUE BUCKLES
FPM2G1D	A	B	TONGUE BUCKLES
FPM5G1D	A	B	TONGUE BUCKLES
FPM1G3D	A / P	B / S	TONGUE BUCKLES
FPM2G3D	A / P	B / S	TONGUE BUCKLES
FPM5G3D	A / P	B / S	TONGUE BUCKLES

Class A



Class P



Class E



Class L



Class D



CLASS (Legend): A Fall Arrest | P Work Positioning | E Confined Spaces | L Ladder Climbing | D Suspension & Descent  
Metallic D-ring: F Front | B Back (adjustable) | S Sides or Hips | E Shoulders | L Chest Strap Buckle | X Extension (D-ring)



## Industrial Body Belts



FP5000D



FP5001D



FP5002D

Made of 1.75" (4.5 cm) polyester webbing, they are light and comfortable. Ideal for travel restraint and for certain work positioning. CSA certified. Meets and exceeds ANSI and OSHA regulations.

### Industrial Body Belts

PART NO	DESCRIPTION	D-RING (S)
FP5000D	TOOL BELT	0
FP5001D	TRAVEL RESTRAINT BELT	1
FP5002D	WORK POSITIONING BELT	2

**Important: Do not use if there is a potential danger for falls.**  
Available in 4 sizes: Small, Medium, Large and X-Large (X-Small and XX-Large available on request). See sizing references on page 188 of this catalogue.

Deluxe additional lumbar support for belts, providing extra cushioning. Includes a tool belt model FP5000D. This add-on can be attached to all harnesses in the FP1000, FP2000 and FP2500 series.



### Back Support Kit

PART NO	DESCRIPTION	SIZE
FP550/1	DELUXE "ADD-ON" LUMBAR SUPPORT FOR BELTS	S/M OR L/XL

## Miner's Belts



FP51001D



FP52001D



FP500



FP550

Designed to be tough, comfortable and user friendly. They are made of 2" (5.0 cm) reinforced polyester webbing that is highly resistant to UV rays and most chemicals. Straps are made of durable belting material highly resistant to abrasion and humidity. CSA certified. Meets and exceeds ANSI and OSHA regulations.

### Miner's Belts

PART NO	DESCRIPTION	D-RING (S)
FP51001D*	MADE OF TIGHT WEAVE POLYESTER 2" (5.0 CM) WEBBING WITH (1) BATTERY STRAP REINFORCED AND REMOVABLE	1
FP52001D*	MADE OF TIGHT WEAVE POLYESTER 2" (5.0 CM) WEBBING WITH (1) BATTERY STRAP REINFORCED AND REMOVABLE PLUS (1) FIXED RESCUE STRAP	1
FP52000D*	MADE OF TIGHT WEAVE POLYESTER 2" (5.0 CM) WEBBING WITH (1) BATTERY STRAP REINFORCED AND REMOVABLE PLUS (1) FIXED RESCUE STRAP	0

### Lumbar Support for Industrial & Miner's Belts

PART NO	DESCRIPTION
FP500	LUMBAR SUPPORT FOR BELT - BLACK COLOR
FP550	DELUXE LUMBAR SUPPORT WITH PADDING. COLOR: RED INSIDE AND BLACK OUTSIDE

**Important: Do not use if there is a potential danger for falls. \*Available in sizes from 28" to 56".**




Scan it

# Connecting Devices

LINK THE BODY WEAR TO  
THE ANCHORAGE CONNECTORS



## Personal Self-Retracting Lifelines (SRL)



Manufactured with 1" UHMWPE/Polyester webbing and the device housing can be connected to a harness or to an anchor. Available in both single and double leg units. CSA certified as Class SRL. Fall indicator built into the webbing of the lifeline. Meets and exceeds ANSI and OSHA regulations. **RATED FOR 310 LB WEIGHT CAPACITY.**



FP1102W

FP1101W

Front

Side

FP1101DWB



FP1102DW

FP2203W

FP2206W

### Single Leg Self-Retracting Lifelines Class SRL

PART NO	LANYARD MATERIAL	HARNES CONNECTOR	ANCHORAGE CONNECTOR	LENGTH
FP1101W	UHMWPE/Polyester	TRIPLE ACTION CARABINER	SMALL HOOK	6 FT (1.82 M)
FP1101WA	UHMWPE/Polyester	TRIPLE ACTION CARABINER	MEDIUM HOOK	6 FT (1.82 M)
FP1101WB	UHMWPE/Polyester	TRIPLE ACTION CARABINER	LARGE HOOK	6 FT (1.82 M)
FP1101WC	UHMWPE/Polyester	TRIPLE ACTION CARABINER	ALUM. LARGE HOOK	6 FT (1.82 M)
FP1101DWD	UHMWPE/Polyester	TRIPLE ACTION CARABINER	TRIPLE ACTION CARABINER	6 FT (1.82 M)
FP1102W	UHMWPE/Polyester	TRIPLE ACTION CARABINER	SMALL HOOK	7 FT (2.15 M)
FP1102WA	UHMWPE/Polyester	TRIPLE ACTION CARABINER	MEDIUM HOOK	7 FT (2.15 M)
FP1102WB	UHMWPE/Polyester	TRIPLE ACTION CARABINER	LARGE HOOK	7 FT (2.15 M)
FP1102WC	UHMWPE/Polyester	TRIPLE ACTION CARABINER	ALUM. LARGE HOOK	7 FT (2.15 M)

### Double Leg Self-Retracting Lifelines Class SRL

PART NO	LANYARD MATERIAL	HARNES CONNECTOR	ANCHORAGE CONNECTOR	LENGTH
FP1101DW	UHMWPE/Polyester	TRIPLE ACTION CARABINER	SMALL SNAP HOOK (2)	6 FT (1.82 M)
FP1101DWA	UHMWPE/Polyester	TRIPLE ACTION CARABINER	MEDIUM SNAP HOOK (2)	6 FT (1.82 M)
FP1101DWB	UHMWPE/Polyester	TRIPLE ACTION CARABINER	LARGE SNAP HOOK (2)	6 FT (1.82 M)
FP1101DWC	UHMWPE/Polyester	TRIPLE ACTION CARABINER	LARGE ALUM. SNAP HOOK (2)	6 FT (1.82 M)
FP1101DWD	UHMWPE/Polyester	TRIPLE ACTION CARABINER	TRIPLE ACTION CARABINER	6 FT (1.82 M)
FP1102DW	UHMWPE/Polyester	TRIPLE ACTION CARABINER	SMALL HOOK (2)	7 FT (2.15 M)
FP1102DWA	UHMWPE/Polyester	TRIPLE ACTION CARABINER	MEDIUM HOOK (2)	7 FT (2.15 M)
FP1102DWB	UHMWPE/Polyester	TRIPLE ACTION CARABINER	LARGE HOOK (2)	7 FT (2.15 M)
FP1102DWC	UHMWPE/Polyester	TRIPLE ACTION CARABINER	ALUM. LARGE HOOK (2)	7 FT (2.15 M)

### Single Leg Self-Retracting Lifelines Class SRL

PART NO	LANYARD MATERIAL	HARNES CONNECTOR	ANCHORAGE CONNECTOR	LENGTH
FP2203W	UHMWPE/Polyester	SMALL HOOK	TRIPLE ACTION CARABINER	11 FT (3.4 M)
FP2203WA	UHMWPE/Polyester	SMALL HOOK	MEDIUM HOOK	11 FT (3.4 M)
FP2203WB	UHMWPE/Polyester	SMALL HOOK	LARGE HOOK	11 FT (3.4 M)
FP2203WC	UHMWPE/Polyester	SMALL HOOK	ALUM LARGE HOOK	11 FT (3.4 M)
FP2206W	UHMWPE/Polyester	SMALL HOOK	TRIPLE ACTION CARABINER	20 FT (6.1 M)

Please refer to page 218 for hardware details.

Small Hook: FP6650HS | Medium Hook: FP5386HS | Large Hook: FP5395HS | XL Hook: FP3680TS  
Aluminum Large: FP5395ALL | Triple Action Carabiner: FP244





# Self-Retracting Lifelines (SRL)



FP2YY11C / FP2YY15C /  
FP2AA06C



FP2AA10C / FP2AA15C



FP2YY65C

Manufactured with composite housing to make the units lightweight while ensuring strength properties are not compromised. All cable lifelines are a 0.188" (5 mm) galvanized wire cable for optimal durability against high heat, abrasion, and hazardous environments. All devices incorporate a double locking snap hook that swivels 360 degrees with a built-in fall indicator. CSA certified. Meets and exceeds ANSI and OSHA regulations. RATED FOR 310 LB WEIGHT CAPACITY.

### Self-Retracting Lifelines Class SRL

PART NO	LIFELINE MATERIAL	HARNES CONNECTOR	ANCHORAGE CONNECTOR	LENGTH
FP2YY11C	GALVANIZED CABLE	SWIVEL HOOK (W/ LOAD INDICATOR)	CARABINER	11 FT (3.4 M)
FP2YY15C	GALVANIZED CABLE	SWIVEL HOOK (W/ LOAD INDICATOR)	CARABINER	15 FT (4.6 M)
FP2AA06C	GALVANIZED CABLE	SWIVEL HOOK (W/ LOAD INDICATOR)	TRIPLE ACTION CARABINER	20 FT (6.1 M)
FP2YY30C	GALVANIZED CABLE	SWIVEL HOOK (W/ LOAD INDICATOR)	CARABINER	30 FT (9 M)
FP2AA10C	GALVANIZED CABLE	SWIVEL HOOK (W/ LOAD INDICATOR)	CARABINER	32.5 FT (10 M)
FP2AA15C	GALVANIZED CABLE	SWIVEL HOOK (W/ LOAD INDICATOR)	CARABINER	50 FT (15 M)
FP2YY50C	GALVANIZED CABLE	SWIVEL HOOK (W/ LOAD INDICATOR)	CARABINER	50 FT (15 M)
FP2YY65C	GALVANIZED CABLE	SWIVEL HOOK (W/ LOAD INDICATOR)	CARABINER	65 FT (20 M)

Please refer to page 218 for hardware details.

Swivel Hook: FP4651 | Triple Action Carabiner: FP244



# Rope & Web Lanyards



FP61111



FP61114



FP63101



FP63111



FP63213



FP635133



FP63118



FP641E7

### 3-Strand Nylon Rope Lanyard

This type of lanyard is almost exclusively used for travel restraint.

PART NO	LANYARD MATERIAL	HARNES CONNECTOR	ANCHORAGE CONNECTOR	LENGTH
FP61111	3-STRAND NYLON OF (0.625") 16 MM	SMALL HOOK	SMALL HOOK	4-5-6 FT
FP61113	3-STRAND NYLON OF (0.625") 16 MM	SMALL HOOK	MEDIUM HOOK	4-5-6 FT
FP61114	3-STRAND NYLON OF (0.625") 16 MM	SMALL HOOK	LARGE HOOK	4-5-6 FT

### Fixed and Adjustable Length Web Lanyards Without Energy Absorbers

This lanyard is designed for travel restraint.

PART NO	LANYARD MATERIAL	HARNES CONNECTOR	ANCHORAGE CONNECTOR	LENGTH
<b>SINGLE LEG FIXED LANYARDS</b>				
FP63101	1 IN WIDE POLYESTER WEB	SEWN LOOP	SMALL HOOK	4-5-6 FT
FP63111	1 IN WIDE POLYESTER WEB	SMALL HOOK	SMALL HOOK	4-5-6 FT
FP63113	1 IN WIDE POLYESTER WEB	SMALL HOOK	MEDIUM HOOK	4-5-6 FT
FP63114	1 IN WIDE POLYESTER WEB	SMALL HOOK	LARGE HOOK	4-5-6 FT
FP6311H	1 IN WIDE POLYESTER WEB	SMALL HOOK	X LARGE HOOK	4-5-6 FT
<b>SINGLE LEG ADJUSTABLE LANYARDS</b>				
FP63211	1 IN WIDE POLYESTER WEB	SMALL HOOK	SMALL HOOK	3.5 TO 6 FT
FP63213	1 IN WIDE POLYESTER WEB	SMALL HOOK	MEDIUM HOOK	3.5 TO 6 FT
FP63214	1 IN WIDE POLYESTER WEB	SMALL HOOK	LARGE HOOK	3.5 TO 6 FT
FP6321H	1 IN WIDE POLYESTER WEB	SMALL HOOK	X LARGE HOOK	3.5 TO 6 FT
<b>DOUBLE LEG FIXED Y-LANYARDS</b>				
FP635111	1 IN WIDE POLYESTER WEB	SMALL HOOK	SMALL HOOK (2)	4-5-6 FT
FP635133	1 IN WIDE POLYESTER WEB	SMALL HOOK	MEDIUM HOOK (2)	4-5-6 FT
FP635144	1 IN WIDE POLYESTER WEB	SMALL HOOK	LARGE HOOK (2)	4-5-6 FT
FP6351HH	1 IN WIDE POLYESTER WEB	SMALL HOOK	X LARGE HOOK (2)	4-5-6 FT
<b>DOUBLE LEG ADJUSTABLE Y-LANYARDS</b>				
FP63D111	1 IN WIDE POLYESTER WEB	SMALL HOOK	SMALL HOOK (2)	3.5 TO 6 FT
FP63D133	1 IN WIDE POLYESTER WEB	SMALL HOOK	MEDIUM HOOK (2)	3.5 TO 6 FT
FP63D144	1 IN WIDE POLYESTER WEB	SMALL HOOK	LARGE HOOK (2)	3.5 TO 6 FT
FP63D1HH	1 IN WIDE POLYESTER WEB	SMALL HOOK	X LARGE HOOK (2)	3.5 TO 6 FT
<b>Removable Extended Back D-Ring</b>				
PART NO	LANYARD MATERIAL	HARNES CONNECTOR	ANCHORAGE CONNECTOR	LENGTH
FP63118	1 IN WIDE POLYESTER WEB	SMALL HOOK	3 IN O-RING	2 FT
FP641E7	1 IN WIDE POLYESTER WEB	LOOP	SMALL D-RING	18"

Please refer to page 218 for hardware details.

Small Hook: FP6650HS | Medium Hook: FP5386HS | Large Hook: FP5395HS | XL Hook: FP3680TS



# Dyna-One™ Lanyards



FP73311



FP733AC



FP73413



FP736111



FP736144



FP736ACC



FP74311



FP746144

Designed for fall arrest purposes for workers weighing between 45 kg (100 lb) to 140 kg (310 lb). It is very important for the user to calculate the fall clearance requirement when using a lanyard with an energy absorber.

### Lanyards Fixed Length with Dyna-One™ Energy Absorber

PART NO	LANYARD MATERIAL	HARNESS CONNECTOR	ANCHORAGE CONNECTOR	LENGTH
<b>SINGLE LEG LANYARD WITH ENERGY ABSORBER</b>				
FP73311	1 IN WIDE POLYESTER WEB	SMALL HOOK	SMALL HOOK	4-5-6 FT
FP73313	1 IN WIDE POLYESTER WEB	SMALL HOOK	MEDIUM HOOK	4-5-6 FT
FP73314	1 IN WIDE POLYESTER WEB	SMALL HOOK	LARGE HOOK	4-5-6 FT
FP7331H	1 IN WIDE POLYESTER WEB	SMALL HOOK	X LARGE HOOK	4-5-6 FT
FP733AA	1 IN WIDE POLYESTER WEB	ALUM SMALL HOOK	ALUM SMALL HOOK	4-5-6 FT
FP733AC	1 IN WIDE POLYESTER WEB	ALUM SMALL HOOK	ALUM LARGE HOOK	4-5-6 FT
<b>SINGLE LEG ADJUSTABLE LANYARD WITH ENERGY ABSORBER</b>				
FP73411	1 IN WIDE POLYESTER WEB	SMALL HOOK	SMALL HOOK	3.5 TO 6 FT
FP73413	1 IN WIDE POLYESTER WEB	SMALL HOOK	MEDIUM HOOK	3.5 TO 6 FT
FP73414	1 IN WIDE POLYESTER WEB	SMALL HOOK	LARGE HOOK	3.5 TO 6 FT
FP7341H	1 IN WIDE POLYESTER WEB	SMALL HOOK	X LARGE HOOK	3.5 TO 6 FT
<b>DOUBLE LEG Y-LANYARD WITH ENERGY ABSORBER</b>				
FP736111	1 IN WIDE POLYESTER WEB	SMALL HOOK	SMALL HOOK (2)	4-5-6 FT
FP736133	1 IN WIDE POLYESTER WEB	SMALL HOOK	MEDIUM HOOK (2)	4-5-6 FT
FP736144	1 IN WIDE POLYESTER WEB	SMALL HOOK	LARGE HOOK (2)	4-5-6 FT
FP7361HH	1 IN WIDE POLYESTER WEB	SMALL HOOK	X LARGE HOOK (2)	4-5-6 FT
FP736AAA	1 IN WIDE POLYESTER WEB	ALUM SMALL HOOK	ALUM SMALL HOOK (2)	4-5-6 FT
FP736ACC	1 IN WIDE POLYESTER WEB	ALUM SMALL HOOK	ALUM LARGE HOOK (2)	4-5-6 FT
<b>DOUBLE LEG ADJUSTABLE Y-LANYARD WITH ENERGY ABSORBER</b>				
FP737111	1 IN WIDE POLYESTER WEB	SMALL HOOK	SMALL HOOK (2)	3.5 TO 6 FT
FP737133	1 IN WIDE POLYESTER WEB	SMALL HOOK	MEDIUM HOOK (2)	3.5 TO 6 FT
FP737144	1 IN WIDE POLYESTER WEB	SMALL HOOK	LARGE HOOK (2)	3.5 TO 6 FT
FP7371HH	1 IN WIDE POLYESTER WEB	SMALL HOOK	X LARGE HOOK (2)	3.5 TO 6 FT
<b>FIXED &amp; CONTINUOUS SINGLE LEG LANYARD WITH ENERGY ABSORBER</b>				
FP74311	1.75 IN WIDE POLYESTER WEB	SMALL HOOK	SMALL HOOK	4-5-6 FT
FP74313	1.75 IN WIDE POLYESTER WEB	SMALL HOOK	MEDIUM HOOK	4-5-6 FT
FP74314	1.75 IN WIDE POLYESTER WEB	SMALL HOOK	LARGE HOOK	4-5-6 FT
FP7431H	1.75 IN WIDE POLYESTER WEB	SMALL HOOK	X LARGE HOOK	4-5-6 FT
<b>FIXED &amp; CONTINUOUS Y-LANYARD WITH ENERGY ABSORBER</b>				
FP746111	1.75 IN WIDE POLYESTER WEB	SMALL HOOK	SMALL HOOK (2)	4-5-6 FT
FP746133	1.75 IN WIDE POLYESTER WEB	SMALL HOOK	MEDIUM HOOK (2)	4-5-6 FT
FP746144	1.75 IN WIDE POLYESTER WEB	SMALL HOOK	LARGE HOOK (2)	4-5-6 FT
FP7461HH	1.75 IN WIDE POLYESTER WEB	SMALL HOOK	X LARGE HOOK (2)	4-5-6 FT

Please refer to page 218 for hardware details.

**Small Hook:** FP6650HS | **Medium Hook:** FP5386HS | **Large Hook:** FP5395HS | **XL Hook:** FP3680TS  
**Aluminum Small:** FP6650ALL | **Aluminum Large:** FP5395ALL





## Dyna-Lite™ Lanyards



FP743226



FP7462666



FP743266

Economy lanyards designed to reduce the impact load experienced during a fall. CSA certified. Meets and exceeds ANSI and OSHA regulations. Specifically designed for fall arrest, with Dyna-One™ energy absorber rated for workers weighing between 45 kg (100 lb) to 140 kg (310 lb).

### Fixed Web Lanyard with Dyna-One™ Energy Absorber

PART NO	LANYARD MATERIAL	HARNES CONNECTOR	ANCHORAGE CONNECTOR	LENGTH
<b>SINGLE LEG FIXED LANYARD</b>				
<b>FP743226</b>	1 IN POLYESTER WEBBING	SMALL HOOK	SMALL HOOK	4-5-6 FT
<b>FP743266</b>	1 IN POLYESTER WEBBING	SMALL HOOK	LARGE HOOK	4-5-6 FT
<b>DOUBLE LEG FIXED LANYARD</b>				
<b>FP7462666</b>	1 IN POLYESTER WEBBING	SMALL HOOK	LARGE HOOK (2)	4-5-6 FT

Please refer to page 218 for hardware details.

**Small Hook:** FP6650HS | **Medium Hook:** FP5386HS | **Large Hook:** FP5395HS

## Dyna-Yard™ Lanyards



FP75811



FP75814

A tubular lanyard designed to reduce impact load experienced during a fall. CSA certified. Meets and exceeds ANSI and OSHA regulations. Specifically designed for fall arrest purposes for workers weighing between 45 kg (100 lb) to 140 kg (310 lb).

### Dyna-Yard™ Lanyard with Integrated Dyna-One™ Energy Absorber

PART NO	LANYARD MATERIAL	HARNES CONNECTOR	ANCHORAGE CONNECTOR	LENGTH
<b>FP75811</b>	POLYESTER	SMALL HOOK	SMALL HOOK	6 FT
<b>FP75813</b>	POLYESTER	SMALL HOOK	MEDIUM HOOK	6 FT
<b>FP75814</b>	POLYESTER	SMALL HOOK	LARGE HOOK	6 FT
<b>FP7581H</b>	POLYESTER	SMALL HOOK	X LARGE HOOK	6 FT

Please refer to page 218 for hardware details.

**Small Hook:** FP6650HS | **Medium Hook:** FP5386HS | **Large Hook:** FP5395HS | **XL Hook:** FP3680TS  
**Aluminum Small:** FP6650ALL | **Aluminum Large:** FP5395ALL



## Cable Lanyards



FP76311



FP766144

The PVC coating provides additional durability to withstand harsh conditions, making it versatile in a wider array of applications. Flemish eyes termination on the cable provides additional safety to ensure that the product will perform when required. CSA certified. Meets and exceeds ANSI and OSHA regulations. Specifically designed for fall arrest purposes for workers weighing between 45 kg (100 lb) to 140 kg (310 lb).

### Lanyards Fixed Length with Dyna-One™ Energy Absorber

PART NO	LANYARD MATERIAL WITH PVC COATING	HARNESS CONNECTOR	ANCHORAGE CONNECTOR	LENGTH
<b>SINGLE LEG LANYARD WITH ENERGY ABSORBER</b>				
<b>FP76311</b>	.25 IN STEEL CABLE	SMALL HOOK	SMALL HOOK	4-5-6 FT
<b>FP76313</b>	.25 IN STEEL CABLE	SMALL HOOK	MEDIUM HOOK	4-5-6 FT
<b>FP76314</b>	.25 IN STEEL CABLE	SMALL HOOK	LARGE HOOK	4-5-6 FT
<b>FP7631H</b>	.25 IN STEEL CABLE	SMALL HOOK	X LARGE HOOK	4-5-6 FT
<b>FP763AA</b>	.25 IN STEEL CABLE	ALUM SMALL HOOK	ALUM SMALL HOOK	4-5-6 FT
<b>FP763AC</b>	.25 IN STEEL CABLE	ALUM SMALL HOOK	ALUM LARGE HOOK	4-5-6 FT
<b>DOUBLE LEG Y-LANYARD WITH ENERGY ABSORBER</b>				
<b>FP766111</b>	.25 IN STEEL CABLE	SMALL HOOK	SMALL HOOK (2)	4-5-6 FT
<b>FP766133</b>	.25 IN STEEL CABLE	SMALL HOOK	MEDIUM HOOK (2)	4-5-6 FT
<b>FP766144</b>	.25 IN STEEL CABLE	SMALL HOOK	LARGE HOOK (2)	4-5-6 FT
<b>FP7661HH</b>	.25 IN STEEL CABLE	SMALL HOOK	X LARGE HOOK (2)	4-5-6 FT
<b>FP766AAA</b>	.25 IN STEEL CABLE	ALUM SMALL HOOK	ALUM SMALL HOOK (2)	4-5-6 FT
<b>FP766ACC</b>	.25 IN STEEL CABLE	ALUM SMALL HOOK	ALUM LARGE HOOK (2)	4-5-6 FT

## Kevlar® Lanyards



FP786111



FP78313

Manufactured from Kevlar® webbing to provide exceptional protection against cuts and abrasions, as well as high heat resistance to sparks and flames, along with the security of maximum protection in case of a fall. Meets and exceeds ASTM F887 Arc Flash requirements and is CSA certified. Meets and exceeds ANSI and OSHA regulations. These energy absorbers come protected inside a leather pouch. This lanyard is specifically designed for fall arrest purposes for workers weighing between 45 kg (100 lb) to 140 kg (310 lb).

### Kevlar® Lanyards with Dyna-One™ Energy Absorber

PART NO	LANYARD MATERIAL WITH PVC COATING	HARNESS CONNECTOR	ANCHORAGE CONNECTOR	LENGTH
<b>SINGLE LEG LANYARD WITH ENERGY ABSORBER</b>				
<b>FP78301</b>	KEVLAR®	SOFT LOOP	SMALL HOOK	4-5-6 FT
<b>FP78303</b>	KEVLAR®	SOFT LOOP	MEDIUM HOOK	4-5-6 FT
<b>FP78304</b>	KEVLAR®	SOFT LOOP	LARGE HOOK	4-5-6 FT
<b>FP7830H</b>	KEVLAR®	SOFT LOOP	X LARGE HOOK	4-5-6 FT
<b>FP78311</b>	KEVLAR®	SMALL HOOK	SMALL HOOK	4-5-6 FT
<b>FP78313</b>	KEVLAR®	SMALL HOOK	MEDIUM HOOK	4-5-6 FT
<b>FP78314</b>	KEVLAR®	SMALL HOOK	LARGE HOOK	4-5-6 FT
<b>FP7831H</b>	KEVLAR®	SMALL HOOK	X LARGE HOOK	4-5-6 FT
<b>DOUBLE LEG Y-LANYARD WITH ENERGY ABSORBER</b>				
<b>FP786111</b>	KEVLAR®	SMALL HOOK	SMALL HOOK (2)	4-5-6 FT
<b>FP786133</b>	KEVLAR®	SMALL HOOK	MEDIUM HOOK (2)	4-5-6 FT
<b>FP786144</b>	KEVLAR®	SMALL HOOK	LARGE HOOK (2)	4-5-6 FT
<b>FP7861HH</b>	KEVLAR®	SMALL HOOK	X LARGE HOOK (2)	4-5-6 FT

### Leather Cover Replacement

PART NO	DESCRIPTION
<b>FPPLANCOVER</b>	LEATHER COVER TO PROTECT THE ENERGY ABSORBER

Please refer to page 218 for hardware details.

**Small Hook:** FP6650HS | **Medium Hook:** FP5386HS | **Large Hook:** FP5395HS | **XL Hook:** FP3680TS  
**Aluminum Small:** FP6650ALL | **Aluminum Large:** FP5395ALL



## Tower Lanyards



FP734AAR



FP737ACCR

Specifically designed for the tower industry due to its aluminum snap hooks which keep it lightweight. There is an O-ring to be used for tieback around the structure and can be used for rescue situations. The lanyard leg is adjustable to accommodate different size anchor structures.

### Tower Lanyards with O-Ring for Rescue

PART NO	LANYARD MATERIAL	HARNES CONNECTOR	ANCHORAGE CONNECTOR	LENGTH
<b>SINGLE LEG ADJUSTABLE LENGTH LANYARD WITH ENERGY ABSORBER</b>				
<b>FP734AAR</b>	POLYESTER	ALUM SMALL HOOK	ALUM SMALL HOOK	6 FT
<b>FP734ACR</b>	POLYESTER	ALUM SMALL HOOK	ALUM LARGE HOOK	6 FT
<b>DOUBLE LEG Y-LANYARD ADJUSTABLE LENGTH WITH INTEGRATED ENERGY ABSORBER</b>				
<b>FP737AAAR</b>	POLYESTER	ALUM SMALL HOOK	ALUM SMALL HOOK (2)	6 FT
<b>FP737ACCR</b>	POLYESTER	ALUM SMALL HOOK	ALUM LARGE HOOK (2)	6 FT

Please refer to page 218 for hardware details.

**Small Hook:** FP6650HS | **Medium Hook:** FP5386HS | **Large Hook:** FP5395HS | **XL Hook:** FP3680TS  
**Aluminum Small:** FP6650ALL | **Aluminum Large:** FP5395ALL

## Coated Lanyards



FPC74311



FPC746144

Ideal for dirty, contaminated or clean environments. The TPU coating provides resistance to abrasions, weld splatter, chemicals, paint, grease, and dirt. The lanyard leg can be wiped clean, making it easier to inspect and reducing the frequency of replacement. CSA certified. Meets and exceeds ANSI and OSHA regulations. This lanyard is specifically designed for fall arrest purposes for workers weighing between 45 kg (100 lb) to 140 kg (310 lb).

### Coated Lanyards with Dyna-One™ Energy Absorber

PART NO	LANYARD MATERIAL	HARNES CONNECTOR	ANCHORAGE CONNECTOR	LENGTH
<b>SINGLE LEG LANYARD WITH ENERGY ABSORBER</b>				
<b>FPC74311</b>	COATED POLYESTER	SMALL HOOK	SMALL HOOK	4-5-6 FT
<b>FPC74313</b>	COATED POLYESTER	SMALL HOOK	MEDIUM HOOK	4-5-6 FT
<b>FPC74314</b>	COATED POLYESTER	SMALL HOOK	LARGE HOOK	4-5-6 FT
<b>FPC7431H</b>	COATED POLYESTER	SMALL HOOK	X LARGE HOOK	4-5-6 FT
<b>FPC743AA</b>	COATED POLYESTER	ALUM SMALL HOOK	ALUM SMALL HOOK	4-5-6 FT
<b>FPC743AC</b>	COATED POLYESTER	ALUM SMALL HOOK	ALUM LARGE HOOK	4-5-6 FT
<b>DOUBLE LEG Y-LANYARD WITH ENERGY ABSORBER</b>				
<b>FPC746111</b>	COATED POLYESTER	SMALL HOOK	SMALL HOOK (2)	4-5-6 FT
<b>FPC746133</b>	COATED POLYESTER	SMALL HOOK	MEDIUM HOOK (2)	4-5-6 FT
<b>FPC746144</b>	COATED POLYESTER	SMALL HOOK	LARGE HOOK (2)	4-5-6 FT
<b>FPC7461HH</b>	COATED POLYESTER	SMALL HOOK	X LARGE HOOK (2)	4-5-6 FT
<b>FPC746AAA</b>	COATED POLYESTER	ALUM SMALL HOOK	ALUM SMALL HOOK (2)	4-5-6 FT
<b>FPC746ACC</b>	COATED POLYESTER	ALUM SMALL HOOK	ALUM LARGE HOOK (2)	4-5-6 FT

Please refer to page 218 for hardware details.

**Small Hook:** FP6650HS | **Medium Hook:** FP5386HS | **Large Hook:** FP5395HS | **XL Hook:** FP3680TS  
**Aluminum Large:** FP5395ALL | **Aluminum Large:** FP5395ALL





# Stretch Lanyards



FP7S311

This lanyard's leg stretches from a length of 4.5 ft to 6 ft which allows the lanyard to stay out of the way when not in use, while providing the freedom to move away from your anchor point when required. This lanyard is specifically designed for fall arrest purposes for workers weighing between 45 kg (100 lb) to 140 kg (310 lb).


### Stretch Lanyards with Dyna-One™ Energy Absorber

PART NO	LANYARD MATERIAL	HARNES CONNECTOR	ANCHORAGE CONNECTOR	LENGTH
<b>SINGLE LEG LANYARD WITH ENERGY ABSORBER</b>				
<b>FP7S311</b>	POLYESTER	SMALL HOOK	SMALL HOOK	4.5 TO 6 FT
<b>FP7S313</b>	POLYESTER	SMALL HOOK	MEDIUM HOOK	4.5 TO 6 FT
<b>FP7S314</b>	POLYESTER	SMALL HOOK	LARGE HOOK	4.5 TO 6 FT
<b>FP7S31H</b>	POLYESTER	SMALL HOOK	X LARGE HOOK	4.5 TO 6 FT
<b>FP7S3AA</b>	POLYESTER	ALUM SMALL HOOK	ALUM SMALL HOOK	4.5 TO 6 FT
<b>FP7S3AC</b>	POLYESTER	ALUM SMALL HOOK	ALUM LARGE HOOK	4.5 TO 6 FT

Please refer to page 218 for hardware details.

**Small Hook:** FP6650HS | **Medium Hook:** FP5386HS | **Large Hook:** FP5395HS | **XL Hook:** FP3680TS  
**Aluminum Small:** FP6650ALL | **Aluminum Large:** FP5395ALL

# Anti-Corrosion Lanyards



FP743FG

Designed with aluminum carabiners which will perform better in corrosive environments. This lanyard is specifically designed for fall arrest purposes for workers weighing between 45 kg (100 lb) to 140 kg (310 lb).

### Anti-Corrosion Lanyards with Dyna-One™ Energy Absorber

PART NO	LANYARD MATERIAL	HARNES CONNECTOR	ANCHORAGE CONNECTOR	LENGTH
<b>FP743FG</b>	POLYESTER	ALUM CARABINER	LARGE ALUM CARABINER	4-5-6 FT
<b>FP746FGG</b>	Y-LANYARD POLYESTER	ALUM CARABINER	LARGE ALUM CARABINER	4-5-6 FT

Please refer to page 218 for hardware details.

**Small Hook:** FP6650HS | **Medium Hook:** FP5386HS | **Large Hook:** FP5395HS | **XL Hook:** FP3680TS  
**Aluminum Small:** FP6650ALL | **Aluminum Large:** FP5395ALL



## Reflective Lanyards



FP7R311



FP7R313

Features 0.5" (12.7 mm) reflective strip on 1.75" (45 mm) web lanyard with Dyna-One™ energy absorber. This lanyard is specifically designed for fall arrest purposes for workers weighing between 45 kg (100 lb) to 140 kg (310 lb).

### Reflective Lanyards with Dyna-One™ Energy Absorber

PART NO	LANYARD MATERIAL	HARNES CONNECTOR	ANCHORAGE CONNECTOR	LENGTH
<b>SINGLE LEG LANYARD WITH ENERGY ABSORBER</b>				
<b>FP7R311</b>	POLYESTER	SMALL HOOK	SMALL HOOK	4-5-6 FT
<b>FP7R313</b>	POLYESTER	SMALL HOOK	MEDIUM HOOK	4-5-6 FT
<b>FP7R314</b>	POLYESTER	SMALL HOOK	LARGE HOOK	4-5-6 FT
<b>FP7R31H</b>	POLYESTER	SMALL HOOK	X LARGE HOOK	4-5-6 FT
<b>DOUBLE LEG Y-LANYARD WITH INTEGRATED ENERGY ABSORBER</b>				
<b>FP7R6111</b>	POLYESTER	SMALL HOOK	SMALL HOOK (2)	4-5-6 FT
<b>FP7R6133</b>	POLYESTER	SMALL HOOK	MEDIUM HOOK (2)	4-5-6 FT
<b>FP7R6144</b>	POLYESTER	SMALL HOOK	LARGE HOOK (2)	4-5-6 FT
<b>FP7R61HH</b>	POLYESTER	SMALL HOOK	X LARGE HOOK (2)	4-5-6 FT

Please refer to page 218 for hardware details.

**Small Hook:** FP6650HS | **Medium Hook:** FP5386HS | **Large Hook:** FP5395HS | **XL Hook:** FP3680TS  
**Aluminum Small:** FP6650ALL | **Aluminum Large:** FP5395ALL

## Tie-Back Lanyards



FP7331T



FP7371TT

Tie-back lanyards provide the ability to wrap the lanyard leg around a structure and connect back to itself. An auto-lock snap hook with 5,000 lb gate strength ensures there are no accidental disconnections. Eliminates the need for an additional anchorage connector. Specifically designed for fall arrest purposes for workers weighing between 45 kg (100 lb) to 140 kg (310 lb).

### Tie-Back Lanyards with Dyna-One™ Energy Absorber

PART NO	LANYARD MATERIAL	TYPE	HARNES CONNECTOR	ANCHORAGE CONNECTOR	LENGTH
<b>SINGLE LEG LANYARD WITH ENERGY ABSORBER</b>					
<b>FP7331T</b>	POLYESTER	FIXED	SMALL HOOK	TIE-BACK SMALL HOOK	4-5-6 FT
<b>FP7341T</b>	POLYESTER	ADJUSTABLE	SMALL HOOK	TIE-BACK SMALL HOOK	3.5 TO 6 FT
<b>DOUBLE LEG Y-LANYARD WITH ENERGY ABSORBER</b>					
<b>FP7361TT</b>	POLYESTER	FIXED	SMALL HOOK	TIE-BACK SMALL HOOK (2)	4-5-6 FT
<b>FP7371TT</b>	POLYESTER	ADJUSTABLE	SMALL HOOK	TIE-BACK SMALL HOOK (2)	3.5 TO 6 FT

Please refer to page 218 for hardware details.

**Small Hook:** FP6650HS | **Medium Hook:** FP5386HS | **Large Hook:** FP5395HS | **XL Hook:** FP3680TS  
**Aluminum Small:** FP6650ALL | **Aluminum Large:** FP5395ALL




# Dyna-One™

## ENERGY ABSORBER



Scan it



FP70311



FP70377



FP70399

This lanyard is specifically designed for fall arrest purposes for workers weighing between 45 kg (100 lb) to 140 kg (310 lb).

### Dyna-One™ Energy Absorber with Connectors

PART NO	LANYARD MATERIAL	HARNES CONNECTOR	ANCHORAGE CONNECTOR	LENGTH
DYNA-ONE™ ENERGY ABSORBER				
<b>FP70311</b>	POLYESTER	SMALL HOOK	SMALL HOOK	18 IN
<b>FP70391</b>	POLYESTER	SMALL HOOK	LARGE D-RING	18 IN
<b>FP70377</b>	POLYESTER	SMALL D-RING	SMALL D-RING	13.5 IN
<b>FP70399</b>	POLYESTER	LARGE D-RING	LARGE D-RING	16.5 IN
<b>FP703E1</b>	POLYESTER	LOOP	SMALL HOOK	16.5 IN
<b>FP703E9</b>	POLYESTER	LOOP	LARGE D-RING	16.5 IN

Please refer to page 218 for hardware details.

**Small Hook:** FP6650HS | **Medium Hook:** FP5386HS | **Large Hook:** FP5395HS | **XL Hook:** FP3680TS

## Work Positioning Products



FP635113



FPPOLEST

### Rebar Chain Assemblies

PART NO	LANYARD MATERIAL	HARNES CONNECTOR	ANCHORAGE CONNECTOR	LENGTH
<b>FP635113</b>	POLYESTER	SMALL HOOK (2)	LARGE HOOK	22"
<b>FP675113</b>	STEEL CHAIN	SMALL HOOK (2)	LARGE HOOK	28"

### Pole Stair

PART NO	LANYARD MATERIAL	HARNES CONNECTOR	ANCHORAGE CONNECTOR	LENGTH
<b>FPPOLEST</b>	POLYESTER	SMALL HOOK	SMALL HOOK	3-4 FT

Please refer to page 218 for hardware details.

**Small Hook:** FP6650HS | **Medium Hook:** FP5386HS | **Large Hook:** FP5395HS | **XL Hook:** FP3680TS





# Hooks & Carabiners



FP6650HS



FP4651



FP9652HS



FP5386HS



FP5395HS



FP5395ALL



FP3680TS



FP415



FP843



FP714



FP775



FP244



FP261



FP731  
(SHOWN ON FP244)



FPSRLTNCON

Hooks and carabiners designed for a multitude of applications, and all are available in various forms and sizes. They offer maximum protection, requiring double-action to unlock as well as auto-locking closures. They are also designed to give you the greatest ease of operation. All are approved for a maximum load of 5,000 lb (22 kN) unless otherwise specified. CSA, ANSI and CE certified.

### Double-Action Small Ergonomic Snap Hooks

PART NO	CONSTRUCTION	OPENING	TYPE OF LOCK
<b>FP6650HS</b>	FORGED STEEL	0.8 IN (20 MM)	DOUBLE-ACTION
<b>FP6650ALL</b>	ALUMINUM	0.8 IN (20 MM)	DOUBLE-ACTION
<b>FP4651</b>	FORGED STEEL / SWIVEL	0.8 IN (20 MM)	DOUBLE-ACTION
<b>FP9652HS</b>	STAMPED STEEL	0.8 IN (20 MM)	DOUBLE-ACTION

### Double-Action Large Snap Hooks

PART NO	CONSTRUCTION	OPENING	TYPE OF LOCK
<b>FP5386HS</b>	FORGED STEEL	2 IN (50 MM)	DOUBLE-ACTION
<b>FP3680TS</b>	FORGED STEEL	3.2 IN (81 MM)	DOUBLE-ACTION
<b>FP5395HS</b>	FORGED STEEL	2.5 IN (64 MM)	DOUBLE-ACTION
<b>FP5395ALL</b>	ALUMINUM	2.5 IN (64 MM)	DOUBLE-ACTION
<b>FP5386ALL</b>	ALUMINUM	2 IN (50 MM)	DOUBLE-ACTION

### Twist Lock Carabiner Connector

PART NO	CONSTRUCTION	OPENING	TYPE OF LOCK
<b>FP715</b>	ALLOY STEEL & HEAT TREATED "D" SHAPE	0.625 IN (16 MM)	AUTO-TWIST LOCK
<b>FP415ALL</b>	ALUMINUM "D" SHAPE	0.625 IN (16 MM)	AUTO-TWIST LOCK
<b>FP244</b>	ALLOY STEEL & HEAT TREATED "D" SHAPE	0.75 IN (19 MM)	AUTO-TWIST LOCK TRIPLE ACTION
<b>FP415</b>	ALLOY STEEL & HEAT TREATED "D" SHAPE	0.75 IN (19 MM)	AUTO-TWIST LOCK
<b>FP843</b>	ALLOY STEEL & HEAT TREATED "D" SHAPE	0.75 IN (19 MM)	AUTO-TWIST LOCK
<b>FP775</b>	ALLOY STEEL & HEAT TREATED "D" SHAPE	1 IN (25 MM)	AUTO-TWIST LOCK
<b>FP775ALL</b>	ALUMINUM "D" SHAPE	1 IN (25 MM)	AUTO-TWIST LOCK
<b>FP714</b>	ALLOY STEEL & HEAT TREATED PEAR SHAPE	2.25 IN (57 MM)	AUTO-TWIST LOCK
<b>FP714ALL</b>	ALUMINUM PEAR SHAPE	2.25 IN (57 MM)	AUTO-TWIST LOCK

### Dual Self-Retracting Lifeline Hardware

PART NO	DESCRIPTION
<b>FP731</b>	PLASTIC SEPARATOR FOR DUAL SELF-RETRACTING DEVICES
<b>FPSRLTNCON</b>	STEEL CONNECTOR FOR DUAL SELF-RETRACTING LIFELINES



# Vertical Rope Lifelines



FP16KRN25



FP58EPS25



FP16EPS25



FP16EPS25A



FP16EPS25B



FP16EPS25C

Vertical lifelines come with different materials which will range in durability. They are also available in different lengths and various anchor hardware. Our vertical rope lifelines meet and exceed ANSI and OSHA, and are CSA certified only when used with Dynamic® rope grabs.


### Lanyards Fixed Length with Dyna-One™ Energy Absorber

PART NO	MATERIAL	CONNECTORS	LENGTH
FP16KRN25	KERMANTLE ROPE 0.625 IN (16 MM)	1 TERMINATION & 1 CARABINER FP415	25 FT (7.6 M)
FP16KRN50	KERMANTLE ROPE 0.625 IN (16 MM)	1 TERMINATION & 1 CARABINER FP415	50 FT (15.2 M)
FP16KRN100	KERMANTLE ROPE 0.625 IN (16 MM)	1 TERMINATION & 1 CARABINER FP415	100 FT (30.5 M)
FP58EPS25	3-STRAND CO-POLYMER BLEND ROPE 0.625 IN (16 MM)	1 TERMINATION & 1 CARABINER FP415	25 FT (7.6 M)
FP58EPS50	3-STRAND CO-POLYMER BLEND ROPE 0.625 IN (16 MM)	1 TERMINATION & 1 CARABINER FP415	50 FT (15.2 M)
FP16EPS25	3-STRAND CO-POLYMER BLEND ROPE 0.625 IN (16 MM)	1 TERMINATION & 1 CARABINER FP415	25 FT (7.6 M)
FP16EPS50	3-STRAND CO-POLYMER BLEND ROPE 0.625 IN (16 MM)	1 TERMINATION & 1 CARABINER FP415	50 FT (15.2 M)
FP16EPS75	3-STRAND CO-POLYMER BLEND ROPE 0.625 IN (16 MM)	1 TERMINATION & 1 CARABINER FP415	75 FT (22.8 M)
FP16EPS100	3-STRAND CO-POLYMER BLEND ROPE 0.625 IN (16 MM)	1 TERMINATION & 1 CARABINER FP415	100 FT (30.5 M)
FP16EPS25A	3-STRAND CO-POLYMER BLEND ROPE 0.625 IN (16 MM)	1 TERMINATION & 1 SMALL HOOK 6650HS	25 FT (7.6 M)
FP16EPS50A	3-STRAND CO-POLYMER BLEND ROPE 0.625 IN (16 MM)	1 TERMINATION & 1 SMALL HOOK 6650HS	50 FT (15.2 M)
FP16EPS75A	3-STRAND CO-POLYMER BLEND ROPE 0.625 IN (16 MM)	1 TERMINATION & 1 SMALL HOOK 6650HS	75 FT (22.8 M)
FP16EPS100A	3-STRAND CO-POLYMER BLEND ROPE 0.625 IN (16 MM)	1 TERMINATION & 1 SMALL HOOK 6650HS	100 FT (30.5 M)
FP16EPS25B	3-STRAND CO-POLYMER BLEND ROPE 0.625 IN (16 MM)	1 TERMINATION & 1 MEDIUM HOOK FP5386HS	25 FT (7.6 M)
FP16EPS50B	3-STRAND CO-POLYMER BLEND ROPE 0.625 IN (16 MM)	1 TERMINATION & 1 MEDIUM HOOK FP5386HS	50 FT (15.2 M)
FP16EPS75B	3-STRAND CO-POLYMER BLEND ROPE 0.625 IN (16 MM)	1 TERMINATION & 1 MEDIUM HOOK FP5386HS	75 FT (22.8 M)
FP16EPS100B	3-STRAND CO-POLYMER BLEND ROPE 0.625 IN (16 MM)	1 TERMINATION & 1 MEDIUM HOOK FP5386HS	100 FT (30.5 M)
FP16EPS25C	3-STRAND CO-POLYMER BLEND ROPE 0.625 IN (16 MM)	1 TERMINATION & 1 LARGE HOOK FP5395HS	25 FT (7.6 M)
FP16EPS50C	3-STRAND CO-POLYMER BLEND ROPE 0.625 IN (16 MM)	1 TERMINATION & 1 LARGE HOOK FP5395HS	50 FT (15.2 M)
FP16EPS75C	3-STRAND CO-POLYMER BLEND ROPE 0.625 IN (16 MM)	1 TERMINATION & 1 LARGE HOOK FP5395HS	75 FT (22.8 M)
FP16EPS100C	3-STRAND CO-POLYMER BLEND ROPE 0.625 IN (16 MM)	1 TERMINATION & 1 LARGE HOOK FP5395HS	100 FT (30.5 M)

NOTE: Other configurations of vertical lifelines also available. See our price list for more details.  
All our vertical lifelines are shrink wrapped at both spliced termination ends.



# Rope Grabs



FP13130

Rope grab kits offer a practical solution for many fall arrest applications. Rope grabs are equipped with a Panic Lock feature as well as an orientation lock-out feature that will not allow the rope grab to be installed upside down. All our rope grab combinations Meet and exceed ANSI and OSHA and are CSA certified only when used with Dynamic® Vertical Lifelines. This lanyard is specifically designed for fall arrest purposes for workers weighing between 45 kg (100 lb) to 140 kg (310 lb).



FP15130

### Rope Grabs

PART NO	DESCRIPTION
<b>FP13130</b>	AUTOMATIC ROPE GRAB WITH PANIC LOCK (LARGE EYE) WITH 30 IN (0.8 M) DYNA-ONE™ ENERGY ABSORBING LANYARD & 1 DOUBLE LOCKING ERGONOMIC SMALL HOOK FP6650HS
<b>FP15130</b>	AUTOMATIC ROPE GRAB WITH PANIC LOCK (LARGE EYE) WITH 30 IN (0.8 M) LANYARD & 1 DOUBLE LOCKING ERGONOMIC SMALL HOOK FP6650HS

Rope grabs travel on a lifeline, automatically engaging the lifeline in the event of a fall.





Scan it

# Anchorage Connectors

Anchorage slings are easy to use and versatile for many applications where you can wrap around the supporting structure. Each has a minimum tensile strength of 5,000 lb (22 kN).



FP10



FP10F



FP12



FP103FD



FP11



FP151.4



FP163.5



FP13



FP173



FP183

## Anchorage Connectors

PART NO	DESCRIPTION	LENGTH
<b>FP10</b>	CABLE SLING .25" (6 MM) GALVANIZED STEEL CLEAR PVC COATED AGAINST CORROSION SWAGED EYES AT EACH END.	3 FT (0.9 M) - 4 FT (1.2 M) 5 FT (1.5 M) - 6 FT (1.8 M)
<b>FP10F</b>	CABLE SLING .25" (6 MM) GALVANIZED STEEL RED PVC COATED AGAINST CORROSION FLEMISH EYE SPLICE AT EACH END.	3 FT (0.9 M) - 4 FT (1.2 M) 5 FT (1.5 M) - 6 FT (1.8 M)
<b>FP103FC</b>	CABLE SLING CHOKER .25" (6 MM) GALVANIZED CABLE WITH PVC COATED FLEMISH EYE AT BOTH ENDS. ONE O-RING OF 2" (50 MM) AT ONE END AND ONE O-RING OF 3" (76 MM) AT THE OTHER END. THE 2" TO BE SLID IN THE 3" TO CREATE THE CHOKER.	3 FT (0.9 M) - 4 FT (1.2 M) 5 FT (1.5 M) - 6 FT (1.8 M)
<b>FP103FD</b>	CABLE SLING CHOKER .25" (6 MM) GALVANIZED CABLE WITH PVC COATED FLEMISH EYE AT BOTH ENDS. ONE O-RING OF 3" (76 MM) AT ONE END AND ONE SMALL HOOK FP6650HS AT THE OTHER END. THE SMALL HOOK TO BE SLID INTO THE 3" TO CREATE THE CHOKER.	3 FT (0.9 M) - 4 FT (1.2 M) 5 FT (1.5 M) - 6 FT (1.8 M)
<b>FP103FE</b>	CABLE SLING CHOKER .25" (6 MM) GALVANIZED CABLE WITH PVC COATED FLEMISH EYE AT BOTH ENDS. ONE SMALL HOOK FP6650HS AT THE END.	3 FT (0.9 M) - 4 FT (1.2 M) 5 FT (1.5 M) - 6 FT (1.8 M)
<b>FP11</b>	PASS THROUGH ANCHOR SLING 2" (50 MM), POLYESTER WEBBING, ONE SMALL D-RING AND ONE LARGE D-RING.	3 FT (0.9 M) - 4 FT (1.2 M) 6 FT (1.8 M)
<b>FP12</b>	CROSS ARM ANCHOR SLING 2" (50 MM), POLYESTER WEBBING WITH SEWN LOOP AND ONE LARGE D-RING THAT PASSES THROUGH THE LOOP TO TIGHTEN AROUND AN ANCHOR POINT.	3 FT (0.9 M) - 4 FT (1.2 M) 6 FT (1.8 M)
<b>FP13</b>	RESIDENTIAL ANCHOR SLING. HEAVY DUTY POLYESTER WEBBING.	3 FT (0.9 M)
<b>FP151.4</b>	SCAFFOLD ANCHOR SLING 2" (50 MM) NYLON WEBBING WITH SEWN LOOP AND ONE LARGE D-RING.	17 IN (0.4 M)
<b>FP163.5</b>	DISPOSABLE IMPORTED ANCHOR SLING WITH PROTECTIVE SLEEVE.	3.5 FT (1 M)
<b>FP173</b>	DISPOSABLE ANCHOR SLING WITH SEWN LOOPS ON EACH END.	3 FT (0.9 M)
<b>FP183</b>	SEWN CIRCLE WITH D-RING ANCHOR SLING.	3 FT (0.9 M)
<b>FP194</b>	DISPOSABLE ANCHOR SLING WITH D-RING.	4 FT (1.2 M)



# Anchorage Connectors



FP3730



FP373410Y



FP373375



FP3731



FP3732414



FP3732V414



FP37345S



FP3800

## Various Anchorage Connectors

PART NO	DESCRIPTION	STRUCTURE TYPE
FP3730	D-RING ANCHORAGE CONNECTOR 0.75" (19 MM) HOLE	STEEL / CONCRETE
FP373175	TEMPORARY REMOVABLE CONCRETE ANCHOR, 0.75" (19 MM) DIAMETER. RATED FOR 22 KN (5,000 LB)	CONCRETE
FP37311	TEMPORARY REMOVABLE CONCRETE ANCHOR, 1" (25 MM) DIAMETER. RATED FOR 44 KN (10,000 LB)	CONCRETE
FP3731M15	TEMPORARY AND REMOVABLE MINING BOLT ANCHOR FOR 1.5" (39 MM) HOLES. RATED FOR 44 KN (10,000 LB)	ROCK
FP373375	TEMPORARY REMOVABLE TOGGLE ANCHOR THAT CAN BE USED ON STEEL OR CONCRETE, 0.75" (19 MM) DIAMETER. RATED FOR 22 KN (5,000 LB)	STEEL / CONCRETE
FP373410Y	SEMI-PERMANENT SWIVEL HYBRID D-RING THAT IS REMOVABLE AND RE-USABLE, 1" (25 MM) DIAMETER. RATED FOR 44 KN (10,000 LB)	CONCRETE

## 5K Zinc Plated Swivel D-Ring

PART NO	DESCRIPTION	STRUCTURE TYPE
FP37345N	5K ZINC PLATED SWIVEL D-RING WITH NO HARDWARE, 0.625" (16 MM) DIAMETER. RATED FOR 22 KN (5,000 LB)	STEEL / CONCRETE
FP37345C	5K ZINC PLATED SWIVEL D-RING WITH CONCRETE HARDWARE, 0.625" (16 MM) DIAMETER. RATED FOR 22 KN (5,000LB)	CONCRETE
FP37345S	5K ZINC PLATED SWIVEL D-RING WITH STEEL HARDWARE, 0.625" (16 MM) DIAMETER. RATED FOR 22 KN (5,000LB)	STEEL
FP37345SB	STEEL HARDWARE ONLY FOR 5K ZINC PLATED SWIVEL D-RING	STEEL
FP37345CB	CONCRETE HARDWARE ONLY FOR 5K ZINC PLATED SWIVEL D-RING	CONCRETE

## Beam Anchors

PART NO	DESCRIPTION	STRUCTURE TYPE
FP3732414	BEAM CLAMP EASY SLIDER FOR I-BEAM WITH 4-14" (100-356 MM) WIDTH	STEEL I-BEAM
FP3732V414	VERTICAL BEAM CLAMP EASY SLIDER FOR I-BEAM WITH 4-14" (100-356 MM) WIDTH	STEEL I-BEAM
FP37321230	BEAM CLAMP EASY SLIDER FOR I-BEAM WITH 12-30" (305-762 MM) WIDTH	STEEL I-BEAM
FP3800	BEAM TROLLY WITH WHEELS FOR I-BEAMS WITH 3-10" (76-254 MM) WIDTH	STEEL I-BEAM



## DOOR | WINDOW ANCHOR



FP960

### Door | Window Anchor

PART NO	DESCRIPTION
<b>FP960</b>	PROVIDES A NON-INTRUSIVE ANCHOR POINT AND CAN BE EASILY INSTALLED INSIDE THE INTERIOR OF A DOOR FRAME OR WINDOW OPENING ENABLING THE MOST DIFFICULT JOB TO GET DONE SAFELY. ADJUSTABLE FROM 23.62" TO 49.12" (59.05 CM TO 123.02 CM). STORAGE BAG INCLUDED

## ROOF BRACKETS



FP09D




FP09R

### Roof Brackets

PART NO	DESCRIPTION
<b>FP09D</b>	DISPOSABLE ROOF ANCHOR (WITH NAILS)
<b>FP09R</b>	REUSABLE ROOF ANCHOR (WITH SCREWS)
<b>FP09RF</b>	REUSABLE FLAT ROOF ANCHOR (WITH SCREWS)

## 4 PERSONS TEMPORARY ROPE HORIZONTAL LIFELINE



FP3001

### 4 Persons Temporary Rope Horizontal Lifeline

PART NO	DESCRIPTION
<b>FP3001</b>	ADJUSTABLE HORIZONTAL LIFELINE THAT SPANS 16 FT (5 M) TO 82 FT (25 M), SUITABLE FOR 4 PERSONS. INCLUDES 0.625" (16 MM) DIAMETER KERNMANTLE ROPE, CORROSION RESISTANT TENSIONER, 4 STEEL O-RINGS FOR THE USER TO EASILY ATTACH HIS LANYARD TO AND CARABINER END CONNECTIONS.

## RESCUE AND RETRIEVAL SYSTEMS



FPWORKSEAT



FP4017B



FPWRISTLETS



FPTRAUST

### Rescue and Retrieval Systems

PART NO	DESCRIPTION
<b>FP4017B</b>	SPREADER BAR
<b>FPWRISTLETS</b>	WRISTLETS
<b>FPTRAUST</b>	TRAUMA STRAPS
<b>FPWORKSEAT</b>	WORK SEAT FOR EXTENDED WORKING AT HEIGHTS





Scan it

## Tripods and Accessories



FP09907 / FP09910  
WITH FP3AA15CR



FP099073



FP860

FP3AA15CR

Versatile and lightweight tripods made of high-strength aluminum, with adjustable legs. Legs can be independently locked in place and feature spiked feet for slippery surfaces. Accessories mounted on the outside to maximize work/rescue area under the tripod. Available in 7 ft (2 m) and 9 ft (3 m) configurations. Withstands up to 5,000 lb (22 kN). Maximum worker weight capacity of 400 lb. Meets and exceeds all applicable ANSI and CSA standards.

### Tripods and Tripod Kits

PART NO	DESCRIPTION
<b>FP09907</b>	7 FT (2 M) TRIPOD WITH TELESCOPING LEGS THAT CAN ADJUST FROM 4 FT TO 7 FT. ALUMINUM CONSTRUCTION AND STEEL FEET WITH SPIKES FOR SLIPPERY SURFACES
<b>FP09910</b>	9 FT (3 M) TRIPOD WITH TELESCOPING LEGS THAT CAN ADJUST FROM 7.5 FT TO 9 FT. ALUMINUM CONSTRUCTION AND STEEL FEET WITH SPIKES FOR SLIPPERY SURFACES
<b>FP09907AK3W</b>	TRIPOD KIT WHICH INCLUDES FP09907 7 FT (2 M) TRIPOD, FP09907/3 DEVICE BRACKET, FP3AA15CR 3-WAY SELF-RETRACTING LIFELINE, AND FP1007 BAG

### Tripod Device Brackets

PART NO	DESCRIPTION
<b>FP09907/1</b>	TRIPOD DEVICE BRACKET DESIGNED FOR FP3NN50CR SELF-RETRACTING LIFELINE 3-WAY DEVICE
<b>FP09907/2</b>	TRIPOD DEVICE BRACKET DESIGNED FOR FP3NN85CR SELF-RETRACTING LIFELINE 3-WAY DEVICE
<b>FP09907/3</b>	TRIPOD DEVICE BRACKET DESIGNED FOR FP3AA15CR SELF-RETRACTING LIFELINE 3-WAY DEVICE
<b>FP09907/4</b>	TRIPOD DEVICE BRACKET DESIGNED FOR FP3AA33CR SELF-RETRACTING LIFELINE 3-WAY DEVICE

### Accessories for Tripod

PART NO	DESCRIPTION
<b>FP099HDPINS</b>	PIN FOR TRIPOD HEAD
<b>FP099RING</b>	TRIPOD O-RING
<b>FP099PULLEY</b>	TRIPOD PULLEY ASSEMBLY
<b>FPTRIPDST7</b>	STRAP FOR 7 FT (2 M) TRIPOD
<b>FPTRIPDST9</b>	STRAP FOR 9 FT (3 M) TRIPOD
<b>FP099FEET</b>	TRIPOD FEET
<b>FP099PLPIN</b>	PIN FOR TRIPOD HEAD PULLEY
<b>FP099LGPIN</b>	PIN FOR TRIPOD LEG
<b>FP099BRPIN</b>	PIN FOR DEVICE BRACKETS
<b>FP099BRBOLT</b>	BOLT FOR DEVICE BRACKETS

### Winch

Winch to be used for raising or lowering of personel or material in confined spaces. Equipped with a mounting plate that connects to the tripod. Galvanized Steel wire rope of 0.19 in (5 mm) diameter. Maximum lifting load capacity of 300 lb (136 kg). Comes with a snap hook model FP6650 as a connector.

PART NO	DESCRIPTION
<b>FP860</b>	WINCH WITH GALVANISED STEEL CABLE AND SMALL HOOK, 60 FT (18 M)
<b>FP860B</b>	WINCH BRACKET REPLACEMENT FOR FP860

### Self-Retracting Lifelines with Integrated Retrieval Winch Class SRL-R

PART NO	LIFELINE MATERIAL	RETRIEVAL WINCH	HARNES CONNECTOR	ANCHORAGE CONNECTOR	LENGTH
<b>FP3AA15CR</b>	GALVANIZED CABLE	3 WAY	SWIVEL HOOK (W/ LOAD INDICATOR)	CARABINER	50 FT (15 M)



# Dyna-Lift™

## DAVIT SYSTEM



Scan it



FPDAVIT24 WITH  
BASE FPDAVITFLRBS

FPDAVIT48 WITH  
BASE FPDAVITFLRBS

FPDAVITLAD

FPDAVITLADBS

Our Davit Systems consist of a base anchored to the structure, with a high-strength aluminum mast and boom. They allow the worker to be safely hoisted up and down, while suspended from a pivotable arm.

Ladder mounted davits are ideal for workers who need increased mobility while climbing a fixed ladder.

### Dyna-Lift™ Davit System

PART NO	DESCRIPTION	COMPOSITION	LENGTH
FPDAVITBM24	DAVIT BOOM	ALUMINUM	24 INCHES
FPDAVITMST24	DAVIT MAST	ALUMINUM	24 INCHES
FPDAVITBM48	DAVIT BOOM	ALUMINUM	48 INCHES
FPDAVITMST48	DAVIT MAST	ALUMINUM	48 INCHES
FPDAVIT24	DAVIT BOOM & MAST COMPLETE	ALUMINUM	24 INCHES
FPDAVIT48	DAVIT BOOM & MAST COMPLETE	ALUMINUM	48 INCHES

### Dyna-Lift™ Ladder Davit System

PART NO	DESCRIPTION	COMPOSITION	LENGTH
FPDAVITLAD	LADDER DAVIT	ALUMINUM	12 INCHES
FPDAVITLADBS	LADDER MOUNT ASSEMBLY	GALVANIZED STEEL	-

## Davit Bases & Accessories



### CONCRETE SLEEVE BASE

- Designed for slip-in installation into core hole in concrete or in an existing steel structure
- Zinc coated steel construction

FPDAVITCON



### CONCRETE SLEEVE BASE WITH TOP PLATE

- Flush mount design eliminates trip hazards when not in use
- Zinc coated steel construction

FPDAVITCONT



### FLOOR MOUNTED BASE

- Designed for installation on horizontal structure
- Ideal for work areas where a base can be permanently installed to an existing structure
- Zinc coated steel construction

FPDAVITFLRBS



### WALL MOUNTED BASE

- Compact design mounts to vertical structures
- Ideal for work areas where a base can be permanently installed to an existing structure
- Zinc coated steel construction

FPDAVITWLLBS



### BASE CAP

- Used with permanent mounted sleeves when installed in high traffic or sewer service locations
- Aluminum construction

FPDAVITBSCAP



SIDE VIEW

### SPLIT PULLEY

- To route cable from device mounted on the mounting brackets
- Aluminum construction

FPSPPLPLY



# Fall Protection Kits

CONTAIN EVERYTHING YOU NEED  
TO BE SAFE ON THE JOB SITE



Scan it



## COMPLIANCE KITS



FPKIT016U

### Basic "B-Compliant" Kits in Bag

PART NO	DESCRIPTION	SIZE OF HARNESS	LENGTH OF ROPE
<b>FPKIT016U</b>	BASIC KIT INCL: (1) FP4101DU HARNESS WITH 6 FT (1.8 M) PERMANENTLY ATTACHED FP743226 LANYARD, (1) FP1002 EQUIPMENT BAG	UNIVERSAL	6 FT (1.83 M)
<b>FPKIT5P6U</b>	BASIC KIT INCL: (1) FP2601DU HARNESS WITH 6 FT (1.8 M) PERMANENTLY ATTACHED FP743226 LANYARD, (1) FP1002 EQUIPMENT BAG	UNIVERSAL	6 FT (1.83 M)

The safety and simplicity of a complete kit, with the added convenience of a reusable storage bag.





## ROOFER'S KITS



FPRK09825



FPRK099DL25



FPRK09925B



FPRK09925D



FPRK099Y50

### "B-Compliant" Deluxe Roofer's Kits

PART NO	CONTENT	SIZE OF HARNESS	LENGTH OF ROPE
FPRK099DL25	(1) FP16KRN25 LIFELINE, (1) FP2501DXL HARNESS, (1) ROPE GRAB FP13130 WITH 30" (0.8 M) LANYARD AND DYNA-ONE™ ENERGY ABSORBER, (1) REUSABLE ROOF ANCHOR FP09R WITH SCREWS AND (1) STORAGE BUCKET	XL	25 FT (7.6 M)
FPRK099DL50	(1) FP16KRN50 LIFELINE, (1) FP2501DXL HARNESS, (1) ROPE GRAB FP13130 WITH 30" (0.8 M) LANYARD AND DYNA-ONE™ ENERGY ABSORBER, (1) REUSABLE ROOF ANCHOR FP09R WITH SCREWS AND (1) STORAGE BUCKET	XL	50 FT (15 M)

### "B-Compliant" Econo Roofer's Kits


FPRK09825	(1) FP16EPS25 ECONO LIFELINE, (1) FP4101DU HARNESS, (1) ROPE GRAB FP15130 WITH 30" (0.8 M) WEB, (1) DISPOSABLE ROOF ANCHOR FP09D WITH NAILS, (1) STORAGE BUCKET	UNIVERSAL	25 FT (7.6 M)
FPRK09850	(1) FP16EPS50 ECONO LIFELINE, (1) FP4101DU HARNESS, (1) ROPE GRAB FP15130 WITH 30" (0.8 M) WEB, (1) DISPOSABLE ROOF ANCHOR FP09D WITH NAILS, (1) STORAGE BUCKET	UNIVERSAL	50 FT (15 M)
FPRK09825R	(1) FP16EPS25 ECONO LIFELINE, (1) FP4101DU HARNESS, (1) ROPE GRAB FP15130 WITH 30" (0.8 M) WEB, (1) DISPOSABLE ROOF ANCHOR FP09R WITH SCREWS, (1) STORAGE BUCKET	UNIVERSAL	25 FT (7.6 M)
FPRK09850R	(1) FP16EPS50 ECONO LIFELINE, (1) FP4101DU HARNESS, (1) ROPE GRAB FP15130 WITH 30" (0.8 M) WEB, (1) REUSABLE ROOF ANCHOR FP09R WITH SCREWS, (1) STORAGE BUCKET	UNIVERSAL	50 FT (15 M)
FPRK09925B	(1) FP16EPS25 ECONO LIFELINE, (1) FP4101DU HARNESS, (1) ROPE GRAB FP13130 WITH 30" (0.8 M) DYNA-ONE™ ENERGY ABSORBING LANYARD, (1) DISPOSABLE ROOF ANCHOR FP09D WITH NAILS, (1) STORAGE BUCKET	UNIVERSAL	25 FT (7.6 M)
FPRK09950B	(1) FP16EPS50 ECONO LIFELINE, (1) FP4101DU HARNESS, (1) ROPE GRAB FP13130 WITH 30" (0.8 M) DYNA-ONE™ ENERGY ABSORBING LANYARD, (1) DISPOSABLE ROOF ANCHOR FP09D WITH NAILS, (1) STORAGE BUCKET	UNIVERSAL	50 FT (15 M)
FPRK09925D	(1) FP16EPS25 ECONO LIFELINE, (1) FP4101DU HARNESS, (1) ROPE GRAB FP13130 WITH 30" (0.8 M) DYNA-ONE™ ENERGY ABSORBING LANYARD, (1) REUSABLE ROOF ANCHOR FP09R WITH SCREWS, (1) STORAGE BUCKET	UNIVERSAL	25 FT (7.6 M)
FPRK09950D	(1) FP16EPS50 ECONO LIFELINE, (1) FP4101DU HARNESS, (1) ROPE GRAB FP13130 WITH 30" (0.8 M) DYNA-ONE™ ENERGY ABSORBING LANYARD, (1) REUSABLE ROOF ANCHOR FP09R WITH SCREWS, (1) STORAGE BUCKET	UNIVERSAL	50 FT (15 M)
<b>Pallet of Imported Roofer's Kits</b>			
FPRK099Y50	(1) 50 FT (15 M) ECONO LIFELINE, (1) FP4101DU HARNESS, (1) ROPE GRAB FP13130 WITH 30" (0.8 M) DYNA-ONE™ ENERGY ABSORBING LANYARD, (1) REUSABLE ROOF ANCHOR FP09R WITH SCREWS, (1) STORAGE BUCKET	UNIVERSAL	50 FT (15 M)



## Accessories

Scan it

### PLASTIC INSPECTION TAGS FOR SAFETY EQUIPMENT



FPTAGR

#### Plastic Inspection Tag for Safety Equipment

Durable tag with security locking device, galvanized steel shackle, plastic body with writable area for personal information, a unique serial number to keep track of the product and offered in choice of 5 colors.

PART NO	COLOR	QTY PER PACK
FPTAGR	RED	25
FPTAGB	BLUE	25
FPTAGY	YELLOW	25
FPTAGG	GREEN	25
FPTAGO	ORANGE	25

### STORAGE BAGS



FP1002



FP1004



FP1005



FP1006



FP1007

#### Storage Bags for Various Equipment

PART NO	DESCRIPTION
FP1002	SMALL MESH EQUIPMENT BAG FOR A HARNESS AND LANYARD COMBO KIT 14" L x 13.5" H
FP1004	SMALL EQUIPMENT BAG FOR BASIC EQUIPMENT KIT - 11.25" L x 11.375" H
FP1005	SMALL EQUIPMENT BAG FOR SELF-RETRACTING LIFELINE OR WINCH 16" L x 16.5" W x 9" H
FP1006	LARGE EQUIPMENT BAG FOR HARNESS, LANYARD, ANCHORAGE CONNECTORS AND MORE 23.5" L x 11.75" W x 12.5" H

#### Storage Bags for Tripods

PART NO	DESCRIPTION
FP1007	DURABLE ZIPPERED TRIPOD BAG. TO PROTECT YOUR TRIPOD FROM DAMAGE AND DIRT WHILE REDUCING CARRYING EFFORT FOR FP09907 TRIPOD - 58.5" x 10.625" x 12.5"
FP1008	DURABLE ZIPPERED TRIPOD BAG. TO PROTECT YOUR TRIPOD FROM DAMAGE AND DIRT WHILE REDUCING CARRYING EFFORT FOR FP09910 TRIPOD - 96.5" x 12" x 12.75"

SECTION:


# Tool Tethering



This section contains the essential items required for dropped objects prevention – durable tool tethering lanyards, tool connectors and functional tool tethering accessories specifically designed to meet the ANSI / ISEA 121-2018 Dropped Objects Standard.

Falling objects gain speed as they drop, resulting in a higher force at impact. Factor in the drop height and weight of the object and you will realize that something as small as a tape measure can cause serious injury or damage to equipment.

## IT'S A LAW OF PHYSICS



## ANSI / ISEA 121:2018

ANSI / ISEA 121:2018 establishes minimum design, performance, testing and labeling requirements for safety equipment designed to reduce dropped objects incidents.

Dropped objects include hand tools, measuring instruments, small parts, structural components and other items that need to be transferred and used at heights. This standard focuses on preventative solutions actively used by workers to mitigate these hazards.

PIP® Tool Lanyards are designed to securely attach to tools to help prevent dangerous drops while providing the user with the freedom of mobility and unimpeded functionality of the tool.

PIP® Tool Connector Attachment Points and Accessories are designed to be installed onto tools or equipment to provide appropriate connection points for tethering.



FALLING OBJECTS



STRUCK OBJECT




WORKING AT HEIGHT





# Lanyards with Barrel-Lock Carabiner

Scan it



Maximum Load Limit  
**10 lb**  
4.5 kg

### FP533100011

- Snag-resistant D-frame barrel-lock carabiner with angled gate
- Lock-pin on carabiner for extra security
- Shock cording inside nylon protective webbing



Maximum Load Limit  
**22 lb**  
9.9 kg

### FP533100701

- Heavy-duty barrel-lock carabiner
- Strong nylon fastener end
- Swivel head for ease of use with large heavy tools




Maximum Load Limit  
**10 lb**  
4.5 kg


### FP533100012

- Snag-resistant D-frame barrel-lock carabiner with angled gate
- Lock-pin on carabiner for extra security
- Dual loop with shock cording inside nylon protective webbing

## THE PIP® DIFFERENCE



**Hi-vis protective cover** helps keep tether in view and provides heavy-duty protection against dirt, oil and abrasion.



**Reinforced shock cord** is extra tough, providing superior protection and durability.



Designed for tools with **captive holes** or to be used in conjunction with tool tape for smaller tools.



Powder-coated quarter turn **barrel-lock carabiner** with 1" gate opening ensures a secure connection.

STYLE NUMBER	MAXIMUM LOAD LIMIT	LEG	CARABINER	GATE OPENING	FASTENER
FP533100011	10 lb / 4.5 kg	Single	Barrel-lock	1" / 2.5 cm	Draw String
FP533100701	22 lb / 9.9 kg	Single	Barrel-lock	1" / 2.5 cm	Nylon Webbing
FP533100012	10 lb / 4.5 kg	Double	Barrel-lock	1.5" / 3.8 cm	Draw String

## STRETCH TOOL LANYARD

- Convenient stretch-lanyard for tool holding
- Provided with a light-weight carabiner for attachment to the user's belt

- Max load limit: 22 lb / 9.9 kg
- Relaxed length: 2.8 ft / 0.9 m
- Expanded length: 4.4 ft / 1.3 m

Maximum Load Limit  
**22 lb**  
9.9 kg

STYLE NUMBER	MAXIMUM LOAD LIMIT	LEG	CARABINER	GATE OPENING	FASTENER
FPTOOLTETHER	22 lb / 9.9 kg	Single	Single Action	1" / 2.5 cm	Draw String





# Connector Attachment Points

Scan it




Maximum Load Limit  
**3lb**  
1.4 kg

### WEBBING TOOL CONNECTOR

- Premium nylon webbing
- Fully enclosed D-ring for secure attachment
- Swivel head for ease of use with small tools
- Used with tool tape as retrofit tether point for tools/equipment

**FP533100352** - 4.5"  
**FP533100353** - 5.5"




Maximum Load Limit  
**2lb**  
0.9 kg

### WIRE SLING LOOP

- Loop end to tether tools with small captive holes
- Premium coated stainless steel cable wire

**FP533100801**



Maximum Load Limit  
**3lb**  
1.4 kg

### WIRE SLING WITH SCREW GATE

- Screw gate end to tether tools with small captive holes
- Premium coated stainless steel cable wire

**FP533100802**



Maximum Load Limit  
**15lb**  
6.8 kg

### TOOL BINDING TAPE

- Premium self-adhering tape
- 12 foot roll
- Used with webbing tool connectors as retrofit tether point for tools/equipment

**FP533700101**



Maximum Load Limit  
**15lb**  
6.8 kg

### ELASTICATED CORD TOOL CONNECTOR

- Provides retrofit attachment point to tools/equipment
- Elastic shock cording with barrel lock to attach to tool/equipment

**FP533100151**

Meets ANSI/ISEA 121-2018 dropped objects standard

## MAKE TOOLS TETHER-READY



STYLE NUMBER	DESCRIPTION	MAXIMUM LOAD LIMIT
<b>FP533100352</b>	Webbing Tool Connector - 4.5"	3 lb / 1.4 kg
<b>FP533100353</b>	Webbing Tool Connector - 5.5"	3 lb / 1.4 kg
<b>FP533100801</b>	Wire Sling Loop	2 lb / 0.9 kg

STYLE NUMBER	DESCRIPTION	MAXIMUM LOAD LIMIT
<b>FP533100802</b>	Wire Sling with Screw Gate	3 lb / 1.4 kg
<b>FP533700101</b>	Tool Binding Tape	15 lb / 6.8 kg
<b>FP533100151</b>	Elasticate Cord Tool Connector	15 lb / 6.8 kg



## Accessories

Scan it



Maximum Load Limit  
**2lb**  
0.9 kg



### HARD HAT LANYARD

- High-stretch elastic material
- Easy-to-attach clamp for fabric
- Tethering loop securely connects to hard hat

**FP533300101**



Maximum Load Limit  
**2lb**  
0.9 kg



### MEASURING TAPE POUCH

- Used to secure most standard tape measures
- Fully enclosed D-ring for secure attachment
- Premium nylon and hook-and-loop design for strength and durability

**FP533300301**



Maximum Load Limit  
**2lb**  
0.9 kg



### WRISTBAND TOOL HOLDER

- Premium nylon and elastic webbing
- Pull-on design for easy on/off application
- One size fits all

**FP533300401**



Maximum Load Limit  
**5lb**  
2.3 kg



### UTILITY POUCH

- Premium nylon and elastic webbing
- Fully enclosed D-Ring for secure attachment
- Used to secure radios, cell phones and other small hand tools

**FP533300201**

STYLE NUMBER	DESCRIPTION	MAXIMUM LOAD LIMIT
<b>FP533300101</b>	Hard Hat Lanyard	2 lb / 0.9 kg
<b>FP533300301</b>	Measuring Tape Pouch	2 lb / 0.9 kg

STYLE NUMBER	DESCRIPTION	MAXIMUM LOAD LIMIT
<b>FP533300401</b>	Wristband Tool Holder	2 lb / 0.9 kg
<b>FP533300201</b>	Utility Pouch	5 lb / 2.3 kg

## Tool Tethering Kit

Be confident you have the most common tool tethering safety items you need available in one convenient kit.

STYLE NUMBER	INCLUDES
<b>FP533900101</b>	FP533100011, FP533100352, FP533700101



**1** Durable Single-Leg Tool Lanyard  
FP533100011

**6** 4.5" Webbing Tool Connectors  
FP533100352

**1** 12-ft Roll of Premium Self-Adhering Tool Binding Tape  
FP533700101



# Chemical and Liquid PROTECTION

EN 374-3



AJK

## WHAT IS THE ALPHA CODING LISTING BELOW THE PICTOGRAM?

EN 374-3 coding: In order for a glove to receive the pictogram as shown, the glove must achieve a breakthrough time greater than (>) 30 minutes for at least 3 chemicals from the 12 listed below.

CODE LETTER	CHEMICAL	GAS NUMBER	CATEGORY
A	Methanol	67-56-1	Primary alcohol
B	Acetone	67-64-1	Ketone
C	Acetonitrile	75-05-8	Nitrile compound
D	Dichloromethane	75-09-2	Chlorinated paraffin
E	Carbon disulfide	75-15-0	Sulfur-containing organic compound
F	Toluene	108-88-3	Aromatic hydrocarbon
G	Diethylamine	109-89-7	Amine
H	Tetrahydrofuran	109-99-9	Heterocyclic and ethereal compound
I	Ethyl acetate	141-78-6	Ester
J	n-Heptane	142-85-5	Saturated hydrocarbon
K	Sodium hydroxide 40%	1310-73-2	Inorganic base
L	Sulfuric acid 96%	7664-93-9	Inorganic mineral acid

### BREAKTHROUGH TIME (BTT)

The number of minutes from initial contact with a test chemical until it is first detected on the inside of the glove.

### BREAKTHROUGH TIME PROTECTION INDEX

Each chemical tested is classified in terms of breakthrough time (performance level 0 to 6).

### PROTECTION INDEX

> 10 Minutes	Class 1
> 30 Minutes	Class 2
> 60 Minutes	Class 3
> 120 Minutes	Class 4
> 240 Minutes	Class 5
> 480 Minutes	Class 6

## DISPOSABLE GLOVE GRADES

### MEDICAL/EXAM GRADE

Medical/Exam grade disposable gloves go through rigorous factory-level testing to ensure the glove is high enough quality to provide effective barrier protection in higher-risk conditions. These gloves are commonly used in general clinics, emergency, first aid and on the frontline(s).

### FOOD GRADE

Food grade disposable gloves are an effective barrier to prevent cross-contamination by preventing hands from coming into direct contact with food, proteins and oils. Often used as a liquid barrier under or over cut-resistant gloves to prevent contamination and wetness.

### INDUSTRIAL GRADE

Industrial grade disposable gloves are typically 4 to 5 mill in thickness on average. Often used as limited use barrier gloves when coming into contact with unavoidable greases, oils, paints and other contaminants.



# Latex

Beef and Pork Processing / Fish Processing /  
Fruit and Vegetable Processing / Poultry Processing /  
Chemical Handling / Chemical Refining / Cleaning /  
Light-Assembly Tasks / Refining—Oil and Petrol /  
Chemical Processing and Preparation /  
Maintenance of Plant and Heavy Equipment /  
Detergents and Cleaning Liquids / Janitorial Use



Scan it



PINKED CUFF

EN 374



### GP48L185P

- Honeycomb pattern for enhanced grip on wet or dry surfaces
- Pinked cuff offers additional tear resistance
- Ideal for janitorial, sanitation and general maintenance



ROLLED CUFF

EN 374



### GP48L212Y

- Raised diamond pattern for enhanced grip in wet or dry conditions
- Flock lining provides increased comfort and ease of donning



STRAIGHT CUFF

EN 374



### GP48L300K

- Raised diamond pattern for enhanced grip in wet or dry conditions
- Flock lining provides increased comfort and ease of donning

## FOR GENERAL MAINTENANCE APPLICATIONS

### Assurance® Flock Lined Latex

STYLE NUMBER	EN 374	Z1 CFR	CFIA	POLYMER	COLOR	THICKNESS	CUFF	LENGTH	CONSTRUCTION	GRIP PATTERN	LINING	SIZES
GP48L185P	AKL	Yes	Yes	Latex	Pink	18 mil	Pinked	12"	Unsupported	Honeycomb	Flocked	S-XL
GP48L212Y	ABK	Yes	Yes	Latex	Yellow	21 mil	Rolled	12"	Unsupported	Raised Diamond	Flocked	XS-XL
GP48L300K	AJKNPT	Yes	No	Latex	Black	28 mil	Straight	12"	Unsupported	Raised Diamond	Flocked	M-2XL





# Nitrile

Cleaning / Laboratory Analysis / Printing Industries / Refining – Oil and Petrol / Agrochemicals / Assembly / Chemical Processing and Preparation / Degreasing / Fruit and Vegetable Processing / Fish Processing / Meat and Poultry Processing / Janitorial Use / Beef and Pork Processing



Scan it



RAISED DIAMOND GRIP



### GP50N110G

- Raised diamond pattern for enhanced grip in wet or dry conditions
- Unlined to reduce potential of product contamination



RAISED DIAMOND GRIP



### GP50N160G

- Raised diamond pattern for enhanced grip in wet or dry conditions
- Flock lining provides increased comfort and ease of donning

## PROTECTS FROM SOLVENTS AND OIL-BASED CHEMICALS

### Assurance® Unlined Nitrile

STYLE NUMBER	EN 374	21 CFR	CFR	POLYMER	COLOR	THICKNESS	CUFF	LENGTH	CONSTRUCTION	GRIP PATTERN	LINING	SIZES
GP50N110G	ABK	Yes	Yes	Nitrile	Green	11 mil	Straight	13"	Unsupported	Raised Diamond	Unlined	S-2XL

### Assurance® Flock Lined Nitrile

GP50N160G	AJK	Yes	Yes	Nitrile	Green	15 mil	Straight	13"	Unsupported	Raised Diamond	Flocked	S-2XL
-----------	-----	-----	-----	---------	-------	--------	----------	-----	-------------	----------------	---------	-------





# Neoprene Flock Lined Canners

Scan it

Cleaning / Laboratory Analysis / Refining – Oil and Petrol Petrochemicals / Specialty Chemicals



### GP523665

- Provides superior protection from a wide range of chemicals such as acids, caustics, solvents and oils
- Raised diamond pattern for enhanced grip in wet or dry conditions



### GP523672

- Double dipped for versatile chemical resistance properties of neoprene, and the comfort of latex
- Raised diamond pattern for enhanced grip in wet or dry conditions

Superior protection  
from a wide range  
of chemicals

STYLE NUMBER	EN 374	ZI CFR	CFR	POLYMER	COLOR	THICKNESS	CUFF	LENGTH	CONSTRUCTION	GRIP PATTERN	LINING	SIZES
GP523665	AKL	Yes	No	Neoprene	Black	28 mil	Straight	12"	Unsupported	Raised Diamond	Flocked	S-XL
GP523672	KPT	Yes	No	Neoprene over Latex	Blue/Yellow	19 mil	Straight	12"	Unsupported	Raised Diamond	Flocked	S-XL



# Insulated Supported PVC & Specialty PVC Blends

Scan it

Outdoor General Applications / Chemical Handling / Food Processing / Cold Storage / Cleaning and Degreasing



### GP587303

- Liquid proof
- Foam insulated to keep hands warm and dry
- Hi-Vis for enhanced hand visibility



### GP587305

- Triple layered with interlock, foam insulation and jersey liner
- Safety cuff helps protect wrist and allows for fast removal
- Hi-Vis for enhanced hand visibility



### GP588651

- Special PVC blend stays soft and flexible in cold applications
- Rough finish provides good grip in wet and dry applications

#### Insulated Supported PVC

STYLE NUMBER	EN 374	ANSI	EN 388	POLYMER	COLOR	CUFF	LENGTH	CONSTRUCTION	GRIP PATTERN	LINING	SIZES
GP587303	-	-	-	PVC	Hi-Vis Orange	Knit Wrist	11"	Supported	Smooth	Foam	MEN'S
GP587305	-	-	-	PVC	Hi-Vis Orange	Safety	10"	Supported	Smooth	Foam	MEN'S

#### Specialty PVC Blends

GP588651	-	-	312XX	PVC	Brown	Straight	12"	Supported	Rough	Interlock	S-XL
----------	---	---	-------	-----	-------	----------	-----	-----------	-------	-----------	------




## Extended Use

Automotive / Assembly / Paint Spraying / Electroplating /  
Cleaning / Asbestos Removal / Janitorial Use



Scan it



### GP67308

- Latex-free
- Fish scale surface for wet and dry grip
- Suitable for all food types
- Bagged for food environments

6 MIL



### GP67307

- Chemical resistant
- Latex-free
- Fish scale surface for wet and dry grip
- Flexible, snug fit

7 MIL



### GP67246

- Chemical resistant
- Latex-free
- Fish scale surface for wet and dry grip
- Superb snug fit

6 MIL

Also available in orange:  
**GP67256**

## Patented Fish Scale Pattern Gives Superior Grip

Grippaz® technology features a patented fish scale pattern that provides unparalleled grip performance. Grippaz® gloves are ergonomically designed to provide traction grip on the outside and inside of the glove.



STYLE NUMBER	Z1CFR	CFIA	GRADE	THICKNESS	COLOR	GRIP PATTERN	POWDER	SIZES	BOX COUNT
GP67308	Yes	No	Food	8 mil	Blue	Fish Scale	Powder-Free	M-3XL	48
GP67307	Yes	No	Industrial	7 mil	Orange	Fish Scale	Powder-Free	S-3XL	50
GP67246	Yes	No	Industrial	6 mil	Black	Fish Scale	Powder-Free	S-2XL	50
GP67256	Yes	No	Industrial	6 mil	Orange	Fish Scale	Powder-Free	S-2XL	50



Scan it

**Ambi-dex**

# Nitrile Single-Use

Inspection / Assembly and Inspection / Equipment Repair and Maintenance / Painting and Printing / Automotive



### GP2910

- Industry grade
- Economical & puncture resistance with great comfort, dexterity and tactile sensitivity
- Textured grip provides a good grip in wet or dry environments
- Ambidextrous for quick and easy donning

## FOR GENERAL DUTY APPLICATIONS, DIRT AND OIL

#### Ambi-dex® Nitrile Single-Use

STYLE NUMBER	21 CFR	CFIA	GRADE	THICKNESS	COLOR	GRIP PATTERN	POWDER	SIZES	BOX COUNT
GP2910	Yes	No	Industrial	4 mil	Blue	Textured	Powder-Free	XS-2XL	100



Scan it

**Ambi-dex**

# Non-Latex Synthetic Single-Use

Food Processing / Food Production / Laboratory Applications / Pharmaceuticals / Electronics



### GP64346PF

- Have the look, fit and feel of latex without the concern of natural rubber latex proteins
- Excellent form-fitting grip
- Complies with FDA food handling requirements 21 CFR, Part 177

## FOR PROTECTION FROM LIQUIDS AND DEBRIS

#### Ambi-dex® Non-Latex Synthetic

STYLE NUMBER	21 CFR	CFIA	GRADE	THICKNESS	COLOR	GRIP PATTERN	POWDER	SIZES	BOX COUNT
GP64346PF	Yes	No	Industrial	4 mil	White	Smooth	Powder-Free	S-XL	100



# Food SAFETY

This section of the catalog contains PPE commonly used in food manufacturing, processing and handling applications where both worker safety and food safety are essential. Gloves and sleeves are used to help protect workers against cuts, heat or cold exposure, as well as liquid and chemical splash or immersion.

Items like bouffants, beard covers and single-use gloves are imperative in the important task of food safety, keeping the food product from being contaminated.

Other PPE products – including eye and hearing protection, boots, aprons and clothing – focus on worker safety, helping protect workers from dangerous noise and fluid splash or bone shards during the manufacturing process.

## Gloves and Sleeves

Gloves and sleeves from PIP® provide a wide range of protective properties; from disposable gloves that help prevent product contamination while keeping hands clean and dry, to unsupported and supported polymer gloves that provide chemical, liquid and thermal protection, to seamless knit gloves that provide high-level cut protection. PIP® tests products to be compliant with U.S. and European standards to ensure worker confidence and safety.

- > ANSI/ISEA 105-2016 is the U.S. standard for specific performance properties related to mechanical protection, including cut, puncture and abrasion resistance.
- > EN ISO 374-1:2016 addresses terminology and performance requirements for chemical risks.

## Food Safety Specifications

Food Safety Specifications – The Code of Federal Regulations Title 21 (21 CFR) contains rules established by the U.S. Food and Drug Administration (FDA) that are organized into more than 200 parts. Parts 174 and 177 relate to items used in food processing, manufacturing, preparation and handling.

Part 174 addresses specifications related to “items that come into contact with food as part of packaging, holding, or processing, but are not intended to be added directly to, become a component, or have a technical effect in or on the food” as Indirect Food Additives. Because gloves, in particular, come into contact with food during production, the materials used in making protective gloves and sleeves are included in this group. Part 177 addresses specifications related to materials or polymers. All the gloves and sleeves that PIP® recommends for food contact are synthetic and polymer-based.

Product noted within this catalog as 21 CFR compliant are deemed to be made from compliant materials.



**THE #1 TRUSTED BRAND FOR HIGH-RISK FOOD INDUSTRY WORKERS**

Made in the USA, Claw Cover® is designed to provide high-level cut protection while complying with both U.S. and Canadian standards for food contact. Claw Cover® products are launderable and can be used for operations where direct, indirect and incidental contact with food may occur.



**EXTREME CUT PROTECTION FOR FOOD PROCESSING**

US Mesh® is the only choice for serious users in Food Safety. This preferred line of steel mesh gloves, sleeves and clothing delivers maximum cut protection and significant protection against stabs and punctures for Food Processing operations.



Scan it



# US MESH®

PROTECT FOOD WORKERS  
FROM EXTREME CUT HAZARDS

Butchering / Cleaning / Food Preparation / Knife Sharpening



**21**  
CFR

### GPUSM1105

- Original adjustable closure with sewn-on web strap and snap, side split for easy donning and doffing
- 4-ring joined to protect against knife stabs and punctures
- Ergonomically constructed for maximum wearer comfort and safety
- Compliant with FDA 21 CFR 1772800 and approved for direct food contact



**21**  
CFR

### GPUSM1147

- Metal spring is self-adjusting to the right fit
- All metal design features a fully-enclosed spring at the wrist for a secure, comfortable fit
- 4-ring joined to protect against knife stabs and punctures
- Ergonomically constructed for maximum wearer comfort and safety
- Compliant with FDA 21 CFR 1772800 and approved for direct food contact



**21**  
CFR

### GPUSM1180

- Steel prong for a fully adjustable, comfortable fit
- Premium 4-ring hook ups on all glove seams for the ultimate in strength and puncture resistance
- Compliant with FDA 21 CFR 1772800 and approved for direct food contact



**21**  
CFR

### GPUSM1305

- Original adjustable closure with two replaceable web straps with snap closure
- Premium 4-ring hook ups on all glove seams for the ultimate in strength and puncture resistance
- Mid-length cuff for extended coverage of the wrist
- Compliant with FDA 21 CFR 1772800 and approved for direct food contact



**21**  
CFR

### GPUSM1547

- Metal self-adjusting, spring for the right fit, fully enclosed in mesh to avoid pinches
- Max-length cuff with an all metal design features a fully-enclosed spring at the wrist and forearm for a secure, comfortable fit
- Stiffeners in cuff to keep it in place on arm
- Compliant with FDA 21 CFR 1772800 and approved for direct food contact



**21**  
CFR

### GPUSM3105

- Wrist-to-shoulder sleeve includes an adjustable chest strap that provides a custom fit and keeps the sleeve in position for all-day wear
- Web cuff at the wrist includes adjustable snap closure
- Compliant with FDA 21 CFR 1772800 and approved for direct food contact

#### Hand Protection

STYLE NUMBER	21 CFR	MATERIAL	CLOSURE	LENGTH	SIZES
GPUSM1105	Yes	316L Surgical Grade Stainless Steel	Adjustable Snap Strap	Wrist	2XS-3XL
GPUSM1147	Yes	316L Surgical Grade Stainless Steel	Self-Adjusting Metal Spring	Wrist	XS-XL
GPUSM1180	Yes	316L Surgical Grade Stainless Steel	Metal Steel Prong	Wrist	XS-2XL
GPUSM1305	Yes	316L Surgical Grade Stainless Steel	Adjustable Snap Strap	Mid-Length	XS-XL
GPUSM1547	Yes	316L Surgical Grade Stainless Steel	Self-Adjusting Metal Spring	Max-Length	XS-XL

#### Arm Protection

GPUSM3105	Yes	316L Surgical Grade Stainless Steel	Adjustable Snap Strap	-	S-2XL
-----------	-----	-------------------------------------	-----------------------	---	-------



Scan it

# Metal Mesh Garments

## Aprons



### GPUSM210020X34

- Stainless steel rings deliver the highest level of cut resistance available, plus significant protection against stabs and punctures
- Adjustable elastic straps help customize the fit
- Compliant with FDA 21 CFR 177.2800 and approved for direct food contact



### GPUSM210720X34

- Stainless steel rings deliver the highest level of cut resistance available, plus significant protection against stabs and punctures
- All stainless steel front with 3-piece elastic strap set for customized fit
- Compliant with FDA 21 CFR 177.2800 and approved for direct food contact

## Tunics



### GPUSM4300L

- Full body tunic provides protection from shoulders to knees, front and back
- The lightweight stainless steel wire allows for greater comfort without sacrificing durability or safety
- Compliant with FDA 21 CFR 177.2800 and approved for direct food contact



### GPUSM4352L

- Extended apron front and full back (24") provides full protection, with added belly guard for enhanced safety
- The lightweight stainless steel wire allows for greater comfort without sacrificing durability or safety
- Compliant with FDA 21 CFR 177.2800 and approved for direct food contact

### Apron

STYLE NUMBER	21 CFR	MATERIAL	STRAPS	COVERAGE	SIZES
GPUSM210020X34	Yes	316L Surgical Grade Stainless Steel	Adjustable Elastic Straps	-	20" x 34"
GPUSM210720X34	Yes	316L Surgical Grade Stainless Steel	Adjustable Elastic Straps	-	20" x 34"
GPUSM2065	Yes	316L Surgical Grade Stainless Steel	Adjustable Elastic Straps	-	20" x 25"
GPUSM2200	Yes	316L Surgical Grade Stainless Steel	Adjustable Elastic Straps	-	26" x 34"
GPUSM9025	Yes	-	Replacement Elastic Strap	-	25"

### Tunic

GPUSM4300L	Yes	316L Surgical Grade Stainless Steel	-	Upper Torso and Thighs	S-3XL
GPUSM4352L	Yes	316L Surgical Grade Stainless Steel	-	Upper Torso and Thighs, and Belly Guard	XS-2XL





Scan it



# Claw Cover®

AFFORDABLE PROTECTION  
OPTIMIZED FOR FOOD APPLICATIONS

Cutting / Chopping / Trimming / Filleting



ANSI  
A5

### GP14ASP700

- PolyKor® engineered yarns offer exceptional cut and slash resistance
- Medium weight cut resistant glove ideal for food processing
- Complies with FDA food handling requirements 21 CFR, Part 177



ANSI  
A7

### GP22760

- Dyneema® blend enhances the glove's performance
- Excellent cut resistance protects against cuts and scrapes
- Antimicrobial fiber has been shown to inhibit the growth of microorganisms
- Unparalleled comfort, fit and coolness
- Complies with FDA food handling requirements 21 CFR, Part 177



ANSI  
A7

### GP22900

- Dyneema® blend enhances the glove's performance
- Excellent cut resistance protects against cuts and scrapes
- Secure grip in wet and dry environments
- UV stable, will not degrade over time
- Complies with FDA food handling requirements 21 CFR, Part 177

#### Claw Cover® with PolyKor® Technology

STYLE NUMBER	ANSI CUT	21 CFR	MATERIAL	COLOR	CONSTRUCTION	GAUGE	WEIGHT	GRIP	SIZES
GP14ASP700	A5	Yes	Claw Cover® made with PolyKor®	Salt & Pepper	Seamless Knit	7	Heavyweight	Uncoated	S-XL

#### Claw Cover® with Dyneema® Technology

GP18SD385	A6	Yes	Claw Cover® made with Dyneema®	Gray	Seamless Knit, Extended Cuff	7	Heavyweight	PVC	L
GP22760	A7	Yes	Claw Cover® made with Dyneema®	White	Seamless Knit	10	Medium Weight	Uncoated	XS-XL
GP22900	A7	Yes	Claw Cover® made with Dyneema®	Gray	Seamless Knit	7	Heavyweight	Uncoated	XS-XL



Scan it



# Claw Cover®

THE #1 TRUSTED BRAND FOR  
HIGH-RISK FOOD INDUSTRY WORKERS

Cutting / Chopping / Trimming / Filleting



ANSI  
A9

### GPCS7LGYAC

- Protection against high cut hazards
- Antimicrobial properties will not wash out of the fiber and will last the life of the sleeve

## ENGINEERED PROTECTION FOR FOOD APPLICATIONS

#### Claw Cover® Made with HPPE Technology

STYLE NUMBER	ANSI CUT	21 CFR	MATERIAL	CONSTRUCTION	PLY	TOP CUFF	BOTTOM CUFF	COLOR	STANDARD LENGTH
GPCS7LGYAC	A9	Yes	Claw Cover® made with HPPE	Seamless Knit	1	Alligator Clip	Straight	Gray	22"



Scan it



## Trusted Liquid Protection

Red Meat Processing / Fish Processing / Fruit and Vegetable Processing / Poultry Processing



EN 374  
ABK  
**21**  
CFR

### GP50N110G

- Lightweight to offer high dexterity and sensitivity
- Raised diamond pattern provides added grip on wet or dry surfaces



EN 374  
AJK  
**21**  
CFR

### GP50N160G

- Lightweight to offer high dexterity and sensitivity
- Raised diamond pattern provides added grip on wet or dry surfaces



EN 374  
AKL  
**21**  
CFR

### GP523665

- Provides superior protection from a wide range of chemicals such as acids, caustics, solvents and oils
- Raised diamond pattern for enhanced grip in wet or dry conditions

#### Assurance® Unsupported Chemical Resistant Gloves

STYLE NUMBER	EN 374	21 CFR	CFIA	POLYMER	COLOR	THICKNESS	CUFF	LENGTH	CONSTRUCTION	GRIP PATTERN	LINING	SIZES
GP50N110G	ABK	Yes	Yes	Nitrile	Green	11 mil	Straight	13"	Unsupported	Raised Diamond	Unlined	S-2XL
GP50N160G	AJK	Yes	Yes	Nitrile	Green	15 mil	Straight	13"	Unsupported	Raised Diamond	Flocked	XS-2XL
GP523665	AKL	Yes	-	Neoprene	Black	28 mil	Straight	12"	Unsupported	Raised Diamond	Flocked	S-XL



Scan it



## Extended Use & Single-Use Hand Protection

BUILT FOR LIQUID AND CONTACT PROTECTION

Food Processing / Food Service / Food Production



### GP67308

- Globally patented internal and external fish scale grip pattern
- Engineered for handling animal fats and proteins
- Rip-stop design to lower risk of foreign material contamination



### GP64346PF

- Have the look, fit and feel of latex without the concern of natural rubber latex proteins
- Stretch vinyl polymer provides excellent form-fitting comfort, grip and performance



### GP2910

- Textured and provides a good grip in wet or dry environments
- Powder-Free for clean comfort and tactile sensitivity

#### Grippaz® Extended Use Disposable Gloves

STYLE NUMBER	21 CFR	CFIA	MATERIAL	THICKNESS	COLOR	GRIP PATTERN	POWDER	SIZES	BOX COUNT
GP67308	Yes	-	Nitrile	8 mil	Blue	Fish Scale	Powder-Free	M-3XL	48
GP67256	Yes	-	Nitrile	6 mil	Orange	Fish Scale	Powder-Free	S-2XL	50

#### Ambi-Dex® Single-Use Disposable Gloves

STYLE NUMBER	21 CFR	CFIA	MATERIAL	THICKNESS	COLOR	GRIP PATTERN	POWDER	SIZES	BOX COUNT
GP64346PF	Yes	No	Non-Latex Synthetic	4 mil	White	Smooth	Powder-Free	S-XL	100
GP2910	Yes	No	Nitrile	4 mil	Blue	Textured	Powder-Free	S-2XL	100



## Hard Hats

Scan it



### COLORS AVAILABLE



### Dynamic® Whistler™ Hard Hat

#### HP241R

- Cap style hard hat with HDPE shell
- 4-point nylon suspension
- Wheel ratchet adjustment



### COLORS AVAILABLE



### Dynamic® Bump Cap

#### HP940

- Lightweight ventilated HDPE shell
- 4-point pin lock suspension

### Hard hats

#### STANDARDS MET

STYLE NUMBER	CLASS	TYPE	ANSI Z89.1	CSA Z94.1-15	SHELL MATERIAL	SUSPENSION	SIZE ADJUSTMENT	BRIM
HP241R	Class E (NON-VENTED)	Type I	•	•	HDPE	4-Point Nylon	Wheel Ratchet	Standard
HP940	-	-	-	-	HDPE	4-Point Nylon	Pin Lock	Standard

## Eyewear



### Curve™ Frameless Safety Glasses with 4A Coating and Universal Bridge System

#### EP505C

- Popular low-profile design
- High 9.0 base curve for better coverage and wider field of view
- Made of lightweight non-conductive high impact polycarbonate
- Absorbs more than 99.9% of harmful UV light
- 4A Coating: anti-scratch, anti-UV, anti-static, and anti-fog
- CSA certified Z94.3-20 and meets and/or exceeds ANSI Z87.1 requirements



### Curve™ Frameless Safety Glasses with 3A Coating and Universal Bridge System

#### EP500C

- Popular low-profile design
- High 9.0 base curve for better coverage and wider field of view
- Made of lightweight non-conductive high impact polycarbonate
- Absorbs more than 99.9% of harmful UV light
- 3A Coating: anti-scratch, anti-UV, and anti-static
- CSA certified Z94.3-20 and meets and/or exceeds ANSI Z87.1 requirements



### Ladies Mini™ Frameless Safety Glasses with 3A Coating and Universal Bridge System

#### EP325PC

- Women's specific spectacle, designed for narrower and smaller faces
- Contemporary frames are available in three vivid colors
- 3A Coating: anti-scratch, anti-UV, and anti-static
- CSA certified Z94.3-20 and meets and/or exceeds ANSI Z87.1 requirements

### Eyewear

#### STANDARDS MET

STYLE NUMBER	LENS	COATING	FRAME	ANSI Z87.1+	CSA Z94.3	BASE CURVE	FIT	BRIDGE	TEMPLE
EP505C	Clear	4A	Clear	•	•	9.0	Universal	Molded	Spatula
EP500C	Clear	3A	Clear	•	•	9.0	Universal	Molded	Spatula
EP325PC	Clear	3A	Pink	•	•	-	Universal	Molded	Spatula
EP3256C	Clear	3A	Green	•	•	-	Universal	Molded	Spatula
EP3250C	Clear	3A	Orange	•	•	-	Universal	Molded	Spatula





# Full Face Protection

**Dynamic® Bump Cap  
(HP940)**

**Dynamic® Face Shield Bracket  
(EPB940)**

**Dynamic® Clear PETG Splash Visor  
(EP815)**



## Brackets



### EPB101

- Compatible with cap style hard hats
- Accepts a wide range of faceshield styles and earmuffs
- Lightweight plastic, dielectric
- Swivel system to raise or lower faceshield



### EPB940

- Compatible with Dynamic® bump caps
- Compatible with most visors in the market
- Lightweight plastic, dielectric
- Swivel system to raise and lower the visor with two parking positions

#### Brackets

STYLE NUMBER	COMPATIBLE WITH	HOLE PATTERN	MATERIAL	ENHANCEMENTS
EPB101	Cap Style Hard hats	Universal	Plastic	Swivel System
EPB940	Dynamic® Bump Caps	Universal	Plastic	Swivel System

## Visors



### EP81540

- PETG visors are suitable for liquid splash applications
- Universal hole pattern will fit most headgear and hard hat adapters in the market
- Ships with masking on both sides to prevent scratching



### FA81520

- PETG visors are suitable for liquid splash applications
- Lightweight and compatible with Dynamic® bump caps

#### Visors

STYLE NUMBER	SIZE	MATERIAL	COLOR	THICKNESS
EP81540	8" x 15.5"	PETG	Clear	0.040 in / 1.0 mm
FA81520	8" x 15.5"	PETG	Clear	0.020 in / 0.5 mm



# Hearing Protection



Scan it



## Headband

**24**  
NRR



**Dynamic<sup>®</sup> Spitfire™**  
NP111

- Dielectric headband reduces electrical hazards
- Smooth telescopic height adjustment for optimized comfort and seal
- Protection for moderate noise exposure (NRR 24)

**27**  
NRR



**Dynamic<sup>®</sup> Hercules™**  
NP113

- Dielectric headband reduces electrical hazards
- Smooth telescopic height adjustment for optimized comfort and seal
- Protection for high noise exposure (NRR 27)


### Headbands

STYLE NUMBER	NRR	TYPE	DIELECTRIC	SIZE ADJUSTMENT	COLOR
NP111	24	Banded	Yes	Slide	Black/Blue
NP113	27	Banded	Yes	Slide	Black/Green

## MAXIMUM HEARING PROTECTION



## Metal Detectable Ear Plugs



Tapered shape  
for easy insertion

### Mega Bullet™ and Food Pro Bullet™ Plus

- Regular size fits most ear canals
- Easy roll-down for quick and easy insertion
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort
- Shape conforms to most ear canals for maximum sound attenuation
- For use in the food industry



Hybrid foam plug and  
unique stem enable  
easy insertion

### EZ-Twist™ NP267HPF610D

- No need to roll down before fitting, ideal for use with dirty hands
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort
- Shape conforms to most ear canals for maximum sound attenuation
- For use in the food industry



Push-to-fit style reduces  
the risk of contamination

### 4-Flange Reusable NP267HPR410D

- Self-sealing 4 flange TPR (thermoplastic rubber) for all-day use and secure sound attenuation
- Metal detectable version offers metal infused ear plugs and cord for more detectability
- Metal detectable cord is NOT removable

### Ear Plugs

STYLE NUMBER	NRR	USE	CORDING	MATERIAL	SIZE	SHAPE	COLOR	DETECTABLE	PAIR / PACK
NP267HPF210D	32	Single	Blue Metal Detectable Cord	PowerSoft™ Polyurethane Foam	Standard	Bullet	Blue	Yes	100 / Box
NP267HPF610D	30	Single	Blue Metal Detectable Cord	PowerSoft™ Polyurethane Foam	Standard	Cylinder Push-In	Blue	Yes	100 / Box
NP267HPR410D	27	Reusable	Blue Metal Detectable Cord	TPR (thermoplastic rubber)	Standard	4-flange	Blue	Yes	100 / Box
NP267HPF810D	33	Single	Blue Metal Detectable Cord	PowerSoft™ Polyurethane Foam	Standard	Bullet	Blue	Yes	100 / Box
NP267HPF910D	32	Single	Blue Metal Detectable Cord	PowerSoft™ Polyurethane Foam	Standard	Contoured	Blue	Yes	100 / Box





## PVC Boots

Scan it



**FULL SAFETY  
STEEL TOE  
& MIDSOLE**

Enhanced durability, protection and comfort

### 16" PVC Full Safety Steel Toe and Midsole Boot

PC383820

- Flexible steel puncture resistant midsole reduces risks from sharp objects and meets ASTM F2413 PR
- Energy absorbing tread adds all-day comfort
- Less toe spring allows for more surface contact for improved channeling of water for better traction, slip resistance and comfort
- Tough outsole for good abrasion resistance
- Flexible upper material stays supple in cold temperatures to make walking easier
- Midsole is designed to utilize additional material in the standard area of the shank providing increased support and comfort
- Lower profile "kick off" ledge on back of boots for ease of removal
- Meets ASTM F2413-18 M/I/C Impact and Compression
- CSA Certified
- Sizes 6-14

#### Foot Protection

STYLE NUMBER	MATERIAL	TYPE	COLOR	COMPLIANT TO	TREAD PATTERN	SIZES
PC383820	PVC	16"	Black	CSA	Cleated	6-14

# INCREASED SUPPORT AND COMFORT



## First Aid Kits

Scan it



Preparedness on the worksite

### PIP Dynamic® First Aid Kits

ASSORTED\*

- Compact, easily identifiable, and containing the supplies you need to treat workplace injuries and potential emergencies
- Kits exist for many situations and can be personalized, please refer to your province's guidelines in order to determine the correct kit for your needs

\*Refer to our First Aid Kit product page for our complete assortment

# Welding

## SAFETY

### Find the right product for the job

Every day, welders face extreme environments complete with heat, sparks and slag. Choosing the right protection is essential to not only minimizing safety risks but maximizing worker productivity and the quality of the weld. When selecting hand protection, consider the application and environment to properly equip welders with gloves that are designed to meet the unique demands of welding.

Caiman® and Ironcat® welding gloves by PIP® are specifically designed for the various heat shielding, dexterity and protection demands of stick, MIG and TIG welding.

### Stick

#### **MAXIMUM HEAT PROTECTION AND DURABILITY**

Gloves for stick welding are designed with thicker materials to withstand higher heat. The longer length provides better forearm coverage, while welts protect finger seams against sparks and abrasion. Various materials (split cowhide, elk), linings (cotton, foam insulation) and thumb designs (wing, straight, reinforced strap) are available to suit worker preferences.

### MIG

#### **ENHANCED DEXTERITY AND COMFORT**

MIG welding gloves allow for maximum dexterity with an unlined palm, while foam insulation on the back of the hand provides increased heat protection. Various lightweight materials are available including cowhide for durability, goatskin for increased dexterity, deerskin for unparalleled comfort and pigskin, which stays pliable even with increased wear and exposure to moisture. Wing thumb designs for open-handed work are available, as are straight thumb designs for better grip. A reinforced thumb strap increases durability in high-wear areas.

### TIG

#### **EXTREME PRECISION AND DURABILITY**

Constructed of lightweight materials, unlined TIG welding gloves allow for maximum dexterity. Goatskin provides durability and comfort, while kidskin offers unmatched dexterity. For a softer feel and comfort, deerskin gloves are the best option. Wing thumb designs ideal for open-handed work are also available in a straight thumb design for optimal torch grip.





Scan it



# PREMIUM Stick / MIG Welding Gloves

The Revolution® Series offers a 3-dimensional, form-fitting design never before applied to welding gloves. The Revolution® Series has become known as the top-of-the-line, most premium welding gloves in the world.

From material selection to the attention to design details, Revolution® delivers unprecedented comfort, style and safety.

Revolution®, as the name suggests, is a complete departure from traditional welding gloves with minimal comfort, finger dexterity, or aesthetic value. Caiman® Revolution® gloves instantly set the bar higher and became the new standard for others to follow.

Industrial Fabrication / Infrastructure Construction / Shipbuilding / Railroads / Heavy-Duty Industrial



ANSI  
A5



### GP1507

CUT RESISTANT COW SPLIT PARA-ARAMID LINED MIG/STICK WELDING GLOVES  
- Kontour™ form-fitting design  
- Natural thumb design for proper ergonomic fit  
- Reinforced palm and thumb for added durability  
- Para-Aramid blend lining provides added cut and heat resistance



ANSI  
A5



### GP1877

CUT RESISTANT 21" DEERSKIN PARA-ARAMID LINED STICK WELDING GLOVES  
- Genuine leather heat shield patch, reinforced palm, cuff and lean-on patch  
- Exclusive 3-dimensional, pre-curved fingers and form-fitting design for ultimate fit, comfort and dexterity  
- Para-Aramid blend lining provides added cut and heat resistance



### GP1832

GRAIN LEATHER FR FLEECE LINED WELDING GLOVES  
- Kontour™ form-fitting design  
- Wraparound index trigger patch, palm and lean-on patch  
- Full-sock insulation with FR fleece and padded palm



### GP1816

DEERSKIN FR FOAM FLEECE LINED WELDING GLOVES  
- Kontour™ form-fitting design  
- Patented double stitched palm padding and wear patch  
- Full-sock insulation with FR foam/fleece



### GP1878

21" DEERSKIN FR INSULATED WELDING GLOVES  
- Kontour™ form-fitting design  
- Leather heat shield patch, reinforced palm, cuff and lean-on patch  
- Sock-lined FR cotton fleece insulated

#### Premium Revolution® Series

STYLE NUMBER	HIDE	GRADE	STITCHING	COLOR	LINING	CUFF	SIZES
GP1507	Split Cowhide	Premium	Kevlar™	Blue / Charcoal	Para-Aramid Blend	Gauntlet	OS
GP1877	Deerskin	Premium	Kevlar™	Gold / Black	Para-Aramid Blend	Scalloped	OS
GP1816	Split Deerskin	Premium	Kevlar™	Green / Gold	FR Foam Fleece	Gauntlet	M-XL
GP1832	Top Grain Goatskin	Premium	Kevlar™	Gold / Black	FR Fleece	Gauntlet	L-XL
GP1878	Deerskin / Split Cowhide	Premium	Kevlar™	Gold / Black	FR Cotton Fleece	Scalloped	L-XL, LHO





## Premium Revolution® Series



**GP1504**  
SPLIT COWHIDE FR COTTON LINED  
WELDING GLOVES

- Kontour™ form-fitting design
- Thumb strap for added durability
- Sock-lined with fleece for thermal protection



**GP1508**  
18" SPLIT COWHIDE FLEECE LINED  
WELDING GLOVES

- Kontour™ form-fitting design
- Reinforced palm and index area for added durability
- Sock-lined with fleece for thermal protection



**GP1512**  
SPLIT COWHIDE WOOL INSULATED BACK  
WELDING GLOVES

- Kontour™ form-fitting design
- Kontour Wrist™ design to enhance comfort and safety
- Wool lined for advanced thermal protection



**GP1520**  
GRAIN GOATSKIN WOOL INSULATED BACK  
WELDING GLOVES

- Kontour™ form-fitting design
- Kontour Wrist™ design to enhance comfort and safety
- Wool lined for advanced thermal protection



**GP1810**  
GRAIN COWHIDE UNLINED PALM  
WITH 2-LAYER INSULATED BACK  
WELDING GLOVES

- Kontour™ form-fitting design
- Unlined, padded and reinforced palm for added protection and comfort
- Two-layer insulated back for protection against radiant heat



**GP1812**  
GRAIN PIGSKIN FR COTTON FLEECE LINED  
WELDING GLOVES

- Kontour™ form-fitting design
- Double layered protection features lean-on and heat shield reinforcements on the left hand
- Sock-lined FR cotton fleece insulated

### Premium Revolution® Series

STYLE NUMBER	HIDE	GRADE	STITCHING	COLOR	LINING	CLIFF	SIZES
GP1504	Split Cowhide	Premium	Kevlar™	Gray / Black	Fleece	Gauntlet	One Size
GP1508	Split Cowhide	Premium	Kevlar™	Blue / Black	Fleece	Gauntlet	One Size
GP1512	Split Cowhide	Premium	Kevlar™	Blue / Gold	Wool	Gauntlet	One Size
GP1520	Goatskin	Premium	Kevlar™	Blue / Black	Wool	Gauntlet	One Size
GP1810	Top Grain Cowhide	Premium	Kevlar™	Natural / Gold	Unlined Palm with Foam Fleece Back	Gauntlet	M-2XL
GP1812	Grain Pigskin	Premium	Kevlar™	Natural / Gold	FR Cotton Fleece	Gauntlet	L-XL

## Industrial Grade



**GP1448**  
SPLIT COWHIDE ALUMINIZED  
WELDING GLOVES

- Kontour™ form-fitting design
- HeatFlect™ aluminized insulation reflects radiant heat
- Aerofoam™ lining with full sock construction for unmatched comfort and insulation



**GP1524**  
SPLIT COWHIDE ALUMINIZED BACK  
WELDING GLOVES

- Kontour™ form-fitting design
- Aluminized rayon back for radiant heat protection
- Wool lined for advanced thermal protection



**GP1485**  
ELKSKIN UNLINED PALM WITH WOOL  
INSULATED BACK WELDING GLOVES

- Kontour™ form-fitting design
- Thumb reinforcement strap, pulse protector
- Wool lined for advanced thermal protection


### Industrial Grade

STYLE NUMBER	HIDE	GRADE	STITCHING	COLOR	LINING	CLIFF	SIZES
GP1452	Split Cowhide	Premium	Kevlar™	Gold	Aerofoam™	Straight	One Size
GP1448	Split Cowhide	Premium	Kevlar™	Black / Gold	Aerofoam™ liner with HeatFlect™ insulation	Straight	One Size
GP1485	Grain Elkskin	Premium	Kevlar™	Gold / Gray	Wool	Gauntlet	M-XL
GP1524	Split Cowhide / Aluminized Back	Premium	Kevlar™	Blue / Black	Wool	Straight	One Size



# MIG / TIG Welding Gloves

Aerospace / Automotive / Component Manufacturing /  
Equipment Repair / Pipeline and Refinery



Scan it



CUT RESISTANT LINER

ANSI

A5



## GP1541

CUT RESISTANT GRAIN GOATSKIN  
PADDED PALM WELDING GLOVES

- Kontour™ form-fitting design
- Padded palm & index for comfort
- Para-Aramid blend lining provides added cut and heat resistance



## GP1871

GRAIN GOATSKIN WOOL INSULATED  
BACK WELDING GLOVES

- Kontour™ form-fitting design
- Boarhide™ palm patch for extended wear and protection
- Unlined and padded palm with wool insulated back



## GP1828

GRAIN COWHIDE  
UNLINED PADDED PALM  
WELDING GLOVES

- Kontour™ form-fitting design
- Patented double stitched palm padding and wear patch
- Unlined padded palm and thumb for added protection and comfort

### MIG / TIG

STYLE NUMBER	HIDE	GRADE	STITCHING	COLOR	LINING	CUFF	SIZES
GP1541	Grain Goatskin	Premium	Kevlar™	Natural / Gold	Para-Aramid Blend	Gauntlet	S-XL
GP1871	Grain Goatskin	Premium	Kevlar™	White / Gold	Unlined with Padded Palm and Wool Back	Scalloped	S-XL
GP1828	Grain Cowhide	Premium	Kevlar™	Natural / Gold	Unlined with Padded Palm and Fleece Back	Hook & Loop	M-XL





**GP1868**  
GRAIN GOATSKIN FR INSULATED BACK  
WELDING GLOVES  
- Kontour™ form-fitting design  
- Unlined, padded and reinforced  
palm and thumb saddle for added  
protection and comfort  
- Flame resistant insulated back  
goatskin leather



**GP1864**  
SPLIT DEERSKIN UNLINED WELDING  
GLOVES WITH LEAN-ON PATCH  
- Kontour™ form-fitting design  
- Large lean-on patch  
for extended protection  
and durability  
- Unlined for maximum dexterity



**GP1600**  
GRAIN GOATSKIN  
UNLINED WELDING GLOVES  
- Kontour™ form fitting design  
- Resilient and durable  
goatskin leather

MIG / TIG

STYLE NUMBER	HIDE	GRADE	STITCHING	COLOR	LINING	CUFF	SIZES
GP1864	Split Deerskin	Premium	Kevlar™	Gray / Black	Unlined	Gauntlet	S-XL
GP1600	Grain Goatskin	Premium	Kevlar™	Natural / Gold	Unlined	Gauntlet	S-XL
GP1868	Grain Goatskin	Premium	Kevlar™	Natural / Gold	Unlined with Padded Palm and FR Cotton Back	Extended Gauntlet	S-XL



# Multi-Task Work Gloves

Farm and Agriculture / Construction  
Shipyards / Demolition / Mechanics



**GP1302**  
TOP GRAIN COWHIDE  
LEATHER DRIVERS GLOVES  
- Kontour™ form-fitting design  
- Reinforced palm and index area  
for added durability  
- Snap button closure to limit  
debris entry



**GP1304**  
WATER-REPELLENT TOP GRAIN  
COWHIDE LEATHER DRIVERS GLOVES  
- Kontour™ form-fitting design  
- Reinforced palm and index area  
for added durability  
- Snap button closure to limit  
debris entry



**GP1324**  
PREMIUM GRAIN SHEEPSKIN  
DRIVERS GLOVE  
- Kontour™ form-fitting design  
- Reinforced palm and index area for  
added durability  
- Top grain sheepskin provides great  
durability for heavy duty work  
applications



**GP1242**  
UNLINED LONG CUFF UTILITY /  
IRON WORKERS GLOVES  
- Kontour™ form-fitting design  
- Water-repellent full-grain Tuff-  
Steer palm and back  
- Hi-Vis for maximum visibility



**GP2955**  
GRAIN GOAT LEATHER MECHANICS  
GLOVES  
- Ultra-breathable hi-vis fabric  
- Neoprene knuckle protection with  
reflective trim  
- Hook & loop closure to limit  
debris entry



**GP2984**  
GRAIN GOAT LEATHER  
MECHANICS GLOVES  
- Ultra-breathable hi-vis fabric  
- Reinforced palm and index area  
for added durability  
- Hook & loop closure to limit  
debris entry

General Work

STYLE NUMBER	HIDE	GRADE	STITCHING	COLOR	LINING	CUFF	SIZES
GP1302	Top Grain Cowhide Palm / Split Leather Back	Premium	Nylon	White / Blue	Unlined with Reinforced Palm	Slip-On with Pull-Strap & Elastic	S-2XL
GP1304	Top Grain Cowhide - Water Repellent	Premium	Nylon	Gold	Unlined with Reinforced Palm	Slip-On with Pull-Strap & Elastic	S-XL
GP1242	Top Grain Cowhide	Premium	Kevlar®	Brown	Unlined with Reinforced Palm	Slip-On with Hi-Vis Tape	M-XL
GP1324	Genuine Sheep Grain Leather	Premium	Nylon	Gold	Unlined with Reinforced Palm	Snap-Button	XS-XL
GP2984	Genuine Goat Grain Leather	Premium	Nylon	Hi-Vis Lime	Unlined with Reinforced Palm	Hook & Loop	M-2XL
GP2955	Genuine Goat Grain Leather	Premium	Nylon	White	Unlined with Padded Palm	Hook & Loop	S-2XL
GP2980	Genuine Goat Grain Leather	Premium	Nylon	Hi-Vis Lime	Unlined with Padded Palm	Hook & Loop	S-2XL





Scan it



# Stick Welding

MAXIMUM HEAT PROTECTION AND DURABILITY

Farm and Agriculture / Structural / Heavy Industrial / Mining / Industrial Fabrication



**GP9051**  
PREMIUM COWHIDE  
STICK WELDING GLOVES  
- Premium split cowhide  
- Double reinforced  
wing thumb  
- Foam and cotton lining

KEVLAR® THREAD



**GP9060**  
PREMIUM ELKSKIN STICK  
WELDING GLOVES  
- Premium top grain elk  
- Reinforced straight thumb  
- Foam and cotton lining

KEVLAR® THREAD



**GPWCH9061**  
PREMIUM ELKSKIN STICK  
WELDING GLOVES  
- Premium top grain elk  
- Reinforced straight thumb  
- Foam and cotton lining

KEVLAR® THREAD



**GP945**  
- Premium split cowhide  
- Reinforced wing thumb  
- Cotton lining

KEVLAR® THREAD



**GP73888**  
- Standard shoulder  
split cowhide  
- Wing thumb  
- Cotton lining



**GP737018**  
- Standard split cowhide  
- Reinforced wing thumb  
- Cotton lining

## Premium Leather

STYLE	HIDE	GRADE	STITCHING	COATING COLOR	LINER	CLIFF	REINFORCED THUMB	SIZES
GP9060	Elkskin	Premium	Kevlar®	Yellow	Unlined	Split Cowhide Gauntlet	Yes	S-XL
GPWCH9061	Elkskin	Premium	Kevlar®	Gray	Unlined	Split Cowhide Gauntlet	Yes	S-XL
GP9051	Split Cowhide	Premium	Kevlar®	Blue	Cotton Foam	Straight	Yes	M-XL (Left Hand)

## Standard Leather

STYLE	HIDE	GRADE	STITCHING	COATING COLOR	LINER	CLIFF	REINFORCED THUMB	SIZES
GP945	Split Cowhide	Premium	Kevlar®	Blue	Cotton	Straight	Yes	L-XL (Left Hand)

## Engineered Value

STYLE	HIDE	GRADE	STITCHING	COATING COLOR	LINER	CLIFF	REINFORCED THUMB	SIZES
GP73888	Split Cowhide	Shoulder	Nylon	Gray	Cotton	Straight	No	L
GP737018	Split Cowhide	Shoulder	Aramid	Blue	Cotton	Straight	Yes	L



Scan it



# MIG Welding

ENHANCED DEXTERITY AND COMFORT

Tack Welding / Automotive / Industrial Repair / Structural / Heavy-Duty Repair



## GP6143

PREMIUM GOATSKIN/COWHIDE GLOVES

- Premium grain goatskin palm
- Reinforced straight thumb
- Fleeced lined



## GP6010

PREMIUM COWHIDE MIG WELDING GLOVES

- Premium top grain cowhide
- Wing thumb
- 4" cuff



## GP6000

STANDARD COWHIDE MIG WELDING GLOVES

- Standard top grain cowhide
- Wing thumb
- 4" cuff

### Premium Leather

STYLE	HIDE	GRADE	STITCHING	COATING COLOR	LINER	CUFF	REINFORCED THUMB	SIZES
GP6143	Top Grain Goatskin	Premium	Kevlar®	Golden Brown	Fleece	Split Cowhide Gauntlet	Yes	M-XL
GP6010	Top Grain Cowhide	Premium	Kevlar®	Natural	Unlined	Split Cowhide Gauntlet	No	S-XL

### Standard Leather

STYLE	HIDE	GRADE	STITCHING	COATING COLOR	LINER	CUFF	REINFORCED THUMB	SIZES
GP6000	Standard Cowhide	Standard	Kevlar®	Beige	Unlined	Split Cowhide Gauntlet	No	S-XL



Scan it



# TIG Welding

EXTREME PRECISION AND DURABILITY

Aerospace / Automotive / Art / Component Manufacturing / Food Processing Equipment / Pipeline and Refinery



ANSI  
A4



## GP6144

CUT RESISTANT GRAIN KIDSKIN WELDING GLOVES

- Premium top grain goatskin
- Kevlar® liner
- ANSI puncture 3
- ARC Rating: ATPV 36 cal/cm<sup>2</sup>



ANSI  
A3



## GP6100

METAL TAMER™ SILICONE COATED GLOVES

- Cut resistant Kevlar®/wool shell
- Heat resistant palm
- ARC rating: ATPV 6.9 cal/cm<sup>2</sup>



ANSI  
A4



## GP6244

CUT RESISTANT GOATSKIN WELDING GLOVES

- Premium grain goatskin
- Cut resistant para-aramid liner
- High heat impact protection
- ARC Rating: ATPV 37 cal/cm<sup>2</sup>
- Heat resistant up to 572° F (300°C)

### Premium Leather

STYLE	HIDE	GRADE	STITCHING	COATING COLOR	LINER	CUFF	REINFORCED THUMB	SIZES
GP6144	Top Grain Kidskin	Premium	Kevlar®	White	Kevlar®	Split Cowhide Gauntlet	No	M-2XL
GP6141	Top Grain Kidskin	Premium	Kevlar®	White	Unlined	Split Cowhide Gauntlet	No	S-XL
GP6244	Top Grain Goatskin	Premium	Kevlar®	White	Para-Aramid	Split Cowhide Gauntlet	No	S-3XL

### Standard Leather

STYLE	HIDE	GRADE	STITCHING	COATING COLOR	LINER	CUFF	REINFORCED THUMB	SIZES
GP754854	Goatskin	Standard	Kevlar®	White	Unlined	Extended Cowhide Gauntlet	No	XS-XL

### Specialty

STYLE	COATING	COATING COVERAGE	COATING COLOR	GRIP	ANSI CUT	LINER MATERIAL	LINER COLOR	CUFF	SIZES
GP6100	FR Silicone	Palm and Fingers	Gray	Dot	A3	FR Blended	Green	Knit Wrist	S-2XL





# Work Gloves

PERFORMANCE AND ENDURANCE

Farm and Agriculture / Construction / Shipyards / Demolition



Scan it



ANSI  
**A3**



### GP86552

- Heavy-duty top grain goatskin
- 4-way stretch spandex back
- 360° Kevlar® lining



### GP9414

- Top grain cowhide palm
- Split cowhide back of hand
- Keystone thumb



ANSI  
**A4**



### GPKS992K

- Top grain cowhide
- Kevlar® liner provides excellent cut resistance
- ARC rating: ATPV 43 cal/cm<sup>2</sup>
- ANSI puncture 3



ANSI  
**A4**



### GPKS993KOAB

- Top grain cowhide
- High cut and puncture resistance
- Water and oil resistant
- ARC rating: ATPV 43 cal/cm<sup>2</sup>



ANSI  
**A4**

### GP43850

- Kevlar®/Preox blend shell provides excellent cut, abrasion and thermal protection
- Seamless construction offers increased comfort and breathability

HEAT HANDLING



ANSI  
**A4**

### GP43858

- Kevlar®/Preox blend shell provides excellent cut, abrasion and thermal protection
- Seamless construction offers increased comfort and breathability

HEAT HANDLING

#### Premium Leather

STYLE	HIDE	BACK	LINER	ANSI CUT	CUFF	COATING COLOR	SIZES
GP86552	Goatskin Leather	Spandex	Kevlar®	A3	Slip-On with Hook & Loop	Black/White	S-3XL
GP86400	Deerskin Leather	Spandex	-	-	Slip-On with Hook & Loop	Black/Yellow	S-2XL
GP9414	Grain Cowhide Leather	Split Cowhide Leather	Unlined	-	Slip-On	Brown/White	S-3XL

#### Specialty Leather

STYLE	ANSI CUT	EN388	ANSI/ISEA 138	HIDE	GRADE	STITCHING	COLOR	LINING	CUFF	SIZES
GP09LC533AR	A5	2X32E	-	Grain Goatskin Leather	Premium	Kevlar®	Natural	Para-Aramid	Slip-On	M-3XL
GPKS992K	A4	3X32D	-	Grain Cowhide Leather	Premium	Kevlar®	Natural	Para-Aramid	Slip-On	S-3XL
GPKS993KOAB	A4	3X22D	Impact Level 2	Grain Goatskin Leather	Premium	Kevlar®	Brown	Para-Aramid	Slip-On	S-3XL

#### Heat Handling

STYLE	COATING	COATING COVERAGE	COATING COLOR	LINER MATERIAL	LINER COLOR	CONSTRUCTION	CUFF	WEIGHT	SIZES
GP43850	Uncoated	Uncoated	-	Kevlar®/Preox Blend, Terry Cotton Lined	Green	Double-Layered Seamless Knit	Open	32 oz.	S, L
GP43858	Uncoated	Uncoated	-	Kevlar®/Preox Blend, Terry Cotton Lined	Green	Double-Layered Seamless Knit	Open	32 oz.	S, L, XL





Scan it

## Impact Protection Gloves



### GP9916

- Top grain goatskin
- Kevlar® blended liner provides superior cut protection
- Knuckle and dorsal guards for medium-duty impact protection



### GP997KB

- Top grain split cowhide
- Hi-Vis Thermo Plastic Rubber (TPR) molded knuckle and dorsal guards for maximum protection
- Keystone thumb



### GP9120

- Sheepskin leather is soft and durable
- Aramid-blended liner provides excellent cut resistance
- Knuckle and dorsal guards for maximum back-of-hand impact protection



Scan it

## Cut & Abrasion Resistant



### GP09K1600

- Resistant to light heat and sparks
- Handling heavy sharp parts in oily environments



### GP09K1310

- Kevlar® fiber shell provides cut resistance and heat protection
- Crinkle latex coating provides superior grip in wet/dry conditions



### GP09K1630

- Kevlar® blended shell provides excellent cut protection
- Foam nitrile coating provides good grip and excellent abrasion resistance



#### Impact Protection

STYLE	ANSI CUT	EN388	ANSI/ISEA 108	COATING	COATING COVERAGE	COATING COLOR	LINER MATERIAL	LINER COLOR	GAUGE	SIZES
GP9916	A7	---	Impact Level 1	Grain Goatskin Leather	Full Hand	Natural	Kevlar® Blend	Yellow	---	S-3XL
GP9120	A4	---	Impact Level 2	Grain Sheepskin Leather	Full Hand	Natural	Aramid Blended	Yellow	---	S-3XL
GP997KB	---	2132	Impact Level 2	Grain Cowhide Leather	Full Hand	White	Unlined	---	---	XS-3XL

#### Cut & Abrasion Resistant

STYLE	ANSI CUT	EN388	COATING	COATING COVERAGE	COATING COLOR	LINER MATERIAL	LINER COLOR	GAUGE	SIZES
GP09K1630	A4	4X31D	Nitrile Foam	Palm & Fingers	Black	Kevlar®	Gray	13	S-2XL
GP09K1310	A3	2444C	Crinkle Latex	Palm & Fingers	Blue	Kevlar®	Yellow	10	S-XL
GP09K1600	A7	4532F	Nitrile Foam	Palm & Fingers	Black	Kevlar®	Yellow	13	S-3XL



Scan it



# Leather Apparel

Protective clothing is made of premium quality split pigskin leather. Boarhide® is 15 to 25% lighter, stays cleaner, more breathable and offers better cut, abrasion and heat resistance values than split cowhide leather of equal thickness. Also, unlike split cowhide leather, Boarhide® is naturally elastic which provides enhanced mobility.

## Bib Aprons



**GP3136**  
36" BOARHIDE® BIB APRON  
- Offers greater mobility than cowhide  
- Wide adjustable neck and waist straps  
**GP3142** - 42" bib apron  
**GP3148** - 48" bib apron

## Split Leg Aprons



**GP3242**  
42" BOARHIDE® SPLIT LEG BIB APRON  
- Offers greater mobility than cowhide  
- Wide adjustable shoulder and waist straps  
- Bib pocket

### Bib Aprons

STYLE NUMBER	FABRIC	GRADE	COLOR	SIZES
GP3136	Pigskin Leather	Premium	Gold	36"
GP3142	Pigskin Leather	Premium	Gold	42"
GP3148	Pigskin Leather	Premium	Gold	48"

### Split Leg Aprons

STYLE NUMBER	FABRIC	GRADE	COLOR	SIZES
GP3242	Pigskin Leather	Premium	Gold	42"



## Jackets



**GP3030**  
30° GOLD BOARHIDE® JACKET  
- Offers greater mobility than cowhide  
- Satin lined shoulders and sleeves for enhanced comfort  
- Vented back and underarms for increased breathability



**GP3029**  
30° BLACK BOARHIDE® JACKET  
- Offers greater mobility than cowhide  
- Satin lined shoulders and sleeves for enhanced comfort  
- Vented back and underarms for increased breathability

## Cape Sleeves & Bibs



**GP3031**  
BOARHIDE® CAPE SLEEVES  
- Offers greater mobility than cowhide  
- Satin lined shoulders and sleeves for enhanced comfort  
- Corduroy lined collar for comfort

**GP3032**  
18" BOARHIDE® BIB  
- Offers greater mobility than cowhide  
- Attaches to 3031 Boarhide® cape sleeve

## Sleeves



**GP3123**  
23" BOARHIDE® SLEEVES  
- Offers greater mobility than cowhide  
- Adjustable wrist snaps for overhead welding  
- Adjustable neck straps with quick-release plastic buckle

### Jackets

STYLE NUMBER	FABRIC	GRADE	CLIFF	COLOR	SIZES
GP3029	Pigskin Leather	Premium	-	Black	S-3XL
GP3030	Pigskin Leather	Premium	-	Gold	S-5XL
<b>Cap Sleeves</b>					
GP3031	Pigskin Leather	Premium	-	Gold	M-3XL
<b>Replacement Bib</b>					
GP3032	Pigskin Leather	Premium	-	Gold	18"

### Sleeves

STYLE NUMBER	FABRIC	GRADE	CLIFF	COLOR	SIZES
GP3123	Pigskin Leather	Premium	Snap Button	Black	23"
<b>Temp-Gard™ Apron</b>					
GP2020	Liquid-Proof Silicone	Extreme Temp +500°F	-	Black	42" and 48"





# Welding Sleeves

EXTENDED ARM PROTECTION

Tack Welding / Automotive / Table Cutting / Tooling / Aerospace / Component Manufacturing



Scan it



## WELDING APRONS



**GP7080**

### IRONCAT® FR COTTON SATEEN APRON

- FR treated 9 oz. green 100% cotton sateen fabric protects chest and torso from sparks
- Adjustable cotton straps for a custom fit

## WELDING SLEEVES



**GP7070**

### IRONCAT® FR TREATED SATEEN COTTON SLEEVES

- FR treated 9 oz. green 100% cotton sateen fabric offers protection in low heat and light spark applications
- Blousy fit protects from open flame and high heat applications

## ACP / KEVLAR® SLEEVES



**GP10KAM20**

### KUT GARD® ACP / KEVLAR® BLENDED SLEEVE

- Heat resistance protects the arm from minor heat and burn injuries up to 350°F
- Offers twice the cut resistance compared to traditional Para-Aramid sleeves
- ARC Rating: ATPV 9.5 cal/cm<sup>2</sup>

#### Welding Sleeves

STYLE	FABRIC	GRADE	ANSI CUT	WEIGHT	COLOR	CUFF	SIZES
GP7070	FR Treated Sateen Cotton	Premium	---	9 oz.	Green	2" Elastic	23"
GP10KAM20	ACP®/Kevlar® Blended	Premium	A5	---	Yellow	Elastic with Thumb Hole	20"

#### Welding Aprons

STYLE	FABRIC	GRADE	WEIGHT	POCKETS	COLOR	SIZES
GP7080	FR Treated Sateen Cotton	Premium	9 oz.	-	Green	36"





Engineered  
Performance  
and Value





Scan it

# Above-the-Neck Protection

ULTIMATE COMFORT  
AND PERFORMANCE



## FACE SHIELDS



### DYNAMIC® VISOR

EP815P40

- Universal hole pattern will fit most headgear and hard hat adapters



### DYNAMIC® FORMED VISOR

EP815PF40

- Curved faceshield designs provide improved optical clarity and peripheral vision



### DYNAMIC® IR SHADE MOLDED VISOR

EP815PMG360

- IR shading protects your eyes from UV rays and infrared flash burns



## HEADGEAR & BRACKETS



### DYNAMIC® HEADGEAR WITH SPARKGUARD

EPHG400R

- Noryl material provides resistance to sparks and heat  
- Equipped with our proprietary ratchet adjustment for a quick and perfect fit



### DYNAMIC® CAP STYLE BRACKET

EPB201

- Lightweight aluminum offers exceptional resistance against heat, radiation and impacts  
- To be used with cap style hard hats

### Face Shields

STYLE	MATERIAL	APPLICATIONS	LENS	THICKNESS	SIZE	SHAPE
EP815P40	Polycarbonate	High Heat / Grinding	Clear	0.040"	8" x 15.5"	Flat
EP815P60	Polycarbonate	High Heat / Grinding	Clear	0.060"	8" x 15.5"	Flat
EP815PF40	Polycarbonate	High Heat / Grinding	Clear	0.040"	8" x 15.5"	Curved
EP815PMG360	Polycarbonate	High Heat / Grinding	IR Filter 3.0	0.060"	8" x 15"	Curved
EP815PMG560	Polycarbonate	High Heat / Grinding	IR Filter 5.0	0.060"	8" x 15"	Curved
EP816PF60	Polycarbonate	High Heat / Grinding	Clear	0.060"	8" x 16.5"	Curved
EP919PF60	Polycarbonate	High Heat / Grinding	Clear	0.060"	9.5" x 20"	Curved
EP919MG560	PETG	Grinding / Liquid Splash	IR Filter 5.0	0.060"	9.5" x 20"	Curved

### Headgear

STYLE	MATERIAL	SUSPENSION	COMPATIBILITY	HOLE PATTERN	CROWN
EPHG400R	Noryl	Ratchet Adjustment	-	Universal	4"
EPHG700R	Noryl	Ratchet Adjustment	-	Universal	7"
EPB201	Aluminum	-	Cap Style Hard Hat	Universal	-
EPB101	Noryl	-	Cap Style Hard Hat	Universal	-





# Dynamic® Head Protection



## Dynamic® Vesuvio™ HP851R

- Ambient heat protection up to 400°F
- Wheel ratchet size adjustment
- ANSI/CSA Type 1; Class E

### POPULAR COLORS



ELEVATED HEAT APPLICATIONS



## Dynamic® Stromboli™ HP841R/HP842R

- ABS/Polycarbonate matte finished shell
- Wheel or swing ratchet adjustment
- ANSI/CSA Type 1 or 2; Class E

### POPULAR COLORS



Head Protection	STANDARDS MET		ANSI Z89.1	CSA Z94.15	SHELL MATERIAL	SUSPENSION	SIZE ADJUSTMENT	BRIM	FEATURES	AVAILABLE COLORS
	CLASS	TYPE								
<b>Dynamic® Vesuvio™</b>										
<b>HP851R</b>	Class E (NON-VENTED)	Type 1	.	.	Nylon Resin	4-Point Nylon	Wheel Ratchet	Standard	Ambient heat protection up to 400°F	Gray, Dark Gray, Black, Steel Blue
<b>Dynamic® Stromboli™</b>										
<b>HP841R</b>	Class E (NON-VENTED)	Type 1	.	.	ABS/Polycarbonate	4-Point Nylon	Wheel Ratchet	Standard	High Strength Outer Shell with Matte Finish	White, Yellow, Orange, Gray, Red, Steel Blue
<b>HP841SR</b>	Class E (NON-VENTED)	Type 1	.	.	ABS/Polycarbonate	4-Point Nylon	Swing Wheel Ratchet	Standard	High Strength Outer Shell with Matte Finish	White, Yellow, Orange, Gray, Red, Steel Blue
<b>HP842R</b>	Class E (NON-VENTED)	Type 2	.	.	ABS/Polycarbonate	4-Point Nylon	Wheel Ratchet	Standard	High Strength Outer Shell with Matte Finish	White, Yellow, Orange, Gray, Red, Steel Blue



**EPHC01**  
to accommodate narrow welding helmets if used with extensions

**EPHC02**  
standard size

## Dynamic® Cap Lock Blades EPHC

- To attach welding helmets, headgears or brackets to a hard hat

# Dynamic® Welding Helmets



## EP101 SUPERTUFF® WELDING HELMET, FIXED FRONT

- Polycarbonate shade 10 filter
- Ratchet headgear suspension included



## EP4106 SUPERTUFF® THERMOPLASTIC WELDING HELMET, LIFT FRONT

- Polycarbonate shade 10 filter
- Includes (1) EPHC01 "Cap Lock" kit complete with blades for slotted hard hats



### Welding Helmets

STYLE	COLOR	SUSPENSION	LENS TYPE	LENS SIZE	LENS SHADE
<b>EP101</b>	Black	Ratchet	Fixed	2" x 4.25"	Shade #10
<b>EP106</b>	Black	Ratchet	Lift	2" x 4.25"	Shade #10
<b>EP4101</b>	Black	Not Included	Fixed	2" x 4.25"	Shade #10
<b>EP4106</b>	Black	Not Included	Lift	2" x 4.25"	Shade #10



# Hearing Protection



NP120

## EAR MUFF

### Mirage™ Neck Band


- Non-slip customizable strap adjustment
- Lightweight, low profile ear cups
- Protection for moderate noise exposure

**24**  
NRR

STYLE	NRR	TYPE	DIELECTRIC	SIZE ADJUSTMENT	COLOR
NP120	24	Neck Band	No	Adjustable Strap with Velcro	Black/ Yellow



NP267HPF810



NP267HPF810C

### Mega Bullet™ Plus

- Regular size fits most ear canals
- Easy roll-down for quick and easy insertion
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort
- Shape conforms to most ear canals for maximum sound attenuation

**33**  
NRR



NP267HPF910



NP267HPF910C


### Mega Flare™ Plus

- Design resists backing out of ear
- Non-irritating smooth outer surface
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort
- Shape conforms to most ear canals for maximum sound attenuation

**33**  
NRR



NP267HPR410



NP267HPR410C

### 4-Flange Reusable

- Self-sealing 4-flange TPR (thermoplastic rubber) for all-day use and secure sound attenuation
- Corded version offers removable cord

**27**  
NRR

STYLE NUMBER	NRR	USE	CORDING	MATERIAL	SIZE	SHAPE	COLOR	DETECTABLE	PAIR / PACK
Mega Bullet™ Plus									
NP267HPF810	33	Single	Uncorded	PowerSoft™ Polyurethane Foam	Standard	Bullet	Orange	No	200 / Box
NP267HPF810C	33	Single	Black PVC Cord	PowerSoft™ Polyurethane Foam	Standard	Bullet	Orange	No	100 / Box
Mega Flare™ Plus									
NP267HPF910	33	Single	Uncorded	PowerSoft™ Polyurethane Foam	Standard	Contoured	Red	No	200 / Box
NP267HPF910C	33	Single	Black PVC Cord	PowerSoft™ Polyurethane Foam	Standard	Contoured	Red	No	100 / Box
4-Flange Reusable									
NP267HPR410	27	Reusable	Uncorded	TPR (thermoplastic rubber)	Standard	4-flange	Orange	No	200 / Box
NP267HPR410C	27	Reusable	Textile Cord	TPR (thermoplastic rubber)	Standard	4-flange	Orange	No	100 / Box

# Respiratory Protection



## STANDARD N95



### N95 Disposable Respirator

RPD714N95OAO

- Exhalation valve increases comfort and worker productivity
- FR material ideal for welders



## STANDARD P95



### P95 Disposable Respirator

RPD814P95OA

- Oil-proof P95 protection, and offers the flexibility to be used with organic vapor, acid gas and ozone nuisance levels

### Respirators

STYLE	EXHALATION VALVE	NOSE PIECE	HEAD STRAP	STRAP ATTACHMENT	FLAME RESISTANT	APPROVALS
RPD714N95OAO	Yes	Adjustable Aluminum	Latex-Free Woven	Ultrasonically Welded	Yes	NIOSH Certified
RPD814N95OA	Yes	Adjustable Aluminum	Latex-Free Woven	Ultrasonically Welded	No	NIOSH Certified



Scan it

# Fall Protection

## DYNAMIC® WELDING LANYARDS



**Dyna-One™ Kevlar®**  
FP7861

- Kevlar® webbing to provide exceptional protection against cuts and abrasions, as well as high heat resistance to sparks and flames
- ASTM F887 Arc Flash and is CSA Certified
- Meets and exceeds ANSI and OSHA regulations
- Weight rating of 45 kg (100 lb) to 140 kg (310 lb)



**Dyna-One™ PVC Coated**  
FP7631

- PVC coating provides additional durability to withstand a wide array of applications
- Meets and exceeds ANSI and OSHA regulations
- Weight rating of 45 kg (100 lb) to 140 kg (310 lb)

## DYNAMIC® WELDING HARNESSES



**Kevlar® FR**  
FPK2001BD

- Kevlar® webbing to provide exceptional protection against cuts and abrasions, as well as high heat resistance to sparks and flames
- ASTM F887 Arc Flash and is CSA Certified
- Meets and exceeds ANSI and OSHA regulations

**ELEVATED HEAT**  
APPLICATIONS



**TPU Coated**  
FPC2001BD

- TPU coating provides resistance to abrasions, weld splatter, chemicals, paint, grease and dirt
- Harness can be wiped clean
- Meets and exceeds ANSI and OSHA regulations

### Kevlar® Single Leg Lanyards with Dyna-One™ Energy Absorber

STYLE	LANYARD MATERIAL	HARNESS CONNECTOR	ANCHORAGE CONNECTOR	LENGTH
FP78301	Kevlar®	Soft Loop	Small Hook	4-5-6 ft
FP78303	Kevlar®	Soft Loop	Medium Hook	4-5-6 ft
FP78304	Kevlar®	Soft Loop	Large Hook	4-5-6 ft
FP7830H	Kevlar®	Soft Loop	X Large Hook	4-5-6 ft
FP78311	Kevlar®	Small Hook	Small Hook	4-5-6 ft
FP78313	Kevlar®	Small Hook	Medium Hook	4-5-6 ft
FP78314	Kevlar®	Small Hook	Large Hook	4-5-6 ft
FP7831H	Kevlar®	Small Hook	X Large Hook	4-5-6 ft

### Kevlar® Double Leg Y-Lanyards with Dyna-One™ Energy Absorber

FP786111	Kevlar®	Small Hook	Small Hook (2)	4-5-6 ft
FP786133	Kevlar®	Small Hook	Medium Hook (2)	4-5-6 ft
FP786144	Kevlar®	Small Hook	Large Hook (2)	4-5-6 ft
FP7881HH	Kevlar®	Small Hook	X Large Hook (2)	4-5-6 ft

### Leather Cover Replacement

STYLE	DESCRIPTION
FPLANCOVER	Leather Cover to Protect the Energy Absorber

### Single Leg Lanyards Fixed Length with Dyna-One™ Energy Absorber

STYLE	LANYARD MATERIAL	HARNESS CONNECTOR	ANCHORAGE CONNECTOR	LENGTH
FP76311	0.25" Steel Cable	Small Hook	Small Hook	4-5-6 ft
FP76313	0.25" Steel Cable	Small Hook	Medium Hook	4-5-6 ft
FP76314	0.25" Steel Cable	Small Hook	Large Hook	4-5-6 ft
FP7631H	0.25" Steel Cable	Small Hook	X Large Hook	4-5-6 ft
FP763AA	0.25" Steel Cable	Alum Small Hook	Alum Small Hook	4-5-6 ft
FP763AC	0.25" Steel Cable	Alum Small Hook	Alum Large Hook	4-5-6 ft

### Double Leg Y-Lanyards with Dyna-One™ Energy Absorber

FP766111	0.25" Steel Cable	Small Hook	Small Hook (2)	4-5-6 ft
FP766133	0.25" Steel Cable	Small Hook	Medium Hook (2)	4-5-6 ft
FP766144	0.25" Steel Cable	Small Hook	Large Hook (2)	4-5-6 ft
FP7661HH	0.25" Steel Cable	Small Hook	X Large Hook (2)	4-5-6 ft
FP766AAA	0.25" Steel Cable	Alum Small Hook	Alum Small Hook (2)	4-5-6 ft
FP766ACC	0.25" Steel Cable	Alum Small Hook	Alum Large Hook (2)	4-5-6 ft

### Fall Arrest Harness for Welder

STYLE	CLASS	D-RING	LEG STRAP CONNECTORS
FPK2001BD	Class A (Fall Arrest)	Back (Adjustable)	Bayonet
FPK2001BD	Class A (Fall Arrest)	Back (Adjustable)	Bayonet





Scan it

# Dynamic® Welders & Burns First Aid Kits



### Welders & Burns First Aid Kits

FAKWELDBP

- Burn First Aid Kit for Welders

FAKWELDXBP

- "Deluxe" Burn First Aid Kit for Welders

STYLE	CONTENT	FAKWELDBP	FAKWELDXBP
FAFM001	First Aid Manual	1	1
FAPEG065	PEG Ointment 65 g	1	1
FAEW004	Isotonic Solution 118 ml / 4 oz	—	4
FAPSIX3	Plastic Strips 1" x 3" Sterile	24	25
FAGP2X2	Gauze Pad 2" x 2" Sterile	6	4
FAGP4X4	Gauze Pad 4" x 4" Sterile	—	4
FAAT055	Adhesive Tape ½" x 5 yds	1	2
FACB004	Compress Bandage 4"	—	2
FATB001	Triangular Bandage	—	2
FASCO01	Scissors	1	1
FAEW001	Eye Wash 1 oz Sterile	2	2
FAEP01	Eye Pad Oval Sterile	2	—
FAPSEPSW	Double Adhesive Strips	2	—
FATW001	Tweezers	1	—



# Controlled Environment SAFETY

Controlled Environment refers to a work area that requires specific parameters for environmental conditions, handling, manufacturing, or testing. Typically, this covers room pressure, temperature, segregation and contamination control. Many laboratories are considered a Controlled Environment. A cleanroom is a type of Controlled Environment that requires more stringent environmental controls. This includes special equipment, processes and isolation as well as environmental air filtration meeting a higher ISO level that relates to the maximum acceptable numbers of particles (by size) in the air per cubic meter.

PIP® offers an extensive line of apparel, gloves and accessories for Controlled Environments that are designed to protect both the worker and the product by meeting multiple standards related to electrostatic discharge, contact, liquid resistance and extreme temperature handling.

## Cleanroom Standards

The standards of cleanroom cleanliness are dictated by the size and quantity of particles that are present per volume of air. PIP's cleanroom PPE performs as an effective particle barrier to ensure particle emissions comply with cleanroom class specifications.

> **ISO 14644** – This standard categorizes the different sizes and amounts of airborne particles that are allowed per cubic foot within a cleanroom environment.

CLASS	FED STD 209E EQUIVALENT	0.1 MICRON	0.2 MICRON	0.3 MICRON	0.5 MICRON	1 MICRON	5 MICRON
ISO 1		10	2				
ISO 2		100	24	10	4		
ISO 3	1	1,000	237	102	35	8	
ISO 4	10	10,000	2,370	1,020	352	83	
ISO 5	100	100,000	23,700	10,200	3,520	832	29
ISO 6	1,000	1,000,000	237,000	102,000	35,200	8,320	293
ISO 7	10,000				352,000	83,200	2,930
ISO 8	100,000				3,520,000	832,000	29,300
ISO 9						8,320,000	293,000

> **IEST RP-CC005** – Test procedures for gloves and finger cots used in cleanrooms that evaluate cleanliness, barrier integrity, heat resistance, static charge, chemical compatibility and more.

## Chemical Standards

PPE that acts as an effective barrier during chemical work is essential. PIP® offers specific lines of hand protection and disposable apparel that complies with the following standards:

- > **ENG 374:2003** – Evaluates the efficacy of chemical resistant gloves under continuous contact.
- > **ASTM F739 / F903** – Evaluates barrier effectiveness of PPE materials, seams and closures against liquid penetration via continuous contact.

## ESD Standards

ESD safe PPE is composed of materials designed for protection against and the prevention of electrostatic discharge and is an essential part of the ESD workstation. Components work together to reduce discharge or act as a path to the ground where static electricity can be diverted. These materials are categorized by their conductive range, which include:

- > **Static Dissipative** – Materials that allow a slow, controlled flow of electric charges to the ground, preventing discharge to and from human contact.
- > **Anti-static** – Materials that have the ability to suppress charge generation or the prevention of static build up.

PIP® offers anti-static and static-dissipative gloves as well as an all-encompassing groundable static control garment system.

To successfully integrate into a professionally managed ESD program, PIP® has specific ESD Safe products that meet the following standards:

- > **ANSI/ESD S20.20** – A standard providing tailored administrative and technical requirements for the development of a comprehensive ESD control program.
- > **ANSI/ESD SP15.1** – A test procedure to measure both the intrinsic resistance and in-use electrical resistance of gloves or finger cots and personnel together as a system by using a constant area force electrode (CAFE).

PIP's ESD Safe products are an essential component of your facility's comprehensive and professionally managed ESD Program.

## Microorganism Standards

To reduce the hazard of pathogen contamination, PPE materials are evaluated by resistance to liquid and viral penetration. PIP's products that protect against this contamination meet these strict guidelines:

- > **ASTM 1670** – This method is used to evaluate a material's resistance to blood penetration via continuous liquid contact.
- > **ASTM 1671** – Material resistance to the penetration of viral and bloodborne pathogens is tested by using a surrogate microbe under continuous liquid contact.

## Additional Controlled Environment Standards

For Controlled Environment apparel and gloves:

- > **NFPA 99** – A standard specifying that materials should have a resistivity of  $1 \times 10^{11} \Omega/\text{sq}$  at 50% relative humidity and a static decay time of less than 0.5 seconds when measured to the 10% (500 volt) cutoff level.
- > **RoHS** - Restriction of Hazardous Substances - This European standard restricts the use of ten hazardous materials in the manufacture of various types of electronic and electrical equipment. All applicable products in the EU market since July 1, 2006 must pass RoHS compliance.





Scan it



# Clean Handling

General Assembly / Finishing Assembly / Electronics Assembly / Computer Manufacturing / Quality Control / Inspection / Paint Shop / Pharmaceutical Production



**GP40730**  
CLEANTEAM™

- Reversible design
- Can be used as a glove liner



**GP40C2130**  
CLEANTEAM™

- Provides abrasion resistance
- Polyester can be sterilized
- Silicone-free

High gauge knit gloves for precision assembly and production

CleanTeam™ Nylon Seamless Knit

STYLE NUMBER	MATERIAL	CONSTRUCTION	COLOR	GAUGE	COATING	COATING COLOR	COVERAGE	SIZES
GP40730	Nylon	Seamless Knit	White	13	-	-	-	S-XL

CleanTeam™ Polyester Seamless Knit

GP40C2130	Polyester	Seamless Knit	White	13	-	-	-	S-XL
-----------	-----------	---------------	-------	----	---	---	---	------



Scan it



# ESD Safe Gloves

Circuit Board Manufacturing / Electronics / Assembly / Aerospace / Inspection  
IC Handling / Marine, Consumer and General Electronics / Telecommunications



**GPHWS**  
QRP® QUALAKOTE™

- ANSI / ESD SP 15.1
- Anti-static black nitrile palm and fingertip coating
- Withstands wet/dry heat temps to 300°F - 325°F



**GPKAS**  
QRP® QUALAKNIT™

- ANSI / ESD SP 15.1
- Nylon/conductive carbon fiber blend yarn
- Microknit™ fingertips



**GPPDESDNY**  
QRP® QUALAKOTE™

- ANSI / ESD SP 15.1
- Polyurethane coated palm and fingertips



**GPTDESDNY**  
QRP® QUALAKOTE™

- ANSI / ESD STM 11.11
- ANSI / ESD SP 15.1
- Polyurethane coated fingertips



ESD Safe gloves that accommodate any static range or ESD requirements within your professionally-managed ESD program

QRP® Nylon ESD Safe Gloves

STYLE NUMBER	MATERIAL	CONSTRUCTION	COLOR	GAUGE	COATING	COATING COLOR	COVERAGE	SIZES
GPHWS	UHMWPE	Seamless Knit	Gray	13	Nitrile	Black	Palm & Fingers	S-2XL
GPKAS	Nylon / Carbon	Seamless Knit	Gray	15	-	-	-	XS-2XL
GPPDESDNY	Nylon / Carbon	Seamless Knit	Gray	15	Polyurethane	Light Gray	Palm	XS-3XL
GPTDESDNY	Nylon / Carbon	Seamless Knit	Gray	15	Polyurethane	White	Fingertips	XS-2XL





# Inspection- Assembly Gloves

Inspection / Electronics Assembly



Scan it



**GP9750014I**  
LIGHTWEIGHT, ECONOMY  
COTTON

- Designed to minimize contamination of products from human hands
- Can be used as liners under disposable and unsupported liquid proof gloves



▲ GP97500



▲ GP9750010



▲ GP9750012



▲ GP9750014

**97-500**  
LIGHTWEIGHT, PREMIUM COTTON

- 100% cotton fabric
- Constructed in a two-piece, reversible pattern



**GP97521H**  
MEDIUM WEIGHT COTTON

- Constructed in a two-piece, reversible pattern
- 100% cotton fabric
- Rolled hem helps shed less lint



**GP98740**  
SEAMLESS KNIT NYLON

- Nylon fabric absorbs perspiration and keeps hands comfortable
- Stretch fabric provides limited heat protection

Ideal for fine parts and finishing assembly

CleanTeam® Cotton Seamless Knit - Lightweight, Economy

STYLE NUMBER	MATERIAL	CONSTRUCTION	HEM	LENGTH	COLOR	WEIGHT	SIZES
GP9750014I	Cotton	Cut-and-Sewn	Unhemmed	14"	White	Light	Men's

CleanTeam® Cotton Seamless Knit - Lightweight, Premium

GP97500	Cotton	Cut-and-Sewn	Unhemmed	9"	White	Light	Men's
GP9750010	Cotton	Cut-and-Sewn	Unhemmed	10.5"	White	Light	Men's
GP9750012	Cotton	Cut-and-Sewn	Unhemmed	12"	White	Light	Men's
GP9750014	Cotton	Cut-and-Sewn	Unhemmed	14"	White	Light	Men's

CleanTeam® Cotton Seamless Knit - Medium Weight

GP97521H	Cotton	Cut-and-Sewn	Hemmed	9"	White	Medium	Ladies'
----------	--------	--------------	--------	----	-------	--------	---------

CleanTeam® Nylon Seamless Knit

GP98740	Nylon	Cut-and-Sewn	Hemmed	9"	White	Light	Men's S-2XL
---------	-------	--------------	--------	----	-------	-------	-------------



# Single & Limited Use Gloves

Electronics Assembly / Laboratories / Precision Optics / Pharmaceutical Manufacturing  
Medical Device Manufacturing / General Cleanroom Applications



Scan it

## CLEANROOM



ISO 5 (CLASS 100)

### GP612HC QRP® QUALATEX™

- ANSI/ESD 11.11-2015
- ISO 5 (Class 100)
- Fully textured for good grip in wet or dry environments
- Lowest extractables and particulates
- Meets or exceeds all applicable requirements of IEST RP-CC005.4



ISO 5 (CLASS 100)

### GP100333000 CLEANTEAM®

- ANSI/ESD 11.11-2015
- ISO 5 (Class 100)
- Fully textured for good grip in wet or dry environments
- Ambidextrous for quick and easy donning
- Meets or exceeds all applicable requirements of IEST RP-CC005.4

#### QRP® Single-Use Latex

STYLE NUMBER	POLYMER	DESCRIPTION	GRIP	ISO CLASS	LENGTH	MIL	COLOR	SIZING	PACKAGE
GP612HC	Latex	Powder-Free	Textured Palm & Finger	100	12"	6	Natural	XS-2XL	100

#### CleanTeam® Single-Use Nitrile

GP100333000	Nitrile	Powder-Free	Textured Palm & Finger	100	12"	5	White	S-XL	100
-------------	---------	-------------	------------------------	-----	-----	---	-------	------	-----

## ESD SAFE CLEANROOM GLOVES



ISO 5 (CLASS 100)

### GPQ095 QRP® QUALATRILE™

- ISO 5 (Class 100)
- Naturally anti-static
- Manufactured without plasticizers, silicone or powders
- Finger texture provides a good grip in wet or dry environments
- Meets or exceeds all applicable requirements of IEST RP-CC005.4



ISO 5 (CLASS 100)

### GPQ125 QRP® QUALATRILE™

- ISO 5 (Class 100)
- Naturally anti-static
- Manufactured without plasticizers, silicone or powders
- Meets or exceeds all applicable requirements of IEST RP-CC005.4

#### QRP® Single-Use Nitrile ESD Safe Gloves

STYLE NUMBER	Z1 CFR	ESD SAFE	POLYMER	DESCRIPTION	GRIP	ISO CLASS	LENGTH	MIL	COLOR	SIZING	PACKAGE
GPQ095	-	-	Nitrile	Powder-Free	Textured Fingers	100	9"	5	White	XS-2XL	100
GPQ125	-	-	Nitrile	Powder-Free	Textured	100	12"	6	White	XS-2XL	100



# Finger Cots

Precision Parts Assembly / Laboratory / Beauty Industry / Food Industry  
Avionics / IC Industries / Electronic Assembly / Cleanroom Applications



Scan it

## ESD PROPERTIES OF FINGER COTS

Anti-static materials have the ability to suppress charge generation or prevent static build up. Anti-static latex finger cots are treated with a proprietary surface treatment for enhanced ESD performance. Nitrile finger cots are naturally anti-static.

Static dissipative materials allow a slow, controlled flow of charge to the ground, preventing electric discharge. ESD latex finger cots incorporate a carbon pigment, making them inherently static dissipative.



- GPBF**  
QRP® BLU FOOD™
- Made of 100% natural latex in rolled style
  - USDA compliant blue color
  - 21 CFR 170 compliant
  - Powder-free



- GP5J**  
QRP® QUALATEX™
- RoHS compliant
  - Compliant with ASTM and IEST-RP-CC 005.4 standards
  - Powder-free

## Anti-static finger cots for enhanced ESD performance



- GP7C**  
QRP® QUALATEX™
- ISO 5 (Class 100)
  - ESD Safe to ANSI/ESD S20.20
  - Compliant with ASTM and IEST-RP-CC 005.4 standards



- GP8C**  
QRP® QUALATEX™
- ISO 5 (Class 100)
  - ESD Safe to ANSI/ESD S20.20
  - Compliant with ASTM and IEST-RP-CC 005.4 standards



- GP9C**  
QRP® QUALATRILE™
- ISO 5 (Class 100)
  - ESD safe compliance to ANSI/ESD S20.20
  - Compliant with ASTM and IEST-RP-CC 005.4 standards

### QRP® Blu Food™ Latex Finger Cots

STYLE NUMBER	POLYMER	POWDER	ISO CLASS	GRIP	MIL	COLOR	SIZING	COTS/PACK
<b>GPBF</b>	Latex	Powder-Free	-	Textured	3.5	Blue	S-XL	720
<b>QRP® Qualatex™ Latex Cleanroom Finger cots</b>								
<b>GP5J</b>	Latex	Powder-Free	100	Textured	3.5	Ivory	S-XL	720
<b>QRP® Qualatex™ Latex Cleanroom (ESD Safe)</b>								
<b>GP7C</b>	Latex	Powder-Free	100	Textured	3.5	Pink	S-XL	720
<b>GP8C</b>	Latex	Powder-Free	100	Textured	3.5	Black	S-XL	720
<b>QRP® Qualatrilite™ Nitrile Cleanroom (ESD Safe)</b>								
<b>GP9C</b>	Nitrile	Powder-Free	100	Textured	3.5	White	S-XL	720





PROTECTIVE INDUSTRIAL PRODUCTS

# Vend-ready solutions

PACKAGED FOR VENDING MACHINES



FREQUENTLY USED ITEMS



OPTIMALLY SIZED FOR MOST MACHINES



BARCODED PACKAGING FOR INVENTORY CONTROL

## A comprehensive line of vend packed PPE

MANY OF PIP'S PRODUCTS ARE VEND-READY IN THEIR STANDARD PACKAGING



### STOCKED & READY TO SHIP VEND-READY GLOVES

Many of our most popular glove styles are now available in vend-ready packaging. These are stocked and ready to go. Consistent width and thickness ensure proper dispensing.

### PROTECTIVE CLOTHING

Our hi-vis vests and apparel are already available (or soon will be) in vend-ready packaging! See page 125 for our complete product selection.

### EYE PROTECTION

All PIP® safety glasses and goggles are vend-ready! See page 91 for our complete product selection.



PROTECTIVE INDUSTRIAL PRODUCTS

# Custom options

FOR ENHANCED PERFORMANCE



## Customized Arm Protection

When it comes to arm protection, you don't have to settle for what's already out there. Identify your safety need, then customize your solution by choosing the material, size, and option(s) to maximize performance.

**Call PIP® at (877) 446-3278 for part numbers and pricing for your order, or if the custom option you need is not listed on this page.**

Orders will ship within 2 weeks or up to 4 weeks for Pritex® sleeves.

### CUSTOM OPTIONS

Several customizable options are available to help maximize protection by ensuring that the sleeve stays in place as consistently as possible. Thumb holes or thumb slots can help hold the sleeve up to the heel of your hand, while elastic bands or hook and loop closures help hold the sleeve up on your arm.

### WHAT'S THE APPLICATION?

Protective sleeves are designed to help prevent abrasions and scrapes. Protection can be enhanced by refining your selection based on the application.



CUT PROTECTION



HEAT PROTECTION



ARC FLASH PROTECTION



FOOD HANDLING



GENERAL PURPOSE

### FINGER & THUMB



THUMB HOLE



THUMB SLOT



ELASTIC THUMB



HALF THUMB



FINGER BAR TACKS

### TOP OF THE ARM



NONSLIP TOP



2" BLUE/GOLD ELASTIC



3/4" WHITE ELASTIC



HOOK & LOOP CLOSURE



NYLON STRAP W/RING & CLIP



DOUBLE CLIP & RING





PROTECTIVE INDUSTRIAL PRODUCTS

# Custom imprinting

FAST. DEPENDABLE. QUALITY PRINTING.



Custom imprinting is available on most hard hats, safety eyewear, gloves, vests, t-shirts, harnesses, and first aid kits.

WE USE THE MOST ADVANCED TECHNIQUE AND QUALITY INK THAT ENSURES YOUR LOGO POPS AND WILL NOT WEAR OFF. IT'S NOT JUST OUR IMAGE - IT'S YOURS TOO.



EXPERIENCE

## THE DIFFERENCE


**FAST, EASY AND PRECISE.** If you don't associate these words with your custom order requests, you're not taking advantage of PIP's logo and imprinting services. With exceptionally quick turnaround times and high-quality results, PIP® delivers the value-added service you and your customers expect. Put us to the test on your next logo print order and experience the difference.

### INDUSTRY-LEADING TURNAROUND TIME



#### STATE-OF-THE-ART FACTORY

- > Quick turnaround
- > Low minimums
- > Ordering software backed by a specialized core team



### MORE THAN 40% OF COMMON PPE IS BRANDED

- > Builds brand presence
- > Promotes security on job sites
- > Reduces equipment misplacement and loss





PROTECTIVE INDUSTRIAL PRODUCTS

# Full graphic hard hats

MAKE YOUR HARD HAT PART OF YOUR IMAGE!



Take your custom imprinting to the next level with Dynamic® full graphic hard hats. Popular models are available as stocked items, and we also offer the opportunity to create fully personalized custom designs. Excellent as a unique corporate gift for your employees or to celebrate a special occasion.



HP641RCAR / HP642RCAR



HP341RCAR / HP841RCAR / HP842RCAR



HP341RCAN / HP841RCAN / HP842RCAN



HP341RQUE2 / HP841RQUE2 / HP842RQUE2



HP341RUS3 / HP841RUS3 / HP842RUS3



HP241RMPL



HP641RMPL / HP642RMPL



HP341RCAM / HP841RCAM / HP842RCAM



PROTECTIVE INDUSTRIAL PRODUCTS

# Programs that work for you

## SIMPLE SAFETY SOLUTIONS



# 3SP™


3SP™ is a multifaceted, learning-based program designed and tailored to meet the needs of our customers.



DESIGNED TO HELP US  
KNOW MORE AND  
LEARN FASTER



SAVE MONEY AND HELP  
REDUCE INJURIES THROUGH  
PREVENTION  
AND PROPER PRODUCT  
SELECTION AND USE



ENHANCE SAFETY  
THROUGH AWARENESS AND  
COLLABORATION

### Assessment

#### ON-SITE ASSESSMENT SURVEY

Working collaboratively with our distributor-partners, we perform all 3SP™ site surveys. This assures industrial customers that they are done effectively and without any downtime. 3SP™ trained representatives have a broad understanding of complex manufacturing environments and processes. Chances are they've met many similar challenges before with proven solutions.

### Training

#### TRAINING SEMINARS

PIP's 3SP™ team consists of Product Specialists, Product Managers and PIP Sales Partners, who most often are providers of finished and raw material products. Qualified and ready to train at your facility, or at our headquarters in Laval, QC or our facility in Mississauga, ON where you can experience our customer training center, complete with hands-on activities.

### Tools

#### TOOLS TO MAKE THE JOB SAFER

Today's work environment is dynamic. An aging workforce, transient and diverse workers, as well as an increased reliance on automation create challenges related to communication, distraction, stress and fatigue - all operating at a higher intensity. Training and orientation is short and we rely on quick and comprehensive tools for answers.





**PROTECTIVE INDUSTRIAL PRODUCTS**

When it gets challenging,  
a trusted partner makes  
the difference.







PROTECTIVE INDUSTRIAL PRODUCTS

# #1 go-to website

WWW.PIPCANADA.CA

## Four easy ways to find the perfect product

**1** SEARCH THE  
PRODUCT  
SELECTOR GUIDE

**2** BROWSE BY  
PRODUCT  
CATEGORY

**3** BROWSE BY  
INDUSTRY  
CHANNEL

**4** SEARCH BY  
SKU  
NUMBER

### WEBSITE FEATURES



#### DOWNLOAD SPEC SHEETS & LITERATURE

All the valuable information you need at your fingertips. Helping you lose those stacks of papers with easy-to-download spec sheets and literature.



#### VIDEO FEATURETTES

Informative, short videos that pack a lot of punch and are loaded with product features and benefits.



#### INFORMATIVE ICONS

What does that icon or rating mean? Hover over our enhanced icons to learn more about our products' capabilities.




#### WORLDWIDE LOCATIONS

Conducting international business? We provide country and language-specific websites for more than 10 countries.



#### TOUCHSCREEN FRIENDLY

Access our website on the go from your smart phone or tablet without losing any of the website's capabilities.





# Industry-Leading Sales Tools

## INTERACTIVE SALES TOOLS INCLUDE



**CUT RISK HAZARD MATRIX™**



**INTERACTIVE CROSS-REFERENCE**



**SELECTOR GUIDES**



**3SP™ ASSESSMENT**



**INTERACTIVE PRODUCT PRESENTATIONS**

Our innovative interactive Sales Tools help Safety Specialists make fast, accurate decisions and product recommendations based on the customer's essential safety needs to ensure they're using the PPE that's best suited for their job.









## PIP® BRAND TRADEMARKS AND REGISTRATIONS STATEMENT

### TRADEMARKS

3GX, Abrasion Gard™, ACP™, Adversary™, Air Force™, Ambi-dex™, Ambi-Thix™, Anser™, Anti-ReflectivePLUS™, Aqua Armor™, ArmorFlex™, ArmorGrip™, ArmorLite™, ArmorLiteXT™, ArmorTuff™, ArmorTuff XT™, Arctic Blast™, Arctic Tek™, Arctick Xtreme™, Assurance™, Assurance Plus™, Atlas™, AutoX™, Barbarian™, Black Pearl™, Blade Defender™, Blue Bison™, Blu Food™, BioTek™, Bond™, Boss™, Bouton™ Optical, Bringing the Best of the World to You™, Brahma Quality™, Bullseye™, Cabaret™, ChemFR™, ChemGuard+™, ChemGrip™, CleanTeam™, Cord™, Commander™, Cut Risk Hazard Matrix™, Dom™, Double V™, Dynamic™, Dynee Mytee™, Dynee Mytee Plus™, Dynee White™, Duo-Pro™, E-Flare™, ESP™, Eva™, Excalibur™, Extreme™, Extreme Work™, EZ-COOL™, EZ-Twist™, Falcon™, FingerNails™, FlashFire™, Flexi Grip™, Flexi Pro™, Flox™, Fogless 3Sixty™, Fortify™, Fuselage™, GP™, Gray Ghost™, Great White™, Grippaz™, Green Ape™, G-Tek™, Guardian™, Hi-Voltage AC™, Hi-Voltage ARC™, Hot Hands™, Hot Wing™, Ironcat™, Irontex™, KEV™, K-Force™, Kilimanjaro™, Knife Hawwk™, Lady Eva™, Mag Readers™, Maximum Safety®, Mega Bullet™, Mega Flare™, Mega T-Fit™, Mighty Blue™, MirrorPLUS™, Mission™, Munk™, Nano Bullet™, Neofoam™, PermFlex™, PIP™, PolarizedXL5™, PolyKor™, PolyKor X7™, PolyTuff™, PosiGrip™, PosiShield™, Posi-Therm™, PosiWear™, Posi-Wear BA™, Posi-Wear FR™, Posi-Wear M3™, Posi-Wear UB™, Power Grip+™, PowerSoft™, Pritex™, ProCoat™, Pro Series™, Oil Armor™, QRP™, Qualagrip™, Qualaknit™, Qualakote™, QualaSheer™, Qualatex™, Qualatherm™, Qualatrilite™, R2™, Recon™, Red Viper™, Rigger™, Rocky™, Ruff Grip™, SafetyGear by PIP™, Safety Works™, ScrapKing™, Smart Fit™, SoftStar™, Stone™, Supreme™, Supersonic™, Tech™, The Assembler™, The Boss™, The Scout™, Tom Cat™, Uniform Technology™, U-Fit™, West Chester™, Whistler™, Xrystal™, XtraTuff™, Xtricate™, Zenon Z11sm™, Zenon Z12™, Zenon Z12R™, Zenon Z13™, Zenon Z13R™, Zenon Z14sn™, Zenon Z28™, Zenon Z36™, Zenon Z44™, Z-Lyte™ are registered trademarks or trademarks pending registration of Protective Industrial Products, Inc. The PIP® logo is also registered to Protective Industrial Products, Inc.

Active™, AD-APT™, AIRtech™, Comfort™, Elite™, Endurance™, MaxiChem™, MaxiCut™, MaxiCut™ Oil™, MaxiCut™ Ultimate DT™, MaxiDry™, MaxiDry™ Plus™, MaxiDry™ Zero™, MaxiFlex™ Ultimate™ and MaxiFoam™ are registered trademarks or trademarks pending registration of ATG.

EverGrip™, Kut Gard™ and Temp-Gard™ are registered trademarks or trademarks pending registration of PI Industries.

Dare Bigger™, DuPont™, Kevlar™, Lycra™, Nomex™ and Protera™ are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.

Velcro™ is a registered trademark of Velcro Industries BV.

3M™ and Thinsulate™ are trademarks of 3M™.

Dyneema™ is a registered trademark of DSM.

HyperKewl™ is a trademark of TechNiche International.

REALTREE™ is a registered trademark of Jordan Outdoor Enterprises, Ltd.

UltraSoft™ is a registered trademark of Westex™.

Actifresh™ is a registered trademark of British Sanitized Limited.

Aerolite™, Bushmaster™, Classic™ Extreme, Comfort Plus™, EasyJust™, EVO™, EVO™ Ascend™, EVO™ VISTA Lens™, EVO™ VISTA shield™, EVOLite™ Skyworker™, Evolution™, EVOSpec™, Hard Cap A1+™, Inter EXV™, Inter GPV™, J Muff™, MK8 Evolution™, PowerCap™, Surefit™ and Top Cap™, are registered trademarks or trademarks pending registration of JSP™.

Secure™ is a trademark of Hellberg™ Safety AB.

Novax™ is a registered trademark of GB Industries.

ActivGrip™ Advance, ActivGrip™, MicroFinish™, N-Spector XRT and PowerGrab™ are registered trademarks or trademarks pending registration of the TOWA Corporation.

ATA, US Mesh™ and Claw Cover™ are registered trademarks or trademarks pending registration of Worldwide Protective Products.

### LIMITED WARRANTY

PIP Canada Ltd. (PIP®) warrants only that PIP® products will be free from defects in materials and workmanship at the time of sale. Upon receipt of each shipment, the customer must examine the products for defect or shortage and notify PIP® in writing within thirty (30) days after such receipt of any claims reasonably discernible. All claims not reasonably discernible within thirty (30) days must be made in writing within one (1) year after receipt of shipment. Any claim not timely made shall be waived. This limited warranty is exclusive and in lieu of all other warranties, express, implied or statutory. PIP's entire obligation and the exclusive remedy to any party for breach of this limited warranty shall be limited to replacement of the defective product or refund of the original purchase price of the product, at PIP's option. PIP's limited warranty shall not apply to PIP® products that have been subject to misuse, accident, negligence, handling, storage, or use.

### DISCLAIMER OF IMPLIED WARRANTIES

All implied warranties which may arise by implication of law or application, course of dealing, usage of trade, including, but not limited to, implied warranties of merchantability, fitness for a particular purpose, title, and non-infringement are expressly excluded. The user is solely responsible for the suitability of the product selected for a particular application.

### GUARANTEED TRIAL-ORDER PROGRAM

Trial orders are available to customers of PIP® on a satisfaction or no-pay basis. The program lets end-users evaluate PIP® gloves, in their actual application and on-site condition, on a satisfaction-or-they-don't-pay basis to make sure they're the right gloves for the job. For more information about our Guaranteed Trial Order Program, please contact your PIP® Sales Representative.



**PIP Canada Ltd.**

2477 Michelin St | Laval, Quebec H7L 5B9

450-687-7374 | 877-446-3278

orders@pipcanada.ca | www.pipcanada.ca

01/2023 Rev.0  
PRINTED IN CANADA

