


PROTECTIVE INDUSTRIAL PRODUCTS

DISPOSABLE RESPIRATORS FEELTHE DIFFERENCE

www.pipcanada.ca



A BETTER DESIGNED RESPIRATOR

PIP[®] disposable respirators^{*} are designed with advanced features for increased comfort and reliability when working around particulate risks.



MAGENTA MESH Indicates NIOSH P100 designation



 FULL FACE SEAL WITH CLOSED-CELL FOAM MATERIAL Provides a secure, comfortable fit

Deluxe P100 DISPOSABLE RESPIRATORS

Versatile NIOSH approved P100 respirator for filtration against oil and non-oil based particulates

- Unique butterfly exhalation valve controls the flow of air, opening as the user exhales and closing securely as the user inhales
- Durable protective cap shields the valve and directs exhaled air downward limiting the build-up of warm, moist breath
- Four-point adjustable clip to control the tension of the elastic straps for a precise seal
- Each respirator is individually wrapped for hygiene to ensure it's clean, safe and ready for use
- Latex-free



| STYLE NUMBER | DESCRIPTION | PACK |
|--------------|---|---------|
| RPD914P100 | P100 Disposable Respirator with Butterfly Valve | 5 / box |

RESPIRATORY RATINGS

| LETTER CLASS | DESCRIPTION | NUMBER CLASS | DESCRIPTION |
|-----------------|-------------------|-----------------|--|
| Ν | Not oil resistant | 95 | Removes 95% of all particles that are at least 0.3 microns in diamete <mark>r</mark> |
| R | Resistant to oil | 99 | Removes 99% of particles that are at least 0.3 microns in diameter |
| Ρ | Oil proof | 100 | Removes 99.97% of all particles that are 0.3 microns in diameter or larger |




Deluxe N95 DISPOSABLE RESPIRATORS

NIOSH approved for at least 95% filtration efficiency against non-oil based particulates



RPD713N95 > Adjustable toggle straps > Closed-cell foam nose piece

- Closed-cell nose cushion provides a secure and comfortable seal
- Designed to be comfortable and compatible with safety eyewear and hearing protection
- Curved nose clip follows the contours of the user's nose for a superior seal at the bridge of the nose which helps minimize the fogging of eyewear
- Woven strap ultrasonically welded to the wings of the respirator
- Latex-free





RPD714N95 > Durable, clear valve cover protects the butterfly valve and permits quick inspection to ensure the respirator valve is unobstructed and in proper working condition

.....





RPD714N95OAO > Activated carbon layer

Provides relief from nuisance levels of ozone, organic vapors or acid gases below PEL's

| ST | YLE NUMBER | DESCRIPTION | PACK |
|-------------------------------------|------------|--|----------|
| RPD713N95 N95 Disposable Respirator | | N95 Disposable Respirator | 20 / box |
| RPD714N95 | | N95 Disposable Respirator with Butterfly Valve | 10 / box |
| RPD714N95OAO | | N95 Disposable Respirator with Butterfly Valve, FR Material | 10 / box |

Flatfold N95 DISPOSABLE RESPIRATORS

NIOSH approved N95 respirator for filtration of non-oil particulates

- Flatfold style respirator that can be easily stored in your pocket
- Nose clip helps form the mask to the shape of the user's nose for a secure seal
- Individually wrapped to keep the mask clean until ready to use
- Latex-free

| STYLE NUMBER DESCRIPTION | | PACK | |
|--|--|----------|--|
| RPD723N95 N95 Disposable Respirator | | 20 / box | |
| RPD724N95 N95 Disposable Respirator with Butterfly Valve | | 10 / box | |



RPD723N95 > Adjustable toggle straps > Flatfold design for portability



RPD724N95

> Durable, clear valve cover protects the butterfly valve and permits quick inspection to ensure the respirator valve is unobstructed and in proper working condition

Deluxe P95 DISPOSABLE RESPIRATORS

NIOSH approved P95 respirator for filtration of oil based aerosols



RPD814P95

Durable, clear valve cover protects the butterfly valve and permits quick inspection to ensure the respirator valve is unobstructed and in proper working condition

.....

- Closed-cell nose cushion provides a secure and comfortable seal
- Adjustable toggle on straps provides a comfortable and custom fit
- Durable protective cap shields the valve and directs exhaled air downward limiting the build-up of warm, moist breath
- Curved nose clip follows the contours of the user's nose for a superior seal at the bridge of the nose which helps minimize the fogging of eyewear
- Latex-free







RPD614P95 > Sealing area notched at nose for a better fit at the nose bridge



RPD814P950A

> Activated carbon layer provides relief from nuisance levels of ozone, organic vapors or acid gases below PEL's

| STYLE NUMBER | DESCRIPTION | PACK |
|--------------|--|----------|
| RPD814P95 | P95 Disposable Respirator | 10 / box |
| RPD614P95 | P95 Disposable Respirator, FR Outer Layer Material | 10 / box |
| RPD814P950A | P95 Disposable Respirator Nuisance Level OV-AG-OZONE with Butterfly Valve | 5 / box |

Standard N95 DISPOSABLE RESPIRATORS

NIOSH approved N95 respirator for filtration of non-oil particulates

- Open-cell foam nose pad creates a cushion between the nose and the mask for increased comfort
- Nose clip helps form the mask to the shape of the user's nose for a secure seal
- Latex-free

| STYLE NUMBER DESCRIPTION | | PACK | |
|--------------------------|--|----------|--|
| RPD513N95 | N95 Disposable Respirator | 20 / box | |
| RPD514N95 | N95 Disposable Respirator with Butterfly Valve | 10 / box | |



PPD513N95> Ultrasonically welded straps
> Open-cell foam nose pad



RPD514N95 > Durable, clear shield protects the butterfly value

ENHANCED COMFORT & RELIABILITY

WHEN WORKING AROUND BREATHING HAZARDS

CHOOSE THE RIGHT RESPIRATOR FOR THE APPLICATION

| CHOOSE THE R | | | | | | | | | | | | | |
|-------------------------------------|----------------------------------|----------------|-----------|-----------|-----------|-----------|--------------|-----------|-----------|-----------|-----------|--------------|------------|
| FOR THE | APPLICA | ATION | RPD513N95 | RPD514N95 | RPD713N95 | RPD714N95 | RPD714N950A0 | RPD723N95 | RPD724N95 | RPD614P95 | RPD814P95 | RPD814P950A0 | RPD914P100 |
| APPLICATION & INDUSTRIES | POTENTIAL HAZARDS | FILTER OPTIONS | | | | | | | | | | | |
| Spray Painting, Varnishing, Coating | Solvent-based, Water-based Latex | OV/P95 | | | | | | | | | | • | |
| Sanding and Grinding | Particulate | N95 | • | • | - | • | | • | • | | | | |
| Welding | Weld Fume | N95 | | | | | • | | | - | | | |
| | Stainless Steel & Galvanized | OV/N95-P100 | | | | | • | | | | | - | |
| Abatement | Lead | P100 | | | | | | | | | | | • |
| | Mold | P100 | | | | | | | | | | | • |
| Cement Work | Silica/Dust | P100 | | | | | | | | | | | • |
| Cleaning and Janitorial | Bleach | AG/P95 | | | | | | | | | | - | |
| | Ammonia* | AM/MA/P95 | | | | | | | | | | - | |
| | General Cleaning Products | OV/P95 | | | | | | | | | | - | |
| Agriculture | Pesticides & Insecticides | OV/AG/P95-P100 | | | | | | | | | | - | • |
| Construction | Particulate | N95 | - | - | - | - | | - | - | | | | |
| Manufacturing | Solvents* | OV/N95-P95 | | | | | • | | | | | - | |
| | Particulate | N95 | - | - | - | - | | - | • | | | | |
| Pharmaceutical Manufacturing | Particulate | N95/P100 | - | - | • | - | | • | • | • | - | | - |
| Chemical Manufacturing | Chlorine* | AM/MA/P95 | | | | | | | | | | • | |

*Only for use under permitted exposure limit (PEL)

IMPORTANT:

Respirator must be chosen based on the contaminant plus airborne concentration and the necessary Assigned Protection Factor (APF). Refer to WARNING below.

WARNING:

These respirators help protect against certain airborne contaminants. Misuse may result in sickness or death. For proper use, the wearer must read and understand User Instructions provided as a part of product packaging, consult your supervisor. Time use limitations may apply.

OV = Organic Vapor BEFORE USING THESE RESPIRATORS, YOU MUST DETERMINE THE FOLLOWING:

1. Identify the type(s) of contaminant(s) for which the respirator is being selected

2. Assess the concentration level(s) of the contaminant(s).

3. Select the appropriate respirator. Ensure the respirator can be properly fitted on the wearer's face. All respirator instructions, warnings and use and time limitations must also be read and understood by the wearer before use. Before use of these respirators, a written respiratory protection program must be implemented, meeting all the requirements of OSHA 29 CFR 1910.134, including training and fit testing. Correct use and appropriate maintenance and storage of personal protective equipment (PPE) is essential.

AG = Acid Gas

AM = Ammonia

MA = Methylamine

CANADA:

Even when a respirator is used below the Permissible Exposure Limit (PEL), a full respiratory Protection Program is required including fit testing.



RP1000

COMFORT DUST MASK

Nuisance level mask

Not NIOSH approved

- Provides relief from nuisance levels of dusts
- Not for use where concentrations are at or above the Permissible Exposure Limit (PEL)

| STYLE NUMBER | DESCRIPTION | PACK |
|--------------|--------------|----------|
| RP1000 | Comfort Mask | 50 / box |



DISPOSABLE FACE MASK

Nuisance level mask Not NIOSH approved

- 3-ply pleated construction with 99% Bacterial Filter Efficiency (BFE)
- Latex-free ear loops and adjustable metal nose clip secure the mask over the nose and mouth

| STYLE NUMBER | TYLE NUMBER DESCRIPTION | |
|--------------|-------------------------|----------|
| RPD4000 | Disposable Face Mask | 50 / box |



Fit Test Kit

| STYLE NUMBER | DESCRIPTION |
|--------------|--|
| RPFITBITREX | Bitrex fit test kit complete with: - Nebulizers - Test and sensitivity solutions - Hood |
| RPBTXSEN | Replacement Fit Test Kit Sensitivity Solution, 6 tube/box |
| RPBTXSOL | Replacement Fit Test Kit Test Solution, 6 tube/box |
| RPHOOD | Replacement Fit Test Hood, 1 |
| PRNEBUL | Replacement Fit Kit Nebulizers, 1 |

RPFITBITREX



PIP Canada Ltd. 2477 Michelin St | Laval, Quebec H7L 5B9 450-687-7374 | 877-446-3278 orders@pipcanada.ca | www.pipcanada.ca

