

PLASTICADE®

CANADA



TABLE OF CONTENTS

- »1. CHANNELIZERS AND STACKER CONES
- »2. DELINEATORS
- »3. VERTICAL PANELS
- »4. CONES
- »5. CONES AND ACCESSORIES
- »6. BARRICADE SYSTEMS
- »7. ADA PATHCADE BARRICADE
- »8. TYPE II BARRICADES
- »9. TYPE III BARRICADES
- »10. A-FRAME BARRICADES
- »11. BARRICADE ACCESSORIES
- »12. TRAFFIC BATONS and STROBE BEACONS
- »13. FLAGGER STATION and ARROW BOARD ACCESSORIES
- »14. MODULAR GLARE SCREEN
- »15. CONVEX MIRRORS
- »16. STOP/SLOW PADDLES, POLES & SIGNS
- »17. STOP/SLOW PADDLES, POLES & SIGNS CONT. & ECONOMY SIGN STANDS
- »18. SAFETY SIGNAGE
- »19. PORTABLE SIGN POSTS
- »20. RIGID & ROLL UP SIGNS
- »21. ROLL-UP SIGNS
- »22. SNAP-N-PACK ROLL-UP SIGN
- »23. WATCHDOG SIGN STANDS
- »24. WATCHDOG SIGN STAND ACCESSORIES
- »25. TRENCH COVERS, RAMPS, & MANHOLE COVERS
- »26. HOSE RAMPS AND CABLE PROTECTORS
- »27. SEMI PERMANENT SPEED BUMPS
- »28. SPEED HUMPS AND CUSHIONS
- »29. WHEEL CHOCKS



1605 Industrial Ave #100
Port Coquitlam, BC
V3C 6M9
Canada

CHANNELIZERS & STACKER CONES

DRUM

**STOCKED
INCANADA**



- Enhanced material formulation for superior rebound-ability & durability
- Power dome, handle and dome inter-fuse creating strength
- 5 bands, 4 inches high. Three combos available: All HIP, HIP & DG, All DG
- Tire locking ring design inhibits movement of drum on road surface
- Anti-roll design, flat sections on two sides
- Light folds over for stacking
- Comfort grip handle
- Customize drum with molded in logo
- Available in low/high density polyethylene
- Made in the U.S.A.
- MASH Accepted, Meets MUTCD Standards
- Dimensions: 39.7"H x 23.5"W
- Weight: 8 lbs.

LANE CHANGER™ B500



- Impact resistant polyethylene
- Available in low or high density polyethylene
- Use with a tire ring
- Domed top sheds debris and water
- Five tier design protects sheeting when stacked
- Comfortable grip, fracture resistant handle
- Double light mount
- Locking base grips tire ring
- Customize drum with molded in name or logo
- Made in the U.S.A.
- MASH Accepted, Meets MUTCD Standards
- Dimensions: 41.5"H
- Weight: 8 lbs.

C42 CHANNELIZER



- 42" tall
- Compact nesting design
- Strong, ergonomic handle
- Speeds placement on job
- Fits two hands to make lifting easier
- String caution tape through handles
- Recessed area protects sheeting
- Use with 10, 16, or 30 lb. rubber base
- Customize with your company name or logo
- Made in the U.S.A.
- MASH Accepted, Meets MUTCD Standards
- Dimensions: 48.9"H x 6"W
- Weight: 3 lbs.

NAVICADE™ NAVICADE™28




- 42" & 28" channelizers
- Slim design, perfect for narrow roadways
- Very durable, designed to rebound after impact
- Oversized handle, easy to grab
- Stackable with or without base
- 42" available with 4 bands of sheeting, 4" or 6"
- 28" available with 2 bands of sheeting, 4" or 6"
- Recycled rubber bases, 10, 16, and 30 lbs.
- Made in the U.S.A.
- MASH Accepted, Meets MUTCD Standards
- Dimensions 42" Model: 50.4"H x 7.6"W
- Weight: 3 lbs.
- Dimensions 28" Model: 35.5"H x 7.75"W
- Weight: 3 lbs.

GRIP TOP STACKER POST



- 42" tall
- All plastic, UV resistant
- Grip tee handle
- Accepts a barricade light
- 10, 16, or 30 lb. recycled rubber base
- Available in orange
- MASH Accepted, Meets MUTCD Standards
- Dimensions: 42"H x 7.5"W
- Weight: 2 lbs. 10 oz.



WATCHTOWER™ STACKER CONE



- 42" tall
- Compact nesting design
- Strong, ergonomic handle
- Speeds placement on job
- Recessed area protects sheeting
- 10, 16, or 30 lb. recycled rubber base
- Customize with your company name or logo
- Available in orange and yellow
- Made in the U.S.A.
- MASH Accepted, Meets MUTCD Standards
- Dimensions: 47.5"H x 11"W
- Weight: 2.25 lbs.

DELINEATORS

SURFACE MOUNT



**STOCKED
INCANADA**

- High impact-resistant
- All plastic construction
- Available in orange, yellow, and white
- The reflective guide post is 2 1/4" diameter
- Optional two 3" or 4" HI bands, or 3" yellow HI bands.
- Spring back base
- UV-resistant, heat and cold tolerant withstands all weather conditions
- Bases can be affixed to the pavement using butyl rubber pads, anchor bolts or 2-part road marker epoxy
- Anchors: requires 4 pcs (sold separately)
- Meets MUTCD standards
- Dimensions: 39.7"H x 23.5"W Weight: 8 lbs.
- UFP-HSP-44R-O
- UFP-HSP-44R-Y
- UFP-HSP-44R-W

POST GRIP TOP



- Manufactured from a PE plastic formula
- UV resistant and withstands extreme heat and freezing temperatures
- Two 4" white HI bands.
- Grip top for easy handling
- Top has mounting receptacle to attach barricade lights
- Meets MUTCD standards
- Add custom logo or markings
- Rubber bases are available in various weights
- DEL-DP-GT-HI24

POST OMEGA TOP

**STOCKED
INCANADA**



- Orange plastic post
- UV resistant
- Withstands high heat and freezing temperatures
- Two 4" High Intensity Prismatic white reflective bands
- Loop top handle makes offers an easy grip
- Rubber bases are available in various weight options
- Customize with a stencil letter label
- Meets MUTCD standards
- DEL-DP-L-HIP24

WATCHTOWER



- Large, strong handle with ergonomic grip
- Easy placement and pick-up, dome cap
- Recessed sheeting areas
- Protects two bands of sheeting
- Choose 42" or 28" H
- 42" (47" with handle), 28" (33.6" with handle)
- MASH Accepted
- Meets MUTCD Standards
- Dimensions 28" Model: 35.5"H x 7.75"W
- Weight: 3 lbs.

DELINEATOR BASES



- Available in 10, 12, or 18lb
- Made From Recycled Rubber
- 4.5" center hole

**STOCKED
INCANADA**

GRIP TOP



- 47.25" high with grip handle
- 4" wide tube
- Recessed sheeting for two bands
- Cone bar easily slips over the top
- Comfortable grip top
- Quick placement and pick-up
- Made of polyethylene
- Bottom flange grabs base
- Dimensions: 47.25"H with grip top, 4" W tube, 1.7 lbs.
- Meets MUTCD Standards

VERTICAL PANELS

GEMSTONE™ VERTICAL PANEL



8" x 36" Panel



The handle is easy to grab, even with light attached

- Oversized handle with comfort grip
- Pick up easily, even with light attached
- Thick flange, holds rubber base
- Increased rigidity from larger ribbing eliminates splitting and cracking
- Recessed panel protects reflective sheeting - 36"H x 8"W
- Flashing light mounting receptacle
- Solid recycled rubber base in 9, 20 or 30 lbs.
- Available in orange, white, and black
- Custom and standard signs available
- Made in the U.S.A.
- MASH Accepted WZ-300, Meets MUTCD Standards
- Dimensions: 44.5"H x 14.75"W Weight: 4 lbs.
- Orange stand and 20lb base stocked in Canada



**STOCKED
IN CANADA**

Orange Stand
& 20lb Base

Recycled Rubber Bases



9 lb. base
14.5" x 17.5"



20 lb. base
20" x 20"



30 lb. base
20" x 28"

CROSSCADE™ 24 & 36 VERTICAL PANEL



- Impact resistant plastic panel
- Press fit base, push panel down into base using foot ledge
- 28 lb. and 43 lb. recycled rubber bases
- Hole for attaching a barricade light (D Cell & 6 Volt) ledge holds light upright
- Molded in handles, both panel and base ergonomic, easy to use with gloves on
- Stacking lugs on panels keeps stacked panels from sliding
- Signs are applied directly to panel face, no bolts needed
- Available in white
- Custom and standard signs available
- Meets MUTCD Standards
- Made in the U.S.A.
- Crosscade 24: 38.42"H x 14.3"W x 2"D Weight 5.5 lbs.
- Crosscade 36: 50.42"H x 14.3"W x 2"D Weight 8 lbs.



Recycled Rubber Base
28 or 43 Lbs.
27.59" x 14.3"

CONES AND ACCESSORIES

**STOCKED
IN CANADA**

SOLID ORANGE PVC UTILITY

- Solid 1 piece cone, fluorescent orange
- 2 year warranty on fluorescent color
- 100% virgin PVC material
- Superior flexibility, extremely durable
- UV stabilizers reduce fading
- Cones stack without sticking
- Optional ASTM Type III High Intensity Reflective Collars
- MASH Accepted, Meets MUTCD Standards
- Customize with your name or logo



BLACK BASE PVC CONES

- Fluorescent PVC cone body
- 2 year warranty on fluorescent color
- Recycled PVC black base
- Body and base interlock as a single inseparable piece
- UV stabilizers reduce fading
- Cones stack without sticking
- Optional ASTM Type III High Intensity Reflective Collars and 3M™ High Intensity Prismatic Collars
- Temperature rated for -31°F to 149°F (-35°C to 65°C)
- MASH Accepted, Meets MUTCD Standards



COD-TC-30R



COD-TC-45R



COD-TC-45RHT6-ZA
6" High Intensity Collar



COB-TC-45



COB-TC-45HT



COB-TC-45HIP



COD-TC-70R



COD-TC-70RHT-ZA
4" and 6"
High Intensity Collars



COB-TC-70WR



COB-TC-70WRHIP
4" & 6" HIP
Collar



COB-TC-70WRHT4
4" High Intensity Collar



COB-TC-70WRHT
4" and 6"
High Intensity Collars



COB-TC-90WRHIP
4" and 6"
HIP



COB-TC-90WR3M
4" and 6"
3M HIP
Collars



COD-TC-90WR9
No collars
Solid Orange



COD-TC-90WR9HT-ZA
4" and 6"
High Intensity Collars



COD-TC-45GN



COD-TC-70WGN

CONES AND ACCESSORIES


**STOCKED
IN CANADA**

CONE BARS



COA-TCB-1BY
4' to 7' Retractable Cone Bar
Black with Yellow EG Reflective Tape
Pole Diameter - 1.5"

- Two sizes
- Expands from 4' to 7' and 6' to 10'
- Pole Diameter - 1.5"
- Quick installation to provide high visibility barrier
- Reflective Engineer Grade tape
- Portable, versatile, & lightweight, 7' - 2 lbs., 10' - 5 lbs.



COA-TCB-1WO
4' to 7' Retractable Cone Bar
White with Orange EG Reflective Tape

- COA-TCB-2WO
- 6' to 10' Retractable Cone Bar
- White and Orange EG Reflective Tape
- Extends 2' from both ends, reduces sagging

TRAFFIC CONE LIGHT



SLB-AB-196



- Durable with high impact resistance
- Completely waterproof
- Red polycarbonate lens with ABS yellow handle
- 6 super bright Red LED's
- 360 Degree flashing light
- Light features 4 Quad Flash
- Automatic day time shut-off prolongs battery life
- Automatically turns on at low light
- Running time: Total darkness approx. 2 months
- Summer flashing at night, off in daylight, approx. 3-4 months
- Width 2.76" (7 cm) handle: 1.57" (4 cm)
- Holds 2 D-Cell batteries (Not included)

**STOCKED
IN CANADA**



RECYCLED RUBBER CONE WEIGHTS



- Recycled Rubber Cone Weight



- Fits 28" and 36" Cones
- 5 lb. and 7 lb. available



CONE TOPPER SIGN



TSF-1210-CTDS-OR-EG-2WAY

- 12" x 10" sign for traffic cones
- Two sided with 2 Way Arrows
- Engineer Grade reflectivity
- Black line border
- Cone sold separately

**STOCKED
IN CANADA**

LIGHT UP COLLAPSIBLE CONES

- Two sizes, 21" and 28"
- PVC weighted base
- Bright orange waterproof poly oxford cloth top
- 3 LED's provide nighttime visibility
- Light switches steady on and off
- (Requires 2 x AA batteries)
- Can be driven over
- Compact and easy to store
- 21"H: base 12"W x 12"W x 2.5"H Weight 4 lbs.
- 28"H: base 14"W x 14"W x 2.5"H Weight 7 lb. 10 oz.



COF-AB-A70R

4" and 6" reflective bands





COF-AB-A50R

Two 2.5" reflective bands

BARRICADE SYSTEMS

LO-PRO™ AIRPORT BARRICADE



- 8 ft. long and 10 in. high barricade, units interlock
- Durable construction, 25 lbs.
- Enhanced wall thickness on barricade bottom
- Molded reinforcing ribs add stiffness and strength
- Connectors are molded into the barricade, no pins to lose: Allows interconnected units to pivot in multiple orientations
- Pivots between 90° and 180°
- 7° angled sidewall facilitates visibility
- Accepts 70"L x 6"H continuous retro-reflective sheeting
- Fill with up to 220 lbs. (26 gallons) of water
- Two fill holes and one drain hole

- Accepts two styles of lights
360° round, screw on airport lights
standard barricade, bolt on lights
- Two flag mounts
- FOD (foreign object debris) Free
- Forklift access, recessed areas at bottom of barricade
- Stackable for transportation and storage
multiple stacking lugs keep units in place while stacked
- Made in the U.S.A.



20" x 20" vinyl flag
Stiffener keeps flag open
36"L wood dowel



360° Red Solar LED Airport Lights

- Ambient light sensing
- Turns on automatically in low light
- Photocell sensitivity 100-250 lux

- Flashes 50 to 55 times pm
- Standard 2" straight pipe thread for easy installation
- Ni-Mh battery included
- Sub C battery with flat top 1.2V 3400mAh HICAP

WATER FILLED BARRICADE SYSTEM



- 60"L x 36"H channelizing device
- Fillable with water or sand
- Conforms to any roadway design, can turn 90°
- Tongue and groove design
- Linked units secured with connector pin
- Quick assembly and breakdown
- Lightweight, 50 lbs. when empty
- Stackable for transport and storage 820 LFT/truck (164 units)
- Forklift access, recessed areas at bottom of barricade: can be moved while filled with water
- Fill with up to 72 gallons of water
- Every unit is leak tested
- Light pocket for standard barricade light, use 5" light bolt
- Accepts optional fence panels
- 54"W fencing with 8'H - 3" diameter posts (covers 60")
- Area for applying retro-reflective striped sheeting
- Standard in orange and white
- Custom colors available, 40 piece minimum
- Made in the U.S.A.
- MASH Accepted WZ-387, Test Level 2, Meets MUTCD Standards



Connector Pin
33.8"L
Links Units

Dimensions: 60"L x 24"W x 36"H
Connected length: 60"
Weight: Empty - 50 lbs.
Water filled - 683 lbs.

ADA PATHCADE™ BARRICADE

ADA COMPLIANT
&
MASH APPROVED



Handle turn
Deploys Feet



Dimensions: 72"L x 38"H x 3"D
Connected Length: 69.4"
Weight: 31 lbs.



Tripod Leg System

- Multi-functional barricade system meets ADA requirements
- Continuously detectable edge at barricade top and bottom
- Exclusive tripod leg system, no sandbags needed when using all 3 feet
- Anti-trip foot on one side
- Two larger feet on other side
- Use only larger feet with sandbags for ADA Compliance
- Easy handle turn deploys barricade feet
- Unique soft grip handle system, quick turn moves feet out or back in
- Stack 20% more: nesting system allows for 19 units to be stacked on pallet, lowering transportation costs
- Stacking lugs keep stacked units from shifting

- Shape to any layout, units pivot 120°
- 3 units in triangle layout for manhole guard
- Robust dual connectors create easy to use linking system
- Smooth, comfortable guardrail with rounded edge on top of panel
- Four recessed sheeting areas, two on each side of panel, 8" x 50" ea.
- Light shelves hold standard barricade lights, 2 per section
- Holes for attaching signage to panel
- Available in orange or white & with or without retro-reflective sheeting
- Made in the U.S.A.
- MASH Accepted, WZ-428, Meets MUTCD Standards


CROWDCADE™ Crowd Control Barricade

6' durable plastic barricade
with strong plastic legs and rubber feet



- Sturdy, and durable - thick, double wall panel
- Feet won't break off from panel
- Stable, recycled rubber feet, securely attached to panel
- Easy stacking, no tangling of feet
- Feet rotate flat for stacking
- Molded-in lugs keep units from sliding when stacked
- Tamper resistant linking bracket prevent in-line barricades from being pulled apart
- Linking bracket accommodates various configurations
- Units pivot on bracket and adjust to uneven ground
- Holes for bolting on signs (one side)
- Panels on both sides for retro-reflective sheeting
- Available in orange and white
- Made in the U.S.A.

STOCKED
IN CANADA



connected
unlocked

connected
locked

feet rotate
for stacking


Dimensions: 74" x 39.5"
Connected Length: 6'
Weight: 32 lbs.

CROWDCADE™ DELUXE Crowd Control Barricade

Deluxe 7' thick walled,
plastic barricade with steel legs and feet



- Sturdy and extra durable
- Feels as solid as steel, but won't rust
- 50% thicker double wall panel, prevents warping or bending
- Superior stability, stands up to large crowds
- Steel legs are integrated with barricade panel, preventing tip-over
- Anti-trip, flat steel feet are securely welded to steel legs
- Powder coated finish
- Feet rotate and lock for compact stacking
- Molded-in lugs keep units from sliding when stacked
- Tamper resistant locking hooks create strong connections prevent in-line barricades from being pulled apart
- Double locking hooks accommodate various configurations units pivot on hooks and adjust to uneven ground
- Unique Quick-Change™ system, easy to slide in signs signs held in by stay tabs™ on both sides of barricade
- Holes for bolting signs if required
- Available in orange and white
- Made in the U.S.A.



connected
unlocked

connected
locked

feet rotate and
lock
for stacking

Dimensions: 86.25" x 42"
Connected Length: 7'
Weight: 35 lbs.

TYPE II BARRICADES



PLASTICADE®

- All plastic and maintenance free never rusts or needs leg straightening
- Molded hollow, can be internally ballasted with up to 10 lbs. dry sand
- Hinges “click lock” in the open position
- Molded in handle holds a flashing light
- Available in white, yellow, and orange
- MASH Accepted
- Meets MUTCD Standards
- Dimensions: 25”W (63.5 cm) x 45”(114.3 cm)
- Weight: 16 lbs. (7.26 kg)



FIBERCADE™

- All plastic barricade, white
- “Double-wall” board design for strength and rigidity
- Built from component parts
- Easy replacement of damaged legs and boards
- Bottom board can carry a 35 lb. sandbag
- Receptacles for flashing lights
- Boards sizes (12”x24”, 8”x24”, and 3”x24”)
- MASH Accepted
- Meets MUTCD Standards
- 24”W (61 cm) x 43.3”H (110 cm)
- Weight: 16 lbs. (7.26 kg)

FOLDING BARRICADES

- 13 Gauge Steel Legs, pre-galvanized to protect against corrosion
- Impact resistant, blow molded boards are strong and durable (HDPE)
- Waffle design increases board strength and rigidity
- Hold weight of sandbags
- Boards are riveted onto legs
- Leg hinges assembled using zinc plated nuts and bolts
- Leg and board components can be replaced if damaged
- Engineer Grade Striped Sheeting
- Economy priced

**STOCKED
IN CANADA**



BAR-FBT1-86EG

Type I Barricade
8” Top Board with EG
Sheeting



BAR-FBT2-88EG

Type II Barricade
8” Top Board with EG
Sheeting
8” Bottom with EG
Sheeting



COMBOCADE™

- 14 gauge steel leg barricade with plastic boards
- Double wall boards are strong and dense
- Will not bend, warp, crack, splinter, or peel
- Boards can be replaced
- Legs can be replaced or repaired
- Boards sizes (12”x24”, 8”x24”, and 3”x24”)
- Bolt holes are molded into the boards & attached with rivets to legs
- MASH Accepted
- Meets MUTCD Standards
- Dimensions: 24.4”W (62 cm) x 42.6”H (108.2 cm)
- Weight varies with board size



ECONOCADE®

- All plastic, economical barricade
- Strong and stackable
- Solid wall design
- Easy to transport
- Available in white
- MASH Accepted, Meets MUTCD Standards
- Dimensions: 24.4”W (62 cm) x 42.6”H (108.cm)
- Weight 13.2 lbs. (6 kg)


TYPE III BARRICADES

- 3904-EG-L-DRILL-KIT
- Angle Iron Uprights with Angle Iron Feet
- 4' Boards with Engineer Grade
- Left Striped Sheeting on one side of boards
- Economy priced

**STOCKED
IN CANADA**



ANGLE IRON



- Boards 4', 6', 8', 10', & 12' lengths
- Striped sheeting on one or both sides
- 10 gauge Angle Iron uprights
- 10 gauge, galvanized Angle Iron feet
- Accepts 2 flashing lights

ANGLE IRON

Feet & Plastic Uprights



- Boards 4', 6', 8', 10', & 12' lengths
- Striped sheeting on one or both sides
- Power Post plastic uprights
- 10 gauge, galvanized Angle Iron feet
- Accepts 2 flashing lights
- Meets MUTCD Standards
- MASH Accepted WZ-327

ANGLE IRON

Feet & Steel Square Tube Uprights



- Boards 4', 6', 8', 10', & 12' lengths
- Striped sheeting on one or both sides
- 14 gauge Steel Square Tube Uprights
- 10 gauge, galvanized Angle Iron feet
- Accepts 2 flashing lights
- Meets MUTCD Standards

STEEL SQUARE

Tube Uprights & Feet



- Boards 4', 6', 8', 10', & 12' lengths
- Striped sheeting on one or both sides
- 14 gauge Steel Square Tube
- Accepts 2 flashing lights
- Meets MUTCD Standards

STEEL SQUARE

Tube Feet & Plastic Uprights



- Boards 4', 6', 8', 10', & 12' lengths
- Striped sheeting on one or both sides
- Power Post plastic uprights
- 14 gauge Steel Square Tube feet
- Accepts 2 flashing lights
- Meets MUTCD Standards
- MASH Accepted WZ-327

RUBBER FEET

& Plastic Uprights



- Boards 4', 6', 8', 10', & 12' lengths
- Striped sheeting on one or both sides
- Power Post plastic uprights
- Rubber Feet, 43.25 lbs. (19.6 kg)
- Accepts 2 flashing lights
- Meets MUTCD Standards
- MASH Accepted WZ-343

Dimensions:

- Steel Square Tube Upright - 1.75"(4.45 cm) x 1.75"(4.45 cm) x 63"(160 cm)
- Steel Square Tube Foot - 2"(5.08 cm) x 2"(5.08 cm) x 60"(15.24 cm), Riser - 6"H(15.24 cm)
- Angle Iron Upright - 1.5"(3.81 cm) x 1.5"(3.81 cm) x 63"(160 cm)
- Angle Iron Foot - 1.5"(3.81 cm) x 1.5"(3.81 cm) x 60"(152.4 cm), Riser - 6"H(15.24 cm)
- Volcano Rubber Base - 30.25"L (76.8 cm) x 14"W (35.56 cm)



A-FRAME BARRICADES


BOARD BARRIER A-FRAME

- Yellow powder coated steel leg
 - Accepts one board only
 - 2 legs required to support barrier board
 - Easy to set up and dismantle
 - Lay flat for easy storage
 - Compatible with 8' plastic economy board
 - Leg Dimensions:(board opening 7.83"H x 1.31"W)
 - Leg Weight: 4.4 lbs.
 - Economy priced
- Leg: BAR-BB-LEG-1Y
 - Board: BAR-BB-BOARD-1W8
 - Board has Engineering Grade Striped Sheeting, left stripes on one side and right stripes on the other side.
 - Stripes are 6"W



PLASTICADE® A-FRAME

- Accepts **only** Plasticade® I-Beam boards
- Molded hollow: may weight internally with dry sand
- Stacking lugs make transportation and storage easy
- Flashing light mounting receptacle on leg
- Use with one board or two
- Sold in sets or as component parts
- Made in the U.S.A.
- Leg Dimensions: 42"H x 28"W (board opening - nominal 2"W x 8"H)
- Leg Weight: 5 lbs.



Remove plug and fill with up to 7 lbs. of dry sand to ballast



I-Beam's recessed face



I-Beam Board

- I-Beam Boards have a unique design that adds to the rigidity of the unit. The recessed area for sheeting



OMNI™ A-FRAME

- Versatile, accepts many types of boards
 - Plasticade® I-Beam boards
 - Plasticade® 1" x 8" boards (Type III boards)
 - Other plastic boards (I-Beams, thin rails, panels)
 - Wood boards
 - 20% heavier than Plasticade® A-Frame
 - Solid wall design
- Customize nameplate with your name or logo
 - Stacking lugs make transportation and storage easy
 - Flashing light mounting receptacle on leg
 - Use with one board or two
 - Made in the U.S.A.
 - Leg Dimensions: 40"H x 28.6"W
 - Leg Weight: 6 lbs.

STOCKED IN CANADA



308BK

Type III Board

- 1" x 8" Type III Boards are a hollow core extruded design. Internal wall provide lightweight strength and durability.



304-EG-L-DRILL

- Both board types are available in 6', 8', & 10' lengths.

BARRICADE ACCESSORIES



HEAVY DUTY BARRICADE LIGHTS



SLB-AB-410KA

Double Side Lens - Type A/C
Amber Lens
Function: Steady-Flash-Close
Requires 4 D-Cell Batteries

- Heavy duty polycarbonate lens and polypropylene case
- Visual distance more than 200 yards (200 meters) with working time of more than 800 hours
- One LED per side
- High efficiency circuitry increases battery life up to 4 months of usage on steady burn/6 months flashing
- Automatic daytime shut-off prolongs battery life, turns on at dusk
- D-Cell lights require 4 batteries (not included)
- Uses up 2 batteries then switches to last 2
- Meets MUTCD Standards



SLB-AB-410A

Double Side Lens - Type A/C
Amber Lens
Function: Steady-Flash-Close
Requires 2, 6V 4R25 Batteries



SLB-AB-SU410KA


Double Side Lens - Type A/C
Amber Lens
Function: Steady-Flash-Close
Built-in solar battery

**STOCKED
IN CANADA**

Accessories included:



- 1 pc. push pin for each barricade light
- 1 pc. tamper proof bolt for each barricade light



BARRICADE TAPE

Use To Quickly & Effectively
Mark Off Temporary Hazards



BAR-TAPE-CAUY-300

- Designed to act as visual deterrent
- Quick and easy to install, lightweight
- Tie onto barricades, staple or nail to posts
- High gloss tape is made from polyethylene, printed black words
- Use in all weather conditions
- Rolls contain 1000' of tape



TRAFFIC BATONS

SLW-AB-293R

SLW-ST-395R

SLW-ST-S700R

SLW-ST-900R

SLW-ST-900R-1

SLW-ST-S900R-5



**STOCKED
IN CANADA**



- Constructed from ABS and PVC material
- High visibility, ultra-light LED bulbs
- Continuous and blinking modes
- Lifespan+++ of 100,000 hours
- Waterproof exterior
- Visible at over 200 yards
- Flashing frequency of 3.3 Hz to 4 Hz



STROBE BEACONS

SAE CLASS 2 LOW PROFILE STROBE BEACON

- 5 user selectable patterns
- Super Bright LED's, amber color
- Polycarbonate lens, amber
- Water and shock resistant
- Working temperature -4°F - 158°F (-20°C - 70°C)
- 5 year warranty (manufacturer's defects)
- Mainly used for utility vehicles

**CLASS 1
BRIGHTEST
BEACONS**

SAE CLASS 1 STROBE BEACON

- 5 user selectable patterns
- Super Bright LED's, amber color
- Polycarbonate lens, amber
- Water and shock resistant
- Working temperature -4°F - 158°F (-20°C - 70°C)
- 5 year warranty (manufacturer's defects)
- Used for Emergency response vehicles



SAB-AB -MINIFLZ-A

**STOCKED
IN CANADA**



SAB-AB -675F-A

FLAGGER STATION AND ARROW BOARD LIGHTING



Sets Up
In Seconds

**STOCKED
IN CANADA**



8005



Dual LED Light Head
4000 Total Lumens (2,000 each light head)
24 Watts, 2 amps, for the two heads
Full Charge Run Time:
• 14+ hrs. with both light heads on
• 25+ hrs. with one light head on



Charge DC Powered Electrical Devices
(DC computer adapter not included)

- 8 foot light elevation
- Collapsible aluminum extension mast
- Cam lock adjustments with retractable cable
- Battery rated for 500+ charge cycles
- Push to test voltage meter
- DC Power Port: operate unit with external 12 VDC power
- Run other DC powered electrical devices
- Charge with clamp style jumper cables
- Can jump start vehicle

- Lamp heads are independently, directionally adjustable
- Yellow LED flasher on unit for added safety
- Legs stable on uneven ground, retract for storage
- Weatherproof case
- Lifetime warranty on light heads
- One year replacement warranty on battery and charger
- Weight: 44 lbs. Storage Dimensions: 26"H x 17.5"W x 8"D

ARROW BOARD BULBS

**STOCKED
IN CANADA**



- Material: Acrylic
- Color: Amber Light / Clear Case
- Utilizes reverse polarity to protect the board's electrical system
- Reliable and built to last
- PAR46 LED bulb meets MUTCD Standards.
- Item: SAB-PAR46

LED TRAFFIC ASSIST ARROW

**STOCKED
IN CANADA**



- Width: 60"
- Depth: 1.75"
- Height: Overall 30" | Center 2"
- Weight: 14 lbs
- 30 LED lamps – 14 lamps in the body and 16 arrow end lamps
- Amber color LED's
- One piece molded plastic extrusion
- 25' cable
- Includes touch pad controller for simple operation
- 16 sequencing modes
- 2 speeds to match traffic speeds
- Center out mode included
- 2 warning flash patterns for advance warning to oncoming traffic
- Operating voltage 12/24 V
- Max Amp Draw: 10.0A
- Made in USA
- Packaging: 1 LED board with bulbs, controller, 25' cable
- Item Number: SAB-TA60LPZ-A3

PLASTICADE™ MODULAR GLARE SCREEN



- Reduces installation time!
- Unique "Snap in Place" design
- Quick and easy installation and removal on-site limits worker exposure to dangerous work zones
- Reduces labor costs!
- No time-consuming pre-assembly needed
- Reduces transportation costs by 65% or more
- Fit over 3 miles of glare screen on one semi truck, compared to 1 mile of competitor's product
- Reduces storage space needed by 80% or more
- Quick to disassemble and store
- Compact stacking of rails and blades
- Blades are re-positionable on-site for barrier wall relocation
- Only two blades need to be removed for relocation
- Base rail remains in place
- Standard product is for use on left side of traffic
- Can be provided for use on both left and right sides
- Rail mounts flush on barrier wall eliminating rail fractures
- All polymer plastic:
no fiberglass splinters, no rust, durable and long lasting
- 6"W blades:
available in heights 18" to 24", other heights upon request
- 6"W rails:
available in various lengths up to 15'
- Made in the U.S.A.



22° angled blades reduce glare

Plasticade® Modular Glare Screen assembles quickly on-site, saving you money on labor!

12' Barrier Wall






VS.



Assemble at job site in
37 seconds
Only 11 pieces to assemble!

Pre-assemble in a warehouse
A 12' barrier has 121
pieces to assemble

Blades snap into rail.
Place notch in blade under lip in rail. Push down into slots. Push second notch under second rail lip.




Place removal tool near a blade.
Pull back on tool and rail to release blade from rail lip.

MIRRORS

HOODED CONVEX MIRRORS

- Available in three sizes, 24", 32", & 40"
- Built in shield reduces glare
- Ideal for indoor and outdoor use
- Provides 160° viewing area
- Comes with protective film covering, remove after installation
- Includes zinc plated hardware to install on pole or wall



CONVEX MIRROR

- Ideal for indoor and outdoor use
- Provides 160° viewing area
- Comes with protective film covering, remove after installation
- Includes zinc plated hardware to install on pole or wall
- Available in 18"



STOCKED IN CANADA



Convex Mirror without Hood Shield



Swivel Mounting Bracket



18" Convex Mirror
PAC-CM-45



Mirror swivels on bracket
to adjust to perfect viewing angle



STOP/SLOW PADDLES, POLES & SIGNS

ELITE PVC FLAGGER POLE

- Orange PVC, 1.6" dia. hollow tube, 0.15" thick wall
- Pieces slide together with spring loaded button
- Two lengths, 72"L and 84"L
- Choose a two or three piece pole
- Top segment has 12"L handle and holds the sign
- Spring loaded button makes it easy to change from handle to pole to storage
- Rounded plastic tip at pole bottom, allows for easy pole turns
- Comes with hardware to attach sign, signs sold separately
- Meets MUTCD Standards

- **SSP-16-DG9-CP**
- Red STOP, Yellow SLOW
- STOP/SLOW Paddle 16" (BC)
- Coroplast™ DG9
- 12" Screw-in rubber grip handle

**STOCKED
IN CANADA**



Spring Loaded Button connects the segments



Assembled Pole 72"L or 84"L



FIBERGLASS FLAGGER POLE & ALUMINUM HANDLE


- Aluminum handle is 10"L
- Rubber comfort grip
- Two sided sign, STOP/SLOW
- 18" sign available in ABS or corrugated plastic sheet
- Three grades of retro-reflective sheeting
- Optional screw on fiberglass telescoping pole expands to over 84"L
- Strong, durable ABS clamp, push clamp lock to hold pole at desired height
- Rubber comfort grip handle, 6" long handle fits large hands
- Rounded plastic tip at pole bottom, makes paddle turn easy
- Non-conductive and lightweight
- Meets MUTCD Standards

**STOCKED
IN CANADA**

- **SSP-72-POLE**
- STOP/SLOW Telescoping Pole
- Screw on type
- Aluminum/Rubber grip
- Adjustable from 4' TO 6'



Screw On Handle
Pole Height Adjustment Mechanism
SSP-P-83



Screw On Telescoping Pole

STOP/SLOW PADDLES & ECONOMY SIGN STANDS

STOP/SLOW SIGNS ONLY



- **STSTP-16-DG9-CP**
- STOP/STOP Paddle 16" Coroplast DG9
- 12" Screw-in rubber grip handle




- **SSP-16-DGBC**
- Red STOP, Yellow SLOW
- STOP/SLOW Paddle 16" (BC) Composite DG9 Type 9
- 12" Screw-in rubber grip handle



- **SSP-18-T9-ONT**
- STOP/SLOW Paddle 18" (ON) Composite HIP/DG Type 9
- 12" Screw-in rubber grip handle
- Red HIP Stop, Lime Yellow Fluorescent T9 Slow

**STOCKED
INCANADA**



ABS Sign Clamp

SSP-12-HANDLE



Screw On Aluminum Handle

Sign is attached with rivets through a strong ABS clamp. Clamp receives the screw on handle or telescoping pole.

ECONOMY SIGN STANDS



SSS-TSBC-SM



SSS-TSBC



SSS-FAAB



SSS-SS18-ALUM

- Sign stands and flags are used to draw attention and further increase visibility in work areas.
- Our sign stands are constructed from powder-coated steel and designed as a temporary and sturdy holder for signs in construction areas and work zones.

**STOCKED
INCANADA**

WARNING FLAGS

Our traffic warning flags are manufactured from nylon materials with PVC plastic reinforcement to ensure they remain unfurled and openly visible. Includes a solid wooden handle for sturdy grip.



SSF-1818-PVCM

SIGN STANDS - SAFETY SIGNAGE

Barricades



Hold signs
24"W x 12"H
on top panel

4 Types:
Plasticade®
Fibercade™
Econocade™
Combocade™


Squarecade™ 45



Holds signs
24"W x 24"H

Dimensions:
45"H x 25"W
18 lbs.

Squarecade™ 36



Holds signs
24"W x 24"H

Dimensions:
36"H x 25"W
17 lbs.

Narrowcade®



Holds signs
12"W x 24"H

Dimensions:
45"H x 13"W
11 lbs.


Minicade®



Holds signs
12"W x 24"H

Dimensions:
36"H x 13"W
10 lbs.

Signicade®



Holds signs
24"W x 36"H

Dimensions:
45"H x 25"W
18 lbs.



MESSAGE BOARD KIT

Show different messages daily

Coroplast™ board comes with tracks permanently attached

2 boards per kit

Letter set contains over 300 letters and numbers plus "Sale" and "Special" headers


Indexed box for letter storage included in kit

Available For: Signicade Deluxe, Signicade, Wind Signs, & Simpo Sign II



PORTABLE SIGN POSTS

ROLL-A-POST™ PLASTIC BASE



Roll-A-Post™ 18 Roll-A-Post™ 24

Fill With Water!



- 18: use with signs 24" x 24" or smaller
• recommendation based on ballast of 80 lbs.
- 24: use with signs 26"W x 38"H or smaller
• recommendation based on ballast of 150 lbs.

- Withstands strong winds without tipping over when filled with sand
- Large fill holes
- Lightweight plastic reduces shipping costs
- Hardware for attaching a sign included
- Made in the U.S.A.
- Available Colors
- Roll-A-Post 18: black, yellow, red, and blue
- Roll-A-Post 24: black and yellow
- Custom colors with minimum order qty.
- Durable, thick walled plastic bases
- No rust, dents, or cracking
- Wheels for easy relocation
- Sturdy plastic wheels come pre-installed
- Square plastic post eliminates sign twisting
- Available in white and black
- No special bracket needed
- Cap for top of post included



Wheels

RUBBER BASE PORTABLE SIGN POST

- Durable recycled rubber bases
- Three sizes: 30 lbs., 60 lbs., Stack for 90 lb. base
- Resistant to weather, oil, salt, moisture, & UV light
- Will not warp, chip, or crack
- Withstands strong winds without tipping over
- Molded-in Hand-grips make bases easy to pick up
- Optional wheels makes moving signs even easier
- Heavy duty, non-scratch plastic wheels
- Made in the U.S.A.



OPTIONAL WHEELS
comes with two double
wheel assemblies installed

PLASTIC SQUARE POWER POST™

- Two lengths - 60" and 72"
- Two colors - white and black
- Lightweight
- Post will never rust!
- Pre-drilled holes for many sign sizes
- No twist or wobble with square post



30 lbs.

60 lbs.

90 lbs.

11x14 CARDSTOCK SIGN WITH RED PRINTING



TSF-1114-TEMP-NP
NO PARKING

TSF-1114-TEMP-25PK
NO PARKING
(Pack of 25)

**STOCKED
IN CANADA**



TSF-1114-TEMP-NP75
NO PARKING
7AM-5PM

TSF-1114-TEMP-NP75-25PK
NO PARKING
7AM-5PM
(Pack of 25)



RIGID SAFETY SIGNS

- Manufactured in Coquitlam, BC
- Standard and Custom Sign Legends
- Sign Materials: Coroplast, Aluminum, & Aluminum Composite
- State of the art UV printing, no rub off
- Superior sheeting materials
- Laminate overlays for heavy use construction signs



CONSTRUCTION

REGULATORY

PARKING



HIGH QUALITY ROLL-UP SIGNS

Wear Resistant Ink!

- Ink won't transfer to sign where it doesn't belong
- Breakthrough Digital Print & Film Technology
- Reflective color performance exceeds ASTM D 4956 Type VI requirements
- Standard & Custom Sign Sizes
- Fiberglass Cross Braces
- Two thickness options
 - 1/4" Vertical Brace with 3/16" horizontal brace
 - 5/16" Vertical Brace with 3/16" horizontal brace
- Anti-kiting Strap
- Sturdy hook & loop strap comes attached to sign
- Eliminates sail effect
 - backwind won't blow and move sign
- Corner Pocket Options
- Durable polycarbonate plastic
- Sewn reinforced vinyl



Legend Identification

- Legend name printed on sign border on two edges whichever way you roll it, identify the legend




Storage Strap

- Hook & Loop nylon strap secures the sign for storage



ROLL-UP SHEETING OPTIONS



- MUTCD Fluorescent Orange Non Reflective Vinyl
- Daytime use only, Meets ASTM D 4956 color
- Reflective Vinyl:
 - 3M™ High Intensity Prismatic Grade, Vivid Orange Series RS30, Meets ASTM D4956 Type VI, CWZ
 - Oralite® Super Bright™ Vivid Orange, Fluorescent Pink, White, & Yellow, Meets ASTM D 4956 Type VI, Class 5
- Avery Dennison® WU-7000
- Fluorescent Orange, Fluorescent Pink, & White
- Meets ASTM D 4956 Type VI, Class 5
- Oralite® High Performance Marathon
 - Fluorescent Orange, White, and Fluorescent Yellow/Green

SNAP N PACK™ ROLL-UP SIGN


Folds up easily and snaps open. Deploy in seconds.

- Wear Resistant Ink:
ink won't transfer to sign where it doesn't belong
- Roll-up Signs 36" & 48"
- Reflective in orange, yellow, and pink
- Non Reflective, orange
- Fiberglass Cross Braces
- 3/8" Vertical Brace with 3/16" horizontal brace
- Durable Polycarbonate Corner Pockets
- Standard and Custom Legends Available
- Perfect for first responders.

**STOCKED
IN CANADA**



**Sign Slides Onto
Universal Roll-Up
Sign Bracket**



**Snap Secures Sign
In Open Position
Push Snap Down
To Release & Fold**



**Carry Bags Available
Holds Sign Stand with
Snap N Pack Roll-Up Sign
attached and ready to deploy**

Use the Snap N Pack™ Roll-Up sign with our MASH Accepted Watchdog Compact Sign Stands

- Fits any stand with a universal roll-up sign bracket
- Recommended Sign Stands
 - SS310A for 36" x 36" Signs
 - SS340A for 48" x 48" Signs



Optional Folding Flag Attachment

- Riveted to vertical brace
- Folds up with the sign for storage



WATCHDOG SIGN STANDS



COMPACT SIGN STANDS



SSRB800 SS300 SS300A SS310 SS310A SS340A

HIGH MOUNT SIGN STANDS



SS310-TM SS410A SS400 SS420A SS440 SS520A SS620A SS621A

TRIPODS AND BARRIER MOUNT SIGN STANDS



SS100 SS105 * BC-12 KIT & BC-15 KIT

Model #	SSRB800	SS300	SS300A	SS310	SS310A	SS340A	SS310-TM	SS400	SS410A	SS420A	SS440	SS520A	SS620A	SS621A	SS100	SS105	BC-12 & BC-15
Roll-Up Sign	Yes	Yes	Yes	Yes	Yes	Yes	Yes 36"	Yes	Yes	No	Yes	Yes	Yes	No	No	No	Yes
Rigid Sign	No	No	No	No	No	No	No	No	No	Yes .080 Alum.	No	No	Yes 10 mm Cor.	Yes .080 Alum.	Yes 5/8" ply	Yes 5/8" ply	Yes
Main Material	Rubber	Powder Coated Steel	Alum.	Powder Coated Steel	Alum.	Alum.	Alum.	Powder Coated Steel	Alum.	Alum.	Powder Coated Steel	Alum.	Alum.	Alum.	Galv. Steel	Powder Coated Steel	Powder Coated Steel Clamp Alum. Mast
STOCKED IN CANADA	No	Yes	No	Yes	Yes	No	Yes	No	Yes	Yes	No	Yes	No	No	No	Yes	BC-12 Yes



* BC-12 & BC-15 not MASH Tested

**STOCKED
IN CANADA**


WATCHDOG ACCESSORIES

FOLDING FLAG ATTACHMENT

- Designed to permanently mount to roll-up sign
- 18" x 18" bright orange vinyl flags
- Riveted to roll-up cross brace through metal flag bracket
- ABS flag clips hold flags in open position
- Folds compactly for storage
- Fiberglass flag staffs, 14.4"L x 0.9"W x 0.11" thick



Part #FF18




Metal Bracket
is riveted to
roll-up cross
brace

**STOCKED
IN CANADA**

QUICK GRIP™ CLAMP

- 3 rivets used to attach to horizontal cross brace
- Comes attached to roll-up cross brace for fast sign deployment
- Fits sign stand masts 3/4", 1", and 1 1/4" square tube
- Zinc plated



**STOCKED
IN CANADA**



FAST BRACKET

- Quickly and securely attach roll-up signs to your sign stand
- Slide bracket onto mast and tighten using crank to keep in place
- Easy snap on design, pull back on handle to release
- Part #SH-RMQR-SM fits sign stand masts 3/4" to 1" (square tube)
- Part #SH-RMQR fits sign stand masts 1" to 1 1/2" (square tube)
- Zinc plated

**STOCKED
IN CANADA**



TRENCH COVERS, RAMPS, & MANHOLE COVERS

A BETTER TRENCH COVER

- Exceptionally rigid, yet lighter than steel
- Easier & safer to lift into place than steel
- More stable & durable than plywood
- Less street noise
- High visibility yellow
- Anti-slip surface
- Graduated edge prevents tripping
- No scrap value for metal thieves
- No cold patch needed
- Rot & corrosion resistant



Steel Plates with Cold Patch


Plasticade Trench Covers

PEDESTRIAN TRENCH COVER TRENCH COVERS 35" & 27"



- Two sizes
- Designed to cover trenches up to 35" and 27"
- Takes the weight of a vehicle up to 4,410 lbs
- Anti-slip surface
- Deters metal thieves
- Beveled edge prevents tripping
- Molded from a single piece of fiberglass composite
- Underside has ribbed framework for added strength
- Secure with 4 bolts
- Available in yellow
- 35" Trench Cover Dimensions: 63"L x 47.2"W x 1.18"H, 73 lbs.
- 27" Trench Cover Dimensions: 47.2"L x 31.5"W x 0.93"H, 26.5 lbs.
- For Pedestrians Only - takes up to 553 lbs.
- Covers trenches up to 27.5"
- Anti-slip surface
- Smooth rubber edge greatly reduces tripping hazard
- Resists sliding, no need to bolt down
- Flexible material which grips the surface underneath
- Available in yellow
- Overall Dimensions: 44.3"L x 44.3"W x 0.7"H, 62 lbs.

SAFEGATE MANHOLE GUARD



Optional retroreflective sheeting increases visibility

**Non-conductive
(no metal used)**

- Non-conductive (dielectric), no metal used
- Great for protecting any area requiring temporary restriction of access
- Hinged clips make it easy to configure sections into rectangles of various sizes
- Locking clamp connects straight sections
- Folds up easily for storage and sets up quickly
- Carry handles for transport
- Longer life than metal, replacement sections available
- Available in yellow
- Dimensions for single section: 39.4"H x 29.5"W, 4.4 lbs.

PORTABLE CURB RAMP



- Lightweight, portable curb ramps
- Made of high density polyethylene
- Bright safety yellow with 5 yr. UV inhibitor
- Carry handles, to hang for storage
- Side rails keep wheels on track, 1"H
- No skid, textured surface
- For indoor and outdoor use
- Withstands cold to -73° C (-100° F)
- Meets OSHA curb ramp requirements
- Works with curbs 2" to 8" high
- Reinforced With Steel Bars
- 3.25"H x 51"W x 27.5"L
- 1,100 lb. weight capacity
- Pre-drilled Holes for Installation
- Pre-drilled Holes for Installation
- Item: PAR-PUP-15
- H: 3 1/4" x W: 51"
- Weight: 29lbs

SAFEKERB SUPAGRIP RAMP



- Ramp adapts to curb heights from 2.5" to 6"
- Withstands loads up to 772 lbs.
- Flexible black edge reduces unwanted movement
- High visibility, anti-slip, textured surface
- Raised sides prevent vehicle run off
- Molded plastic won't rust
- Stacks compactly for transport and storage
- Bolt to surface for added stability
- Available in yellow
- Overall Dimensions: 50.2"L x 29.9"W, 22 lbs.

HOSE RAMPS AND CABLE PROTECTORS

ALL:  **STOCKED IN CANADA**

2-CHANNEL HOSE RAMP



- Length: 33 1/2"
- Width: 12"
- Height: 3 5/16"
- 2 Channels
- Channel Dimensions: 3-1/2" x 2-3/4"
- Weight: 28 lbs.
- Bearing capacity: 44,000 lbs. (20,000 kg)
- Material: Rubber
- Color: Black & yellow
- Item Number: CPS-HR-3

2-LARGE CHANNEL RAMP



- Length: 39-3/4"
- Width: 12"
- Height: 5-1/3"
- Channels: 2
- Channel Dimensions: 5.9"W x 4.7"H
- Weight: 48.5 lbs.
- Bearing capacity: 44,000 lbs. (20,000 kg)
- Material: Rubber
- Color: Black with yellow reflective strips
- Item Number: CPS-HR-5

1-CHANNEL PROTECTOR



- Length: 39 3/8"
- Width: 8-1/4"
- Height: 1-3/4"
- Channel Height and Width: 1-1/4"
- Weight: 12 lbs. 2 oz.
- Bearing Capacity per axle: 22,000 lbs. (10,000 kg)
- Material: Heavy Duty Rubber and LLDPE Hinged Lid
- Color: Black with bright yellow lid
- Standard Packaging: 1 PC/Carton
- Item Number: CPS-CP-10M

2-CHANNEL PROTECTOR



- Length: 39 1/2", Width: 10", Height: 1 3/4"
- 2 Channels
- Channel Width: 1 3/8"
- Channel Height: 1 3/8"
- Weight: 9 lb. 4 oz.
- Bearing capacity: 11,000 lbs. (5,000 kg)
- Material: Base Virgin TPU & Lid LLDPE
- Color: Black and yellow
- Standard Packaging: 1 Pcs/Carton
- Pallet Quantity: 100 Pcs
- Item Number: CPS-BPCP-5S

2-CHANNEL PROTECTOR



- Length: 38"
- Connected length: 35.625"
- Width: 24.375"
- Height: 4"
- Channels 3.625" wide x 3.2" high
- Accommodates cables up to 3" dia.
- Weight: 63 lbs.
- Bearing Capacity 40,000 lbs. (18,000 kg)
- Material: Heavy Duty Rubber
- Color: Black with bright yellow lid
- Standard Packaging: 1 Pc/Carton
- Item Number: CPS-CP-7

3-CHANNEL PROTECTOR



- Length: 35.43"
- Width: 24"
- Height: 2.95"
- Channels 2.56" wide x 2.56" high
- Cables/hoses: 2 1/2" Diameter
- Weight: 55 lbs.
- Weight Bearing Capacity per axle 66,000 lbs. (30,000 kg)
- Material: Heavy Duty Rubber
- Color: Black with bright yellow hinged lid
- Standard Packaging: 1 Pc/Carton
- Item Number: CPS-CP-6

SEMI PERMANENT SPEED BUMPS

- Designed to reduce the speed of vehicles
- Use in parking lots, low traffic roadways, and private lanes
- Designed for speeds of 20 mph (32 km/hr) or less
- Easy to install in asphalt and concrete, pavement anchors sold separately
- Flexible, conforms to surface contours
- Modular designs allow for custom sizing
- Never need painting
- Stands up in all weather conditions, no warping, chipping, or cracking
- Recommend removing or relocating before snow plow use
- 6 Ft. length, 1 Ft. wide, with optional end caps
- 44,000 lbs/axle weight bearing capacity
- Durable, high quality pre-consumer and post consumer recycled rubber (Vulcanized SBR)
- Yellow sections are composed of UV stabilized synthetic rubber (EPDM) for non-wearing color
- Glass reflectors help visibility at night
- Underside channels help to drain water
- Install with 4" anchors
- 2"H x 12" W x 72"L



PAB-SP-26M

PAB-SP-26E, END CAP

**STOCKED
IN CANADA**



EPDM Rubber Wheel Stop

STANDARD SPEED BUMP



- 2.5" High, 6' sections, made from recycled rubber
- Reflective yellow tape is embedded in the rubber, increases visibility
- Good for parking lots & slow roadways
- Reduces speeds 2-5 mph
- Cut with a utility knife if necessary
- Optional cat eye reflectors
- Dual bottom channels for drainage, protects wire, hose, or pipe
- End caps and hardware sold separately
- Made in the USA
- 72"L x 12"W x 2.5"H
- Weight: 52 lbs.



End Cap
SBECN

**STOCKED
IN CANADA**

6' Middle Section
5 Yellow Stripes - 4"W
SB72N-S



PARKING STOPS



- Use in parking lots and garages
- Protects garage walls, delineates spaces
- Available in 6 foot or 4 foot lengths
- Maintenance Free
- High visibility at night
- Reflective stripes in yellow or white
- Made in the USA using recycled rubber
- Yellow and Black stocked in Canada

**STOCKED
IN CANADA**



STN-6Y

72" L, 35.5 lbs.

- Heavy duty EPDM synthetic rubber
- Made from pre and post consumer recycled rubber materials
- Highly resistant to weathering
- Years of use without cracking or deteriorating
- Embedded solid reflective stripes, made from road marking tape
- Pre-drilled holes for installation

SPEED HUMPS & CUSHIONS

ROLL-UP SPEED BUMP

- Designed to slow traffic speeds to 25 mph (40 km/hr)
- Withstands heavy vehicles, 22,000 lbs/axle weight bearing capacity
- Durable LLDPE plastic
- Steel rod connectors for maximum strength
- Use outdoors in all weather conditions (13°F - 131°F (-25°C - 55°C))
- Handle helps with quick deployment
- Bright yellow with HI reflective white tape on edges for increased visibility
- Black rubber waffle style underlay maximizes adhesion to road surface and keeps speed bump securely in place
- Storage bag included, fits inside a car trunk
- Stored dimensions: - 20' x 27" x 9", 62 lbs.
- 20'L x 1 3/4" high - (without rubber mounting on bottom)



PAB-PSP-2

Steel Rod Connectors


**STOCKED
IN CANADA**

TEXTURED PREMIUM SPEED HUMPS

- Durable, high quality pre-consumer and post consumer recycled rubber (Vulcanized SBR)
- High visibility yellow sections are composed of UV stabilized synthetic rubber (EPDM) for non-wearing color
- Textured, non-slip surface
- Join middle sections together to create length needed
- End caps complete the speed hump, sold separately
- Easy to install, remove, and relocate
- Install with 4" anchors
- 2"H x 35"W x 19"L Middle Sections (connected length)
- End Cap: 17.5"L x 36"W x 2.4"H, 5 installation holes
- End Cap: Weight: 23 lbs.



Textured Surface



Female End Cap PAH-SP-22EF Middle Sections PAH-SP-22M Male End Cap PAH-SP-22EM

**STOCKED
IN CANADA**

SPEED CUSHION


- Durable, high quality pre-consumer and post consumer recycled rubber (Vulcanized SBR)
- White arrows, made from glass beaded tape, are embedded in the rubber
- Textured, non-slip surface
- Modular piece makes the cushion easy to transport and assemble
- Sold in kits with 4 cushion segments
- Provided dog bone connectors hold sections together
- Rubber anchor caps included
- Install with 6" anchors
- 118"L Speed Cushion available by special order
- 2.75"H x 71"W x 78.79"L



PAC-SP-482M

STANDARD SPEED HUMPS

- Available in 24" sections, with 17.5" end caps
- Attach sections together to create custom length
- For traffic speeds 15 mph or less
- Gentler than speed bumps
- Good for heavy truck traffic areas
- Reflective stripes in yellow
- Dual bottom channels for drainage
- Protects wire, hose, or pipe to 3/4" dia.
- Made in the USA using recycled rubber
- End caps sold separately
- Dimensions: 24"L x 36"W x 2.4"H sections
- Connected length 23.5", 52 lbs.
- End caps 17.5"L x 36"W x 2.4"H, 23 lbs.



Female End Cap Center Section Male End Cap



WHEEL CHOCKS

AUTOMOTIVE & INDUSTRIAL CHOCKS



5.25"W x 6.75"D x 4.5"H
3.5 lbs.
Uses: Autos, Trailers, RVs,
Pickups up to 16" Wheels



5"W x 9"D x 6"H
6.5 lbs.
Uses: Buses, Paper Rolls



10"W x 8"D x 6"H
8 lbs.
Uses: Dump & Tow Trucks,
Off Road Vehicles,
Utility Trucks, Semi Trucks



Available as a pair
with connecting
rope



Your Name or Logo Embossed
200 minimum order quantity



Metal Hairpin Option
painted steel 4" x 1.75"



Metal Pole Step Handle Option
7"L galvanized steel

9.75"W x 7.75"D x 5"H
10 lbs.
Uses: Utility Vehicles, RVs,
Pickups up to 16.5" Wheels



10"W x 8"D x 6"H
11.5 lbs.
Uses: Dump & Tow Trucks,
Off Road Vehicles, Utility Trucks,
Semi Trucks



6.75"W X 9.25"D X 8"H
12 lbs.
Uses: Semi Trucks, RVs,
Dump & Tow Trucks



8.75"W x 8.5"D x 7"H
15 lbs.
Uses: Heavy Equipment,
Line Trucks



- Made of 100% post-consumer recycled rubber
- Will not compress, warp, chip, or crack
- UV, oil, and weather resistant
- Can be customized
- Your name or logo embossed in the chock
- Paint for greater visibility and easy identification



Ridges in chock, grip
the tire aiding traction
on select chock models



Width Fits Against Tire

AIRCRAFT CHOCKS



Yellow Rope Connect



Yellow Rope Handles



Vinyl Tubing Over
Yellow Rope Handles

Visibility Options



Cat Eye Reflectors



Painted Recess



Painted Chock

Reflective glass beads help with nighttime visibility.
Deep set in recessed area. 4 on each side standard.

Standard Colors:
Orange, Red, Blue, Yellow, White, & Green

Custom Embossing

Add your logo, name, website, and/or phone number to both sides of each chock
Standard nameplate size for embossing is 14"W x 3"H



Name Embossed
in Rubber



Name Embossed with
Painted Recess



Name Embossed on
Painted Chock

Minimum order quantity of 200 required for options

PLASTICADE[®]

 **CANADA**

